

MegaPress 304 FKM



2.4

viega

MegaPress 304 FKM

Viega MegaPress 304 FKM fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". MegaPress 304 with an FKM sealing element is suitable for chemical and higher temperature applications.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- FKM sealing element
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty
- Can be used on Schedule 80 pipe, but with the rating of a Schedule 40 system

CODES AND STANDARDS

- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Services Piping
- ASTM A312: Standard Specification for Seamless, Welded and Heavily Cold Worked Austenitic Stainless Steel Pipes
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: PS-117: Press Connections
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Solar, Hydronics and Geothermal Code (USHGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Residential Code (IRC)
- ICC-ES LC1002: Press-connection Fittings for Potable Water Tube and Radiant Heating Systems
- National Building Code of Canada (NBCC)
- NFPA 13: Standard for the Installation of Sprinkler Systems
- NFPA 13D: Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes
- NFPA 13R: Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- FM Class 1920: Pipe Couplings and Fittings for Aboveground Fire Protection Systems (½" to 2" only)
- IAPMO file 10555 (MegaPress 304 FKM)
- ICC-ES PMG-1451 (MegaPress 304)
- LR: Lloyd's Register Type Approval
- RINA: Registro Italiano Navale
- ANSI/CAN/UL 213: Standard for Rubber Gasketed Fittings for Fire-Protection Service (½" to 3" only)
- United States Coast Guard Acceptance Letter 2019-3660

NOTE

A white dot on a Viega MegaPress 304 fitting indicates Smart Connect technology with an FKM sealing element.

Elbows



Viega MegaPress 90° elbow

Smart Connect technology

- 304 stainless steel
- Press connection

Components

FKM sealing elements

Model 4116

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.324	10	95005	14
3/4	3/4	0.423	10	95010	14
1	1	0.789	5	95015	14
1 1/4	1 1/4	1.258	1	95785	14
1 1/2	1 1/2	1.510	1	95020	14
2	2	2.032	1	95025	14



Viega MegaPress 90° elbow

Smart Connect technology

- 304 stainless steel
- Press connection

Components

FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4116XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.317	1	95500	14
3	3	4.763	1	95505	14
4	4	7.904	1	95510	14



Viega MegaPress 90° street elbow

Smart Connect technology

- 304 stainless steel
- Press connection, street

Components

FKM sealing element

Model 4116.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.320	10	95030	14
3/4	3/4	0.417	10	95035	14
1	1	0.782	5	95040	14
1 1/4	1 1/4	1.219	1	95845	14
1 1/2	1 1/2	1.483	1	95045	14
2	2	2.063	1	95050	14



Viega MegaPress 90° street elbow

Smart Connect technology

- 304 stainless steel
- Press connection, street

Components

FKM sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4116.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.304	1	95515	14
3	3	5.052	1	95520	14
4	4	7.489	1	95525	14



Viega MegaPress 45° elbow

Smart Connect technology

- 304 stainless steel
- Press connection

Components

FKM sealing elements

Model 4126

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	95055	14
3/4	3/4	0.346	10	95060	14
1	1	0.641	5	95065	14
1 1/4	1 1/4	1.038	1	95790	14
1 1/2	1 1/2	1.228	1	95070	14
2	2	1.620	1	95075	14



Viega MegaPress 45° elbow

Smart Connect technology

- 304 stainless steel
- Press connection

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 4126XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.480	1	95530	14
3	3	3.579	1	95535	14
4	4	5.938	1	95540	14