

MegaPress 316



MegaPress 316

MegaPress fittings in 316 stainless steel are the industry's first press fittings for Schedule 5 to 40 piping systems. Save labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4".

Viega MegaPress 316 with an EPDM sealing element is suitable for use with chilled water, compressed air, potable water, marine applications and more. Not for use with fuel gas or fuel oil applications.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- 316 stainless carries an NSF-61 potable water rating
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty
- Can be used on Schedule 80 pipe, but with the rating of a Schedule 40 system

CODES AND STANDARDS

- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Services Piping
- ASTM A312: Standard Specification for Seamless, Welded and Heavily Cold Worked Austenitic Stainless Steel Pipes
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: California Mechanical Code (CMC)
- IAPMO: California Plumbing Code (CPC)
- IAPMO: National Standard Plumbing Code (NSPC)
- IAPMO PS-117: Press Connections
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Plumbing Code (UPC)
- IAPMO: Uniform Solar, Hydronics, and Geothermal Code (USHGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Plumbing Code (IPC)
- ICC: International Residential Code (IRC)
- ICC-ES LC1002: Press-connection Fittings for Potable Water Tube and Radiant Heating Systems
- National Building Code of Canada (NBCC)
- National Plumbing Code of Canada (NPCC)
- NFPA 13: Standard for the Installation of Sprinkler Systems
- NFPA 13D: Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes
- NFPA 13R: Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- FM Class 1920: Pipe Couplings and Fittings for aboveground Fire Protection Systems (½" to 2" only)
- IAPMO file 10555 (MegaPress 316)
- ICC-ES PMG-1451 (MegaPress 316)
- LR: Lloyd's Register Type Approval
- NSF/ANSI/CAN 61: Drinking Water System Components – Health Effects
- NSF/ANSI 372: Drinking Water System Components – Lead Content
- RINA: Registro Italiano Navale
- ANSI/CAN/UL 213: Standard for Rubber Gasketed Fittings for Fire-Protection Service (½" to 3" only)
- Unites States Coast Guard Acceptance Letter 2019-3660

NOTE

A green dot on a Viega MegaPress 316 fitting indicates Smart Connect technology with an EPDM sealing element.



Viega MegaPress 45° street elbow
Smart Connect technology
 - 316 stainless steel
 - Press connection, street
Components
 EPDM sealing element
Model 5126.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.271	10	90080	14
¾	¾	0.353	10	90085	14
1	1	0.648	5	90090	14
1¼	1¼	1.007	1	90900	14
1½	1½	1.232	1	90095	14
2	2	1.671	1	90100	14



Viega MegaPress 45° street elbow
Smart Connect technology
 - 316 stainless steel
 - Press connection, street
Components
 EPDM sealing element
Note
 Must be installed with MegaPress XL rings
 and PressBooster/Z3 actuator
Model 5126.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.290	1	90545	14
3	3	3.284	1	90550	14
4	4	5.455	1	90555	14

Tees



Viega MegaPress tee
Smart Connect technology
 - 316 stainless steel
 - Press connection
Components
 EPDM sealing elements
Model 5118

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.432	5	90105	14
¾	¾	¾	0.534	5	90130	14
¾	¾	¾	0.569	5	90110	14
1	1	½	0.866	5	90135	14
1	1	¾	0.891	5	90140	14
1	1	1	0.996	5	90115	14
1¼	1¼	½	1.311	1	90905	14
1¼	1¼	¾	1.342	1	90910	14
1¼	1¼	1	1.441	1	90915	14
1¼	1¼	1¼	1.600	1	90845	14
1½	1½	½	1.549	1	90145	14
1½	1½	¾	1.536	1	90150	14
1½	1½	1	1.655	1	90155	14
1½	1½	1½	1.887	1	90120	14
2	2	½	2.074	1	90160	14
2	2	¾	2.100	1	90165	14
2	2	1	2.191	1	90170	14
2	2	1½	2.407	1	90175	14
2	2	2	2.515	1	90125	14



Viega MegaPress tee
Smart Connect technology
 - 316 stainless steel
 - Press connection
Components
 EPDM sealing element
Note
 Must be installed with MegaPress XL rings
 and PressBooster/Z3 actuator
Model 5118XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	3.035	1	90575	14
2½	2½	2	3.163	1	90580	14
2½	2½	2½	3.762	1	90560	14
3	3	1½	3.672	1	90590	14
3	3	2	3.963	1	90585	14
3	3	2½	4.312	1	90595	14
3	3	3	4.820	1	90565	14
4	4	1½	5.614	1	90600	14
4	4	2	5.979	1	90605	14
4	4	2½	6.387	1	90610	14
4	4	3	6.921	1	90615	14
4	4	4	8.221	1	90570	14



Viega MegaPress tee
Smart Connect technology
 - 316 stainless steel
 - Press connection, female pipe thread
Components
 EPDM sealing elements
Model 5117.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.525	5	90180	14
¾	¾	¾	0.551	5	90185	14
1	1	½	0.844	5	90190	14
1	1	¾	0.879	5	90195	14
1½	1½	½	1.519	1	90200	14
1½	1½	¾	1.574	1	90205	14
1½	1½	1	1.719	1	90210	14
2	2	½	2.072	1	90215	14
2	2	¾	2.081	1	90220	14
2	2	1	2.222	1	90225	14