

MegaPress 316



MegaPress 316

MegaPress fittings in 316 stainless steel are the industry's first press fittings for Schedule 5 to 40 piping systems. Save labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4".

Viega MegaPress 316 with an EPDM sealing element is suitable for use with chilled water, compressed air, potable water, marine applications and more. Not for use with fuel gas or fuel oil applications.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- 316 stainless carries an NSF-61 potable water rating
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty
- Can be used on Schedule 80 pipe, but with the rating of a Schedule 40 system

CODES AND STANDARDS

- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Services Piping
- ASTM A312: Standard Specification for Seamless, Welded and Heavily Cold Worked Austenitic Stainless Steel Pipes
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: California Mechanical Code (CMC)
- IAPMO: California Plumbing Code (CPC)
- IAPMO: National Standard Plumbing Code (NSPC)
- IAPMO PS-117: Press Connections
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Plumbing Code (UPC)
- IAPMO: Uniform Solar, Hydronics, and Geothermal Code (USHGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Plumbing Code (IPC)
- ICC: International Residential Code (IRC)
- ICC-ES LC1002: Press-connection Fittings for Potable Water Tube and Radiant Heating Systems
- National Building Code of Canada (NBCC)
- National Plumbing Code of Canada (NPCC)
- NFPA 13: Standard for the Installation of Sprinkler Systems
- NFPA 13D: Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes
- NFPA 13R: Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- FM Class 1920: Pipe Couplings and Fittings for aboveground Fire Protection Systems (½" to 2" only)
- IAPMO file 10555 (MegaPress 316)
- ICC-ES PMG-1451 (MegaPress 316)
- LR: Lloyd's Register Type Approval
- NSF/ANSI/CAN 61: Drinking Water System Components – Health Effects
- NSF/ANSI 372: Drinking Water System Components – Lead Content
- RINA: Registro Italiano Navale
- ANSI/CAN/UL 213: Standard for Rubber Gasketed Fittings for Fire-Protection Service (½" to 3" only)
- United States Coast Guard Acceptance Letter 2019-3660

NOTE

A green dot on a Viega MegaPress 316 fitting indicates Smart Connect technology with an EPDM sealing element.


Viega MegaPress flange
Smart Connect technology

- 316 stainless steel
- Press connection

Components

EPDM sealing element

Note

Must be installed with MegaPress XL rings
and PressBooster/Z3 actuator

Model 5159XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.342	1	90720	14
3	4	6	9.709	1	90725	14
4	8	7½	13.881	1	90730	14

BP = bolt pattern

BPd = bolt pattern diameter

Caps


Viega MegaPress cap
Smart Connect technology

- 316 stainless steel
- Press connection

Components

EPDM sealing element

Model 5156

P	Wt [lb]	Quantity	Part No	DG
½	0.172	10	90390	14
¾	0.218	10	90395	14
1	0.379	5	90400	14
1¼	0.604	1	90875	14
1½	0.703	1	90405	14
2	0.926	1	90410	14


Viega MegaPress cap
Smart Connect technology

- 316 stainless steel
- Press connection

Components

EPDM sealing element

Note

Must be installed with MegaPress XL rings
and PressBooster/Z3 actuator

Model 5156.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.466	1	90705	14
3	1.695	1	90710	14
4	2.790	1	90715	14

Unions


Viega MegaPress union
Smart Connect technology

- 316 stainless steel
- Press connection

Components

EPDM flat gasket, EPDM sealing elements

Model 5160

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.624	5	90415	14
¾	¾	1.036	5	90420	14
1	1	1.342	1	90425	14
1¼	1¼	2.420	1	90925	14
1½	1½	2.468	1	90430	14
2	2	3.956	1	90435	14

Couplings


Viega MegaPress coupling
With stop
Smart Connect technology

- 316 stainless steel
- Press connection

Components

EPDM sealing elements

Model 5115

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	90285	14
¾	¾	0.290	10	90290	14
1	1	0.505	5	90295	14
1¼	1¼	0.849	1	90850	14
1½	1½	1.018	1	90300	14
2	2	1.267	1	90305	14


Viega MegaPress coupling
With stop
Smart Connect technology

- 316 stainless steel
- Press connection

Components

EPDM sealing element

Note

Must be installed with MegaPress XL rings
and PressBooster/Z3 actuator

Model 5115XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.688	1	90645	14
3	3	2.645	1	90650	14
4	4	4.130	126	90655	14