


PureFlow Crimp



3.2



PureFlow Crimp

With the reliability and quality required for potable water, Viega PureFlow Crimp fittings are part of Viega's complete plumbing solution. Matched with the revolutionary Viega ManaBloc water distribution system and the highest-rated PEX tubing in the industry (according to industry standards), Viega PureFlow Crimp fittings are a time-tested method for joining PEX.

FEATURES AND BENEFITS

- EcoBrass fittings provide better corrosion resistance than other brass fittings
- High-performance polyalloy fittings are made in the USA
- Peace of mind from durable materials and quality manufacturing
- Available in sizes 3/8" to 1"
- 25-year limited warranty

CODES AND STANDARDS

- CSA B214: Installation Code for Hydronic Heating Systems
- IAPMO: California Plumbing Code (CPC)
- IAPMO: National Standard Plumbing Code (NSPC)
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Plumbing Code (UPC)
- IAPMO: Uniform Solar, Hydronics and Geothermal Code (USHGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Plumbing Code (IPC)
- ICC: International Residential Code (IRC)
- National Building Code of Canada (NBCC)
- National Plumbing Code of Canada (NPCC)

LISTINGS AND CERTIFICATIONS

- ASTM E84: Standard Test Method for Surface Burning Characteristics of Building Materials
- ASTM F876: Standard Specification for Cross-linked Polyethylene (PEX) Tubing
- ASTM F877: Standard Specification for Cross-linked Polyethylene (PEX) Water Distribution System
- ASTM F1807/F2159: Standard Specification for Cross-linked Polyethylene (PEX) Insert Fittings
- ASTM F2023: Standard Test Method for Evaluating the Oxidative Resistance of Cross-linked Polyethylene PEX Tubing and Systems to Hot Chlorinated Water
- AWWA C904: Cross-linked Polyethylene (PEX) Pressure Pipe for Water Service
- CAN/ULC S101: Standard Method of Test for Surface Burning Characteristics
- CAN/ULC S102.2: Standard Method of Test for Surface Burning Characteristics of Flooring, Floor Coverings, and Miscellaneous Materials and Assemblies
- CSA B137.5: Standard Specification for PEX Tubing Systems in Pressure Applications
- HUD MR1276: Housing and Urban Development Materials Release
- IAPMO file 3700 (Potable Water Distribution Manifold)
- IAPMO file 4030 Cross-linked Polyethylene Water Distribution System (PEX)
- IAPMO file 4874 (FostaPEX)
- ICC-ES PMG-1038 (PureFlow)
- NSF/ANSI 14: Plastics Piping System Components and Related Materials
- NSF/ANSI/CAN 61: Drinking Water Systems Components – Health Effects

- NSF/ANSI 372: Drinking Water Systems Components – Lead Content
- UL 1821: Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service
- UL 2846: Fire Test of Plastic Water Distribution Plumbing Pipe for Visible Flame and Smoke Characteristics

ZERO LEAD

References to Zero Lead throughout this publication mean products meet the requirements of both NSF/ANSI 372 ($\leq 0.25\%$ maximum weighted average lead content) and NSF/ANSI/CAN 61.

NOTE

Crimp rings are not sold with any PureFlow Crimp product unless otherwise specified.



Viega PureFlow Crimp lav adapter

- Equipped with ferrule Part No 53005, Viega PureFlow Crimp ring Model V5019.9
- Brass
- Crimp connection, compression

Components

Brass ferrule

Model V5077ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.120	1	46032	2
1/2	1/4	0.115	1	46331	2



Viega PureFlow Crimp lav adapter

- PolyAlloy
- Crimp connection, lav connection

Model V5263

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.025	25	43323	3
1/2	1/2	0.025	25	43333	3
3/4	3/4	0.045	10	43344	3



Viega PureFlow Crimp 90° lav elbow

- PolyAlloy
- Crimp connection, lav connection

Components

Plastic nut

Model V5255

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.027	50	43232	3
1/2	1/2	0.029	50	43233	3
3/4	3/4	0.053	25	43244	3



Cone seal

- Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lav adapter Model V5075ZL, Viega PureFlow Crimp 90° lav elbow Model V5255, Viega PureFlow Crimp lav adapter Model V5263, Viega PureFlow Press lav adapter Model V5613.3

Model V5084.1

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	43721	2
3/4	0.003	100	43740	2

Closet adapters



Viega PureFlow Crimp closet adapter Zero Lead

- Brass
- Crimp connection, closet connection

Components

Plastic nut

Model V5072ZL

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.085	5	46223	2
1/2	1/2	0.085	5	46234	2



Viega PureFlow Crimp closet adapter

- PolyAlloy
- Crimp connection, closet connection

Components

Plastic nut

Model V5257

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.036	5	43300	3
1/2	1/2	0.040	5	43320	3



Cone seal

- Spare part for Viega PureFlow Crimp closet adapter Model V5072ZL, V5257, Viega PureFlow Press closet adapter Model V5613.4

Model V5084

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	100	43820	2



Viega PureFlow Crimp swivel connector

- For water heater
- Copper
- Crimp connection, female pipe thread

Model V5048ZL

Crimp	FPT	L [in]	Wt [lb]	Quantity	Part No	DG
3/4	3/4	18	0.554	25	46764	2