


Tech Data

Viega ProPress® ASTM A312 Stainless Pipe



Nominal Pipe Size (in)	Part No. ASTM A312	
	304	316
½	87000	82000
¾	87005	82005
1	87010	82010
1¼	87015	82015
1½	87020	82020
2	87025	82025
2½	87095	82042
3	87100	82050
4	87105	82055



This document is subject to updates. For the most current Viega technical literature please visit www.viega.us.



Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. **Installation by non-professionals may void Viega LLC's warranty.**

Pipe Dimensional Data

Nominal Pipe Size (in)	Outside Diameter (OD)		Inside Diameter (ID)		Wall Thickness		Weight	
	inches	mm	inches	mm	inches	mm	lb./ft.	per 20 ft. length
½	0.63	15.88	0.50	12.78	0.06	1.55	0.41	8.20
¾	0.88	22.23	0.75	19.13	0.06	1.55	0.59	11.80
1	1.13	28.58	1.00	25.48	0.06	1.55	0.77	15.40
1¼	1.38	35.00	1.26	31.90	0.06	1.55	0.95	19.00
1½	1.63	41.28	1.50	38.18	0.06	1.55	1.13	22.60
2	2.13	54.00	2.00	50.90	0.06	1.55	1.50	30.00
2½	2.63	66.68	2.47	62.68	0.08	2.00	2.18	43.60
3	3.13	79.38	2.97	75.38	0.08	2.00	2.60	52.00
4	4.13	104.78	3.97	100.78	0.08	2.00	3.46	69.20

Pipe dimensionally (OD) conforms ASME B88

ASTM A312 denotes welded annealed stainless steel pipe

Pipe wall conforms to the requirements of schedule 5S steel pipe per ASME B36.10M

Wall thickness is the minimum allowable

V Viega LLC
585 Interlocken Blvd.
Broomfield, CO 80021

Phone (800) 976-9819
www.viega.us

TD-PP 1019 ASTM A312 Stainless Pipe

