

PureFlow Press

Known for forward-thinking system solutions, Viega offers complete plumbing systems for potable water. By combining the highest-rated PEX tubing on the market (according to industry standards) with the revolutionary Viega ManaBloc and press manifolds, as well as press fittings, the Viega PureFlow System saves time, labor and cost. The first press system for the PEX market, Viega PureFlow Press fittings have factory-attached sleeves that improve consistency and reduce installation errors. Available in high-performance polymer and Viega Zero Lead bronze, Viega PureFlow Press fittings are ideal for residential and commercial jobs. Viega also offers fittings for easy copper-to-PEX transitions; and system-matched tools and jaws make installation easy and consistent.

FEATURES AND BENEFITS

- The original press fitting for PEX tubing
- Factory-assembled fittings with attached stainless steel sleeves reduce installation errors
- Available in sizes from $\frac{3}{8}$ " to 2"
- The only PEX fittings with Viega Smart Connect technology
- Backed by a 25-year limited warranty

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF 61-G through testing under NSF/ANSI 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega PureFlow Press polymer fitting indicates Smart Connect technology.

Accessories



Viega PureFlow Press sleeve

- Only for Viega PureFlow Press polymer fittings
 - Stainless steel
- Model V5615.3**

d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	10	49901	6
1/2	0.012	10	49902	6
3/4	0.015	10	49903	6
1	0.025	10	49904	6
1 1/4	0.053	10	49905	6
1 1/2	0.065	10	49906	6
2	0.085	10	49607	6



Lav riser

- Does not include lav nut Model V5089
 - Equipped with ferrule Model V5085
 - PEX
- Model V5080**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
1/4	3/8	20	0.046	100	58120	2
1/4	3/8	30	0.068	100	58130	2
1/4	3/8	36	0.085	100	58136	2



Closet riser

- Does not include ballcock nut Model V5089.1
 - Equipped with ferrule Model V5085
 - PEX
- Model V5081**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.031	100	57112	2
1/4	3/8	20	0.050	100	57120	2



Lav nut

- Suitable for lav riser Model V5080
- Model V5089**

FPT	Wt [lb]	Quantity	Part No	DG
1/2	0.017	100	33705	2



Ballcock nut

- Suitable for closet riser Model V5081
 - Plastic
- Model V5089.1**

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.023	100	53017	2



Ferrule

- For Viega ManaBloc compression connections, risers, Valves
 - Plastic
- Model V5085**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2



Insert stiffener

- For Viega ManaBloc compression connections, risers
 - Stainless steel
- Model V5086**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.003	100	56100	2
3/8	1/2	0.003	50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2



Escutcheon

Single

- Not suitable for Viega FostaPEX
 - Plastic
- Model V5088**

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.012	50	53115	2
1/2	white	0.012	50	53120	2