


**Bend support
Drop ear**

- Not suitable for Viega FostaPEX
- Plastic-coated steel

Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	50520	2


Bend support

- Not suitable for Viega FostaPEX
- Plastic

Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	51000	2
1/2	0.083	25	51020	2
5/8, 3/4	0.154	25	51040	2
1	0.258	25	51060	2


Bend support

- For in slab applications
- Not suitable for Viega FostaPEX
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	15106	4
1/2	0.127	10	15107	4
5/8, 3/4	0.190	10	15108	4
1	0.730	1	15111	4


**Tubing clamp
Turn out**

- For 3/8" tubing and 1/2" tubing with standard or stub-out elbows
- Not suitable for Viega FostaPEX
- Plastic
- Trim tapered tip to use with 1/2" tubing

Model V5071

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.076	25	52130	2


J-clamp tubing fasteners

- Plastic

Components

Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2


Economy PEX tubing clamp

- Not suitable for Viega FostaPEX
- Plastic

Model V5095

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.002	100	52110	2
1/2	0.003	100	52120	2
3/4	0.004	50	52140	2


Lock clip

- Plastic

Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	100	58071	2
1/2	0.013	100	58072 ¹⁾	2
3/4	0.009	50	58073	2
1	0.020	50	58074	2
1 1/4	0.030	50	58075	2
1 1/2	0.040	25	58076	2
2	0.050	15	58077	2

¹⁾ Suitable for Viega Barrier PEX tubing Part No 11445, 11450



Bend support

Snap in

- Not suitable for Viega FostaPEX
- Suitable for bracket Model 2850.4US
- Plastic

Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.079	100	51021	2



Bend support

Drop ear

- Not suitable for Viega FostaPEX
- Plastic-coated steel

Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	50520	2



Bend support

- Not suitable for Viega FostaPEX
- Plastic

Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	51000	2
1/2	0.083	25	51020	2
5/8, 3/4	0.154	25	51040	2
1	0.258	25	51060	2



Bend support

- For in slab applications
- Not suitable for Viega FostaPEX
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	15106	4
1/2	0.127	10	15107	4
5/8, 3/4	0.190	10	15108	4
1	0.730	1	15111	4



Tubing clamp

Turn out

- For 3/8" tubing and 1/2" tubing with standard or stub-out elbows
- Not suitable for Viega FostaPEX
- Plastic
- Trim tapered tip to use with 1/2" tubing

Model V5071

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.076	25	52130	2



J-clamp tubing fasteners

- Plastic

Components

Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2



Economy PEX tubing clamp

- Not suitable for Viega FostaPEX
- Plastic

Model V5095

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.002	100	52110	2
1/2	0.003	100	52120	2
3/4	0.004	50	52140	2


Bend support

- For in slab applications
- Not suitable for Viega FostaPEX
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	15106	4
1/2	0.127	10	15107	4
5/8, 3/4	0.190	10	15108	4
1	0.730	1	15111	4


Repair coupling tape

- For wrapping PureFlow Press fittings in a slab
- Silicone

Model 2890.4US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1	10	0.120	1	15320	4


J-clamp tubing fasteners

- Plastic
- Components
- Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2


Lock clip

- Plastic

Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
5/16	0.009	100	58070	4
3/8	0.009	100	58071	2
1/2	0.013	100	58072¹⁾	2
3/4	0.009	50	58073	2
1	0.020	50	58074	2
1 1/4	0.030	50	58075	2
1 1/2	0.040	25	58076	2
2	0.050	15	58077	2

¹⁾ Suitable for Viega Barrier PEX tubing Part No 11445, 11450

Multi-clip

- Plastic
- Components
- Mounting screw

Model 2867US

max d	Wt [lb]	Quantity	Part No	DG
1	0.024	100	52006	2
2	0.090	50	52007	2


Mat clip

- Suitable for Viega Climate Mat
- Model 2809.1US, 2809.2US
- Plastic

Model 2809.3US

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	50	18165	4
5/8	0.004	50	18166	4


Bend support
Drop ear

- Not suitable for Viega FostaPEX
- Plastic-coated steel

Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	50520	2