

Zurn Fire Protection Solutions

Convenient Solutions, Wider Selection



ZURN.COM US 1.855.ONE.ZURN CANADA 1.877.892.5216



We're Solving Smarter

At Zurn, we aren't just a product and service provider, we're problem solvers – continuously focused on water control, safety and conservation. From our drain systems and interceptors to our finish plumbing, piping systems, and of course, our full line of fire protection solutions, we are known throughout the industry as a reliable leader.

“Zurn meets our expectations with its selection, level of quality, and timely delivery. I was able to find the valve configurations to complete my system. I appreciate the positive shutoff of the OS&Y gate valves. Not to mention, I didn't have to wait a week to get material.”

GARY BLACKMORE

Backflow Specialist – Fire Safety First

Backflow Preventers	4
Shut-Off Valves.....	8
Switches	8
Riser Equipment.....	8
Check Valves	8
In-Building Risers.....	9
Backflow Accessories	9
Fire Valves.....	10
Couplings and Fittings.....	11

Full Line. Full Compliance.

It's nice to have selection. It's even better if you can find it all through one manufacturer.

From backflow to every valve in between, complete your system with our Fire Protection Solutions. Our products work together and always meet compliance standards, so you'll gain peace of mind and save some time.



Backflow Preventers

Enhance the service life of your fire protection system and avoid cross-contamination to your potable water supply by installing one of our patented backflow preventers.

Fire Valves

Hose or floor control, field adjustable or factory set, globe or angle body configurations, grooved or threaded connections, our fire valves install how you need them to without a hitch. They are a dependable choice with more options, reliable performance and the lowest lifecycle costs.

Automatic Control Valves

Fire systems can be complex with multiple controls for a range of functionality. Automatic control valves provide steady downstream pressure, allowing high flow rates without risk.

Shut-Off Valves

Whether it's a simple repair or an emergency, turn off the source quickly without affecting your system. Our shut-off valves feature low torque actuation that's easy to maneuver time and again without fail.

Pressure Relief Valves

Pressure relief valves automatically curb buildup whenever the line exceeds the desired setting, to avoid equipment failure and damage.

Stainless Steel Wilkins Building Riser (WBR)

All-stainless steel construction and intuitive installation make connecting your building to the outside water supply line easier, with fewer joints and less worry.

Backflow Preventers

Zurn is recognized as the market leader in backflow products, delivering innovative solutions with the lowest cost of ownership.



Double Check Assemblies (DC)

Low-hazard protection

Small Diameter Models: 950XLT, 950XL3, 950XL3BFSS



950XLT
3/4" - 2"



950XL3
3/4" - 2"



950XL3BFSS
1 1/4", 1 1/2", and 2"

Large Diameter Models: 350, 350A, 350AST, 350ASTR, 450, 450ST, 450STR



350 2 1/2" - 12"
OSY, PI or Butterfly (2 1/2" - 10") (optional)



350A 2 1/2" - 10"
OSY, PI or Butterfly (optional)



350AST 2 1/2" - 10"
OSY, PI or Butterfly (optional)



350ASTR 2 1/2" - 10"
OSY, PI or Butterfly (optional)



450STR 4" - 10"
OSY, PI or Butterfly (optional)



450 2 1/2" - 10"
OSY, PI or Butterfly (4" - 10") (optional)



450ST 4" - 10"
OSY, PI or Butterfly (optional)

Double Check Detector Assemblies (DCDA)

Low-hazard protection with a metered bypass to detect leaks and unauthorized water use in unmetered fire sprinkler systems

Small Diameter Models: 950XLTDABFSS



950XLTDABFSS
2"

Large Diameter Models: 350DA, 350ADA, 350ASTDA, 350ASTDAR, 450STDAR, 450DA, 450STDA



350DA 2 1/2" - 12"
OSY (standard),
PI or Butterfly (2 1/2" - 10") (optional)



350ADA 2 1/2" - 10"
OSY (standard),
PI or Butterfly (optional)



350ASTDA 2 1/2" - 10"
OSY (standard),
PI or Butterfly (optional)



350ASTDAR 2 1/2" - 10"
OSY (standard),
PI or Butterfly (optional)



450STDAR 4" - 10"
OSY (standard),
PI or Butterfly (optional)



450DA 4" - 10"
OSY (standard),
PI or Butterfly (optional)



450STDA 4" - 10"
OSY (standard),
PI or Butterfly (optional)

Reduced Pressure Principle Assemblies (RP)

High-hazard protection

Small Diameter Models: 975XL, 975XL3, 975XL3BFSS



975XL
3/4" - 2"



975XL3
1/2" - 2"



975XL3BFSS
1 1/4", 1 1/2", and 2"

Large Diameter Models: 375, 375A, 375AST, 375ASTR, 475, 475ST, 475V, 475STV, 475STR, 475STRV



375 2 1/2" - 10"
OSY, PI or Butterfly (optional)



375A 2 1/2" - 10"
OSY, PI or Butterfly (optional)



375AST 2 1/2" - 10"
OSY, PI or Butterfly (optional)



375ASTR 2 1/2" - 10"
OSY, PI or Butterfly (optional)



475 2 1/2" - 10"
OSY, PI or Butterfly (4" - 10") (optional)



475ST 4" - 10"
OSY, PI or Butterfly (optional)



475V 4" - 10"
OSY, PI or Butterfly (optional)



475STV 4" - 10"
OSY, PI or Butterfly (optional)



475STR 4" - 10"
OSY, PI or Butterfly (optional)



475STRV 4" - 10"
OSY, PI or Butterfly (optional)

Reduced Pressure Detector Assemblies (RPDA)

High-hazard protection with a metered bypass to detect leaks and unauthorized water use in unmetered fire sprinkler systems

Large Diameter Models: 375DA, 375ADA, 375ASTDA, 375ASTDAR, 475DA, 475STDA, 475DAV, 475STDAV, 475STDAR, 475STDARV



375DA 2 1/2" - 10"
OSY (standard),
PI or Butterfly (2 1/2" - 10") (optional)



375ADA 2 1/2" - 10"
OSY (standard),
PI or Butterfly (optional)



375ASTDA 2 1/2" - 10"
OSY (standard),
PI or Butterfly (optional)



375ASTDAR 2 1/2" - 10"
OSY (standard),
PI or Butterfly (optional)



475DA 4" - 10"
OSY (standard), PI or Butterfly (optional)



475STDA 4" - 10"
OSY (standard), PI or Butterfly (optional)



475DAV 4" - 10"
OSY (standard), PI or Butterfly (optional)



475STDAV 4" - 10"
OSY (standard), PI or Butterfly (optional)



475STDAR 4" - 10"
OSY (standard), PI or Butterfly (optional)



475STDARV 4" - 10"
OSY (standard), PI or Butterfly (optional)

Single Check/Dual Check

Non-hazardous applications

Models: 310/310DA, 700XLFP



310/310DA
4" - 8"



700XLFP
1" - 1 1/2"

Shut-Off Valves

Models: 48OSY, 48OSYG, 480OSYGXF, F48OS&YF, 48PI, 49, F49, F49BR, F49BRG



48OSY 2 1/2" - 12"
Flange x Flange Gate Valve



48OSYG 2 1/2" - 10"
Groove x Groove Gate Valve



480OSYGXF 2 1/2" - 10"
Groove x Flange Gate Valve



F48OS&YF 2 1/2" - 10"
Untapped Flanged x Flanged Gate Valve



48PI 2 1/2" - 12"
Post Indicator Gate Valve
Options: Fx, FxG, GxG




49 2 1/2" - 10"
Butterfly Valve
Options: GxG, Gx, FxG



F49 2 1/2" - 8"
Fire Butterfly Valve



F49BR 1" - 2 1/2"
Powerball Butterfly Valve
Threaded Connections



F49BRG 1" - 2 1/2"
Powerball Butterfly Valve
Grooved Connections

Switches

Models: BVMS, OSY-40



BVMS 3/4" - 2"
Ball Valve Monitor Switch



OSY-40 2 1/2" - 10"
Gate Valve Supervisory Switch

Riser Equipment

Commercial Risers

Models: F210R



F210R 2 1/2" - 12"
Fire Riser Check Valve



CHECKTRIM
Riser Check Trim Kits

In-Building Risers

Models: WBR, WBR6X8.5, WBR-F



WBR 4" - 10"
Grooved Outlet



WBR6X8.5 4" - 10"
Extended 8.5 ft Vertical Leg
Grooved Outlet



WBR-F 4" - 10"
Flanged Outlet

Backflow Accessories

Setters, Air Gap Drain, Repair Kits, Test Kits



Valve Setters 2 1/2" - 10"
FLS, MJFS, MJS



**Valve Setters
400ST Series 4" - 10"**
FLSST, MJFSST, MJSST



Air Gap Drain 1/4" - 10"
AG-4 through AG-14



Test Kits



Repair Kits
Many different kits available for all models and sizes

Fire Valves

Hose Valves

Model: F100



F100 1 1/2", 2 1/2"
 Inlet: FNPT or Grooved
 Outlet: NHT or FNPT
 Option: Special Thread

Pressure Reducing Valves

Pressure-Tru® Field Adjustable Models: ZW5000, ZW5004



ZW5000 2 1/2"
 Hose Valve
 Body: Angle or In-Line (Globe Type)
 Inlet: FNPT or Grooved (ZW5000),
 FNPT (ZW5000F)
 Outlet: NHT (ZW5000), FNPT (ZW500F),
 Option: Special Thread (ZW5000)



ZW5004 2 1/2"
 Floor Control Valve
 Body: Angle or In-Line (Globe Type)
 Inlet: FNPT or Grooved
 Outlet: FNPT or Grooved

Pressure Reducing Valves

Pressure-Tru® Factory Set Models: ZW4000, ZW4004, ZW4100, ZW4104



ZW4000 2 1/2"
 Hose Valve
 Body: Angle or In-Line (Globe Type)
 Inlet: FNPT or Grooved
 Outlet: NHT
 Option: Special Hose Thread



ZW4004SS 2 1/2"
 Floor Control Valve
 Body: Angle or In-Line (Globe Type)
 Inlet: FNPT or Grooved
 Outlet: FNPT or Grooved



ZW4100 1 1/2"
 Hose Valve
 Body: Angle
 Inlet: FNPT or Grooved
 Outlet: NHT
 Option: Special Thread



ZW4104SS 1 1/2"
 Floor Control Valve
 Body: Angle
 Inlet: FNPT or Grooved
 Outlet: FNPT or Grooved

Pilot-Operated Valves (ACV)

Models: ZW209FP, ZW215FP, ZW205FP



ZW209FP 1 1/4" - 10"
Pressure Reducing Valve



ZW215FP 1 1/4" - 10"
Fire Pump Suction Control Valve



ZW205FP 2" - 10"
Pressure Relief Valve

Relief Valves

Model: P4000A



P4000A 1/2", 3/4"
Pressure Relief Valve

Couplings and Fittings

Models: FP23, FP52, FP53, FP56, FP3, FP63, FP8, FP51

Couplings



FP23

Types: Reducing, Rigid Angle Pad (RA), Flex (F)
Sizes: 1-1/2" - 12" (Rigid Angle), 1-1/4" - 10" (Flex),
1-1/2" x 1-1/4" to 8" x 6" (Reducing)

Elbows



FP52 1 1/4" - 10"

Types: 90 Degree Short (S), 90 Degree Standard,
45 Degree (-45), 22.5 Degree (-22), 11.25 Degree
(-11), End of Run Adapter (GTF)

Tees



FP53 1 1/4" - 10"

Types: Tee Short Radius (S), Tee Standard Radius,
Reducing Branch Tee (R)

Crosses



FP56 2" - 8"

Crosses

Caps



FP3 1 1/4" - 8"
Caps

Mechanical Tees



FP63 1 1/4" - 8"

Types: Grooved (G), Threaded (TF), U-bolt (LTF)

Grooved Flanges



FP8 2" - 10"
Type: Grooved Split

Grooved Reducers



FP51 2" - 10"
Type: Concentric

Learn more about our fire protection products at zurn.com/fire

Zurn Elkay Water Solutions is a recognized leader in commercial, municipal, and industrial markets, delivering sustainable building solutions for new construction and retrofit applications. At Zurn, we are committed to providing convenient solutions that save both time and money. Our goal is serving the customer through innovation, continuous improvement, and assurance behind every installation. Choose Zurn as a reliable, recognized manufacturer to supply your entire installation, from behind the wall rough-in, to finish trim product and fixture systems.