HydroNODE

"Expansion Tank Bracket"






HN-2

(Full Kit)

- Securely mount critical hydronic components
- Provides means for easy servicing of expansion tank
- Powder-coated for professional finish A
- A Robust welded steel bracket
- Comes fully assembled
- Includes (3) ½" ball valves, (1) manual air vent, and plugged connection for accessory components

Connection Options

- (A) 1/2" FNPT Expansion Tank Connection with ball valve
- ½" FNPT Fill/Feeder Inlet Connection with ball valve **(B)**
- 1/2" FNPT System Connection with ball valve **(C)**
- **(D)** 1/4" Manual Air Vent
- **(E)** 1/4" FNPT Accessory Connection



Hydro-NODE

Axiom introduces the Hydro-NODE, an easy connect bracket designed to mount critical hydronic system components into a convenient central point. Designed for use on closed-loop hydronic systems, the Hydro-NODE is the convenient solution to providing an organized solution for critical component connections.



info@axiomind.com



(877)651-1815








HN-2 (Full kit) EXPANSION TANK BRACKET TECHNICAL INFORMATION

DIMENSIONS:



SPECIFICATION:

Expansion Tank Bracket shall be AXIOM INDUSTRIES LTD. Model HN-2. Bracket shall be constructed out of welded steel material and shall include: quantity three ½" FNPT by ½" MNPT brass body ball valves with butterfly handle; quantity one ¼" MNPT manual air vent for purging air from the bracket; quantity one ¼" MNPT brass plug to cap ¼" port for future accessory option. Unit shall be mounted on a wall using lag bolts connected to an appropriate material/structure designed to support the weight of the bracket, expansion tank, and any related system piping material.

LIMITED WARRANTY:

The Hydro-NODE is warranted against defects in materials and workmanship for one year.

Project	Location
Consultant	Contractor
Unit Tag	Sales Agent