



RISQS
Railway Industry Supplier
Qualification Scheme



Certificate of Audit

This is to certify that

Supplier Name

KGJ Price (Railway Contractors) Ltd

Supplier Number

3749

is now qualified by Audit on RISQS

Audit Expiry: 09/07/2025

RISQS Scheme Manager



Modules Covered

Construction Design and Management Comply, Core Operational Railway Services, Safe Work Planning, Sentinel

Supplier ID: 3749

Supplier Name: KGJ Price (Railway Contractors) Ltd

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|---|---------------|
| A.A.1.3N | Temporary Labour (Signalling) Service | ✓ |
| A.A.1.5N | Temporary Labour (Track & Protection Staff) Service | ✓ |
| A.A.1.6N | Temporary Labour (Civils) Service | ✓ |
| A.A.1.7N | Temporary Labour (Building Works) Service | ✓ |
| B.C.3.12V | Mobile Temperature Monitoring Maintain | ✓ |
| B.C.3.12X | Mobile Temperature Monitoring Install | ✓ |
| B.C.3.12Y | Mobile Temperature Monitoring Modify | ✓ |
| C.B.1.1T | Plain Line Commission | ✓ |
| C.B.1.1U | Plain Line Dispose | ✓ |
| C.B.1.1V | Plain Line Maintain | ✓ |
| C.B.1.1W | Plain Line Overhaul | ✓ |
| C.B.1.1X | Plain Line Install | ✓ |
| C.B.1.1Y | Plain Line Modify | ✓ |
| C.B.1.1Z | Plain Line Decommission | ✓ |
| C.B.1.2Q | Plain Line (Absolute Geometry) Design | ✓ |
| C.B.1.2V | Plain Line (Absolute Geometry) Maintain | ✓ |
| C.B.1.2W | Plain Line (Absolute Geometry) Overhaul | ✓ |
| C.B.1.2X | Plain Line (Absolute Geometry) Install | ✓ |
| C.B.1.2Y | Plain Line (Absolute Geometry) Modify | ✓ |
| C.B.1.3Q | Gauge Measurement (Discreet Restrictions) Design | ✓ |
| C.B.1.3V | Gauge Measurement (Discreet Restrictions) Maintain | ✓ |
| C.B.1.3W | Gauge Measurement (Discreet Restrictions) Overhaul | ✓ |
| C.B.1.3X | Gauge Measurement (Discreet Restrictions) Install | ✓ |
| C.B.1.3Y | Gauge Measurement (Discreet Restrictions) Modify | ✓ |
| C.B.1.4Q | Gauge Measurement (Tunnels) Design | ✓ |
| C.B.1.4V | Gauge Measurement (Tunnels) Maintain | ✓ |
| C.B.1.4W | Gauge Measurement (Tunnels) Overhaul | ✓ |
| C.B.1.4X | Gauge Measurement (Tunnels) Install | ✓ |
| C.B.1.4Y | Gauge Measurement (Tunnels) Modify | ✓ |
| C.B.1.5Q | Track on Longitudinal Timbers Design | ✓ |
| C.B.1.5V | Track on Longitudinal Timbers Maintain | ✓ |
| C.B.1.5W | Track on Longitudinal Timbers Overhaul | ✓ |
| C.B.1.5X | Track on Longitudinal Timbers Install | ✓ |
| C.B.1.5Y | Track on Longitudinal Timbers Modify | ✓ |
| C.B.1.6Q | Direct Fastening Track Systems (e.g. Slab Track/Viper) Design | ✓ |
| C.B.1.6V | Direct Fastening Track Systems (e.g. Slab Track/Viper) Maintain | ✓ |
| C.B.1.6W | Direct Fastening Track Systems (e.g. Slab Track/Viper) Overhaul | ✓ |
| C.B.1.6X | Direct Fastening Track Systems (e.g. Slab Track/Viper) Install | ✓ |
| C.B.1.6Y | Direct Fastening Track Systems (e.g. Slab Track/Viper) Modify | ✓ |
| C.B.2.1Q | Switches & Crossings Conventional Design | ✓ |
| C.B.2.1T | Switches & Crossings Conventional Commission | ✓ |
| C.B.2.1U | Switches & Crossings Conventional Dispose | ✓ |
| C.B.2.1V | Switches & Crossings Conventional Maintain | ✓ |
| C.B.2.1W | Switches & Crossings Conventional Overhaul | ✓ |
| C.B.2.1X | Switches & Crossings Conventional Install | ✓ |

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|---|---------------|
| C.B.2.1Y | Switches & Crossings Conventional Modify | ✓ |
| C.B.2.1Z | Switches & Crossings Conventional Decommission | ✓ |
| C.B.2.2Q | Switches & Crossings (Absolute Geometry) Design | ✓ |
| C.B.2.2V | Switches & Crossings (Absolute Geometry) Maintain | ✓ |
| C.B.2.2W | Switches & Crossings (Absolute Geometry) Overhaul | ✓ |
| C.B.2.2X | Switches & Crossings (Absolute Geometry) Install | ✓ |
| C.B.2.2Y | Switches & Crossings (Absolute Geometry) Modify | ✓ |
| C.B.2.3Q | Switches & Crossings (Modular Systems) Design | ✓ |
| C.B.2.3V | Switches & Crossings (Modular Systems) Maintain | ✓ |
| C.B.2.3W | Switches & Crossings (Modular Systems) Overhaul | ✓ |
| C.B.2.3X | Switches & Crossings (Modular Systems) Install | ✓ |
| C.B.2.3Y | Switches & Crossings (Modular Systems) Modify | ✓ |
| C.B.2.4N | S&C Subgrade Investigation Service | ✓ |
| C.B.3Q | Track Drainage Design | ✓ |
| C.B.3V | Track Drainage Maintain | ✓ |
| C.B.3X | Track Drainage Install | ✓ |
| C.B.3Y | Track Drainage Modify | ✓ |
| C.C.1.3.2Q | Masonry Structures (Including Brickwork) Design | ✓ |
| C.C.1.3.2V | Masonry Structures (Including Brickwork) Maintain | ✓ |
| C.C.1.3.2X | Masonry Structures (Including Brickwork) Install | ✓ |
| C.C.1.3.2Y | Masonry Structures (Including Brickwork) Modify | ✓ |
| C.C.1.3.3Q | Reinforced Concrete Structures Design | ✓ |
| C.C.1.3.3V | Reinforced Concrete Structures Maintain | ✓ |
| C.C.1.3.3X | Reinforced Concrete Structures Install | ✓ |
| C.C.1.3.3Y | Reinforced Concrete Structures Modify | ✓ |
| C.C.1.3.4Q | Concrete-encased Plastic Pipes Design | ✓ |
| C.C.1.3.4V | Concrete-encased Plastic Pipes Maintain | ✓ |
| C.C.1.3.4X | Concrete-encased Plastic Pipes Install | ✓ |
| C.C.1.3.4Y | Concrete-encased Plastic Pipes Modify | ✓ |
| C.C.2.1Q | Gantries Design | ✓ |
| C.C.2.1V | Gantries Maintain | ✓ |
| C.C.2.1X | Gantries Install | ✓ |
| C.C.2.1Y | Gantries Modify | ✓ |
| C.C.2.2Q | Cantilevers Design | ✓ |
| C.C.2.2U | Cantilevers Dispose | ✓ |
| C.C.2.2V | Cantilevers Maintain | ✓ |
| C.C.2.2X | Cantilevers Install | ✓ |
| C.C.2.2Y | Cantilevers Modify | ✓ |
| C.C.2.3Q | Straight Posts Design | ✓ |
| C.C.2.3U | Straight Posts Dispose | ✓ |
| C.C.2.3V | Straight Posts Maintain | ✓ |
| C.C.2.3X | Straight Posts Install | ✓ |
| C.C.2.3Y | Straight Posts Modify | ✓ |
| C.C.2.4Q | Equipment Foundations Design | ✓ |
| C.C.2.4U | Equipment Foundations Dispose | ✓ |
| C.C.2.4V | Equipment Foundations Maintain | ✓ |
| C.C.2.4X | Equipment Foundations Install | ✓ |
| C.C.2.4Y | Equipment Foundations Modify | ✓ |
| C.C.3.1.1.1N | Underbridge Assessment Service | ✓ |
| C.C.3.1.2.1N | Equipment Support Structures Service | ✓ |

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|--|---------------|
| C.C.3.1.2.2N | Bridges, Culverts & Retaining Walls Service | ✓ |
| C.C.3.2.12Q | Piling Design | ✓ |
| C.C.3.2.12X | Piling Install | ✓ |
| C.C.3.2.12Y | Piling Modify | ✓ |
| C.C.3.2.20U | Surfacing for Level Crossings Dispose | ✓ |
| C.C.3.2.20V | Surfacing for Level Crossings Maintain | ✓ |
| C.C.3.2.20X | Surfacing for Level Crossings Install | ✓ |
| C.C.3.2.20Y | Surfacing for Level Crossings Modify | ✓ |
| C.C.3.2.21Q | Temporary Works Design | ✓ |
| C.C.3.2.21V | Temporary Works Maintain | ✓ |
| C.C.3.2.21X | Temporary Works Install | ✓ |
| C.C.3.2.21Y | Temporary Works Modify | ✓ |
| C.C.3.2.23U | Track Support Concrete (Slab Track) Dispose | ✓ |
| C.C.3.2.23V | Track Support Concrete (Slab Track) Maintain | ✓ |
| C.C.3.2.23X | Track Support Concrete (Slab Track) Install | ✓ |
| C.C.3.2.23Y | Track Support Concrete (Slab Track) Modify | ✓ |
| C.C.3.2.24N | Ultrasonic Testing Service | ✓ |
| A.A.9.1N | Provision of Protection & Warning Staff (not including LOWS) Service | ✓ |
| A.A.9.2N | Machine/Crane Controllers Service | ✓ |
| C.C.3.4.3.3N | Weed KillingVegetation Management (Off Network Rail Controlled Infrastru | ✓ |
| C.C.3.4.5.1N | Thermic Welding Service | ✓ |
| C.C.3.4.5.4N | Rail Stressing Service | ✓ |
| C.C.3.4.5.6N | Ultrasonic Testing (Non Train-Borne) Service | ✓ |
| C.C.3.4.6.1U | Rail Lubrication Applicators Dispose | ✓ |
| C.C.3.4.6.1V | Rail Lubrication Applicators Maintain | ✓ |
| C.C.3.4.6.1X | Rail Lubrication Applicators Install | ✓ |
| C.C.3.4.6.1Y | Rail Lubrication Applicators Modify | ✓ |
| C.C.3.4.8.1Q | Earthworks (Embankments, Cuttings etc.) Design | ✓ |
| C.C.3.4.8.1V | Earthworks (Embankments, Cuttings etc.) Maintain | ✓ |
| C.C.3.4.8.1X | Earthworks (Embankments, Cuttings etc.) Install | ✓ |
| C.C.3.4.8.1Y | Earthworks (Embankments, Cuttings etc.) Modify | ✓ |
| C.C.3.4.8.3.1Q | Masonry Structures Design | ✓ |
| C.C.3.4.8.3.1V | Masonry Structures Maintain | ✓ |
| C.C.3.4.8.3.1X | Masonry Structures Install | ✓ |
| C.C.3.4.8.3.1Y | Masonry Structures Modify | ✓ |
| C.C.3.4.8.3.2Q | Concrete Structures (Mass & Reinforced) Design | ✓ |
| C.C.3.4.8.3.2V | Concrete Structures (Mass & Reinforced) Maintain | ✓ |
| C.C.3.4.8.3.2X | Concrete Structures (Mass & Reinforced) Install | ✓ |
| C.C.3.4.8.3.2Y | Concrete Structures (Mass & Reinforced) Modify | ✓ |
| C.C.3.4.8.6Q | Earthworks Drainage Design | ✓ |
| C.C.3.4.8.6V | Earthworks Drainage Maintain | ✓ |
| C.C.3.4.8.6X | Earthworks Drainage Install | ✓ |
| C.C.3.4.8.6Y | Earthworks Drainage Modify | ✓ |
| H.G.3.8N | Construction Waste Removal (and scrap clearance) Service | ✓ |
| C.C.3.4.2.7N | Safe System of Work Planning Service | ✓ |