

-  MENU
-  SEARCH
-  FILTER
-  ASK



EL600 - CLEAR INSULATING VARNISH - AEROSOL

SHARE



Sprayon® EL600 Clear Insulating Varnish Aerosol is a fast-drying, clear insulating enamel, characterized by outstanding oil and chemical abrasion resistance. This enamel provides a smooth, glossy surface which sheds dirt readily. This varnish has excellent flexibility and water resistance. Meets **NEMA & UL** Class F Requirements.

EL600 - CLEAR INSULATING VARNISH - AEROSOL

Top Features

based on the 15.25 oz Aerosol

Dielectric Strength **2,300 VPM**



NEMA & UL Temperature Class **310°F / 155°C**



Color **Clear**



Safety Materials

15.25 oz Aerosol:
S00600000
SDS | PDS

432 g Aerosol:
C00600000
MSDS | PDS

Additional Information

% Solids = **0.095%**
% VOC = **0.605%**
Base Type = **Varnish**
Color = **Colorless**
Consistency = **Liquid**
Dry to Touch - High :

Meets Performance Requirements

ASTM D-115-07



Nozzle Type

EZ-Touch™



HMIS Rating

2,4,0



Minutes

Dry to Touch - Low =

Minutes

Evaporation Rate =

Film Type = **Semi-Sol**

Flammable = **Yes**

Flashpoint = **<0°F**

HMIS Rating = **2,3,0**

Plastic Safe = **No**

Propellant =

Hydrocarbon

Recoat Window =

Anytime

Sheen = **Gloss**

Specific Gravity = **0.7**

Spray Pattern = **Dan**

Temperature Class =

Class F (155°C / 310

VOC COMPLIANT - C

= **Yes**

Weight / Gallon = **6.1**

At a Glance

- Air dries In 10 minutes
- Meets **NEMA** & **UL** Class F Requirements
- Resists oil, moisture, acids and alkalis
- Meets performance requirements of **ASTM D115-07 4.2**

Uses

Motor windings, switchboards, commutator ends, field coils, transformers, armatures, stator windings, rings and frames, sealing electrical electronic components, and bus bars.

[WHERE TO BUY](#)

RELATED PRODUCTS

EL601

Red Insulating Varnish - Aerosol

[VIEW PRODUCT](#)

EL605

Fast Cure Red Insulating Varnish - Aerosol

[VIEW PRODUCT](#)

EL609

Green Insulating Varnish - Aerosol

[VIEW PRODUCT](#)



SPRAYON INSULATING

LEAVE
SPRAY
LINE
L
SPRAY
RE



THE SPRAYON®



LEARN MORE 
