

EL601 - RED INSULATING VARNISH - AEROSOL

SHARE




Sprayon[®] EL601 Red Insulating Varnish Aerosol is an insulating spray for general coating, impregnating and insulating electrical and electronic work. Excellent adhesion, flexibility, and water resistance. Protects surface against oils, moisture, acid and alkalis. Meets **NEMA** & **UL** Class F Requirements.

EL601 - RED INSULATING VARNISH - AEROSOL

Top Features

based on the 15.25 oz Aerosol



ADDITIONAL CONTAINER TYP

Choose a Container **•**

Safety Materials

15.25 oz Aerosol: S00601000 **SDS | PDS**

432 g Aerosol: C00601000 **MSDS | PDS**

Additional Informati

% Solids = **0.228%** % VOC = **0.5517%**

Color

Red





HMIS Rating 2,4,0



At a Glance

- Air dries In 10 minutes
- Meets <u>NEMA & UL</u> Class F Requirements
- Resists oil, moisture, acids and alkalis
- Meets performance requirements of ASTM D115-07 4.2

Uses

Small field and magnet coils, motor windings, field coils, transformers, armatures, commutator ends, stator windings, ring and frames, bus bars, sealing electrical, switchboard parts and electronic components.

Base Type = **Phenol** Epoxy Color = **Red** Consistency = Liquic Dielectric Strength = 2600Volts Evaporation Rate = F Film Type = Semi-Sc Flammable = **Yes** Flashpoint = **<0°F** HMIS Rating = 2,4,0 Plastic Safe = **No** Propellant = Hydrocarbon Sheen = Semi-Gloss Specific Gravity = 0. Spray Pattern = **Dan** Temp High = **400°F** Temp Low = **310°F** Temperature Class = Class F (155°C / 310 VOC COMPLIANT - (= Yes Weight / Gallon = 6.(

WHERE TO BUY

RELATED PRODUCTS

EL601 Red Insulating Varnish

- Bulk

EL600

Clear Insulating Varnish - Aerosol

VIEW PRODUCT

VIEW PRODUCT

EL605

Fast Cure Red Insulating Varnish -Aerosol

VIEW PRODUCT





