

CCMC 13655-L

CCMC Standard compliance evaluation

CCMC number:	13655-L
Status:	Active
Issue date:	2013-11-27
Modified date:	2021-11-17
Evaluation holder:	<p>Elastochem Specialty Chemicals Inc. 37 Easton Road Brantford ON N3P 1J4 Canada Website: www.elastochem-ca.com Telephone: 519-754-1678 Email: info@elastochem-ca.com</p>
Product names:	<ul style="list-style-type: none"> • Elastochem® 500 • Home Foam
Evaluation requirements:	<u>CAN/ULC-S712.1:2017</u>

In most jurisdictions this document is sufficient evidence for approval by Canadian authorities.

[Learn more about CCMC recognition](#)

Product information

Product names

- Elastochem® 500
- Home Foam

Product description

Ozone-Depleting Substances and Halocarbon Alternatives Regulations (ODSHAR)

The evaluation holder attests that this/these product(s) contains a foaming agent that is compliant with the Ozone-Depleting Substances and Halocarbon Alternatives Regulations, which is administrated by Environment and Climate Change Canada (ECCC)

The product is an open-cell, spray-applied, semi-rigid polyurethane foam of light density. The foam system consists of two components that must be labelled as follows, along with "CCMC 13655-L":

- Isocyanate (Component A): "Elastochem® 500, Home Foam"; and
- Resin (Component B): "Elastochem® 500, Home Foam."

The two components are mixed on-site by a Urethane Foam Consultants, Inc.-qualified installers with fixed-ratio positive displacement equipment. The colour of the installed final cured product is yellow.

Site-manufactured product

This is a site-manufactured product; it is finished on-site following the spray-application of raw materials produced at the manufacturing plant(s) below.

Manufacturing plants

This evaluation is limited to products produced at the following plant(s):

- Brantford, Ontario, Canada

Technical information

This evaluation is based on demonstrated conformance with the following criteria:

Criteria number	Criteria name
CAN/ULC-S712.1:2017	Standard for Thermal Insulation – Light Density, Open Cell Spray Applied Semi-Rigid Polyurethane Foam – Material Specification

Design values

The product's minimum site density, design thermal resistance value (RSI), water vapour permeance (WVP) and time-to-occupancy values are provided below.

Minimum site density, design RSI and time-to-occupancy specifications for the product

Property	Minimum site density ⁽¹⁾ (kg/m ³) [lb./ft. ³]	50 mm design RSI (m ² ·°C/W)	50 mm WVP ⁽²⁾ (ng/(Pa·s·m ²))	Time-to-occupancy ⁽³⁾ (hours)
Elastochem® 500	7.6 [0.48]	1.25	1 238	25
Home Foam				

Notes

- ¹ Based on the qualification testing to CAN/ULC-S712.1, the specified minimum site density must comply with CAN/ULC-S712.1 as measured on site in accordance with CAN/ULC-S712.2-17, "Thermal Insulation – Light Density, Open Cell Spray Applied Semi-Rigid Polyurethane Foam – Installation."
- ² The WVP is determined from a core sample with the top and bottom skins removed. Due to the effect of the skins, the WVP at this thickness may be lower in the site-installed product.
- ³ For retrofit construction, the time to occupancy is 25 hours when the segregated retrofit area is ventilated as required by CAN/ULC-S712.2 during installation of the product. See Note 2 of the table in the Technical Criteria for further details.

Qualified installers

This is a site-manufactured product whereby Elastochem Specialty Chemicals Inc. requires that only specific, qualified installers be authorized to install its proprietary spray-polyurethane insulation in buildings. In accordance with the Elastochem Specialty Chemicals Inc. site quality assurance program (SQAP), the certification organization Urethane Foam Consultants, Inc. (UFC) has been commissioned to license the specified installers and issue the requisite UFC identification card to them. All specified installers must have a UFC identification card.

Third-party site auditing of qualified installers

As part of its SQAP, Elastochem Specialty Chemicals Inc. also stipulates that site-audit inspections be conducted by site inspectors licensed by UFC. Upon completion of the site audit, UFC will report the product's conformity results and any

corrective action required, if necessary, to Elastochem Specialty Chemicals Inc. Building officials who would like site-audit inspections conducted on specific building sites can contact UFC at:

Urethane Foam Consultants, Inc. (UFC)
160 Main St. South, Suite 547
Brampton, ON L6W 4C1
Tel.: 905-702-2555

Administrative information

Disclaimer

This evaluation is issued by the Canadian Construction Materials Centre (CCMC), part of the Construction Research Centre at the National Research Council of Canada (NRC). The evaluation must be read in the context of the entire [CCMC Registry of Product Assessments](#) and the legislated applicable building code in effect.

The CCMC was established in 1988 on behalf of the applicable regulator (i.e., the provinces and territories) to ensure—through assessment—conformity of alternative and acceptable solutions to regional building codes as determined by the local authority having jurisdiction (AHJ) as part of the issuance of a building permit.

It is the responsibility of the local AHJs, design professionals, and specifiers to confirm that the evaluation is current and has not been withdrawn or superseded by a later issue. Please refer to [the website](#) or contact:

Canadian Construction Materials Centre
Construction Research Centre
National Research Council of Canada
1200 Montreal Road
Ottawa, Ontario, K1A 0R6
Telephone: 613-993-6189
Fax: 613-952-0268

The NRC has evaluated the material, product, system or service described herein only for those characteristics stated herein. The information and opinions in this evaluation are directed to those who have the appropriate degree of experience to use and apply its contents (i.e., AHJs, design professionals and specifiers). This evaluation is only valid when the product is installed in strict compliance with the stated conditions and limitations of evaluation and the applicable local building code. In circumstances where no applicable local building permit is issued and that no confirmation of compliance 'for use in the intended field application' is undertaken, this evaluation is null and void in all respects. This evaluation is provided without representation, warranty, or guarantee of any kind, expressed, or implied, and the NRC provides no endorsement for any evaluated material, product, system or service described herein. The NRC accepts no responsibility whatsoever arising in any way from any and all use and reliance on the information contained in this evaluation with respect to its compliance to the referenced code(s) and standard(s). The NRC is not undertaking to render professional or other services on behalf of any person or entity nor to perform any duty owed by any person or entity to another person or entity.

Language

Une version française de ce document est disponible.

In the case of any discrepancy between the English and French version of this document, the English version shall prevail.

Copyright

© 2021 Her Majesty the Queen in Right of Canada, as represented by the National Research Council of Canada.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the CCMC.

This PDF is an alternative version. This document was published on 2021-11-17 and may not be the latest version of this evaluation. Users should consult the latest [published assessment](#) on the [CCMC Registry of Product Assessments](#), which contains the most up to date information. This PDF is intended for use as a record, not the latest information available.

CCMC recognition

The Canadian Construction Materials Centre (CCMC) assesses compliance with Canadian building, energy and safety codes. We are the only construction code compliance service supported and operated by the Government of Canada. Trusted by over 6,000 regulators across Canada.

Most Canadian authorities having jurisdiction (AHJs) consider CCMC product assessments acceptable as evidence for product approval.

CCMC assessments are recognized by construction authorities across Canada:

Alliance of Canadian Building Official Associations (ACBOA)



(Alliance of Canadian Building Official Associations (ACBOA))

First Nations National Building Officers Association (FNNBOA)



(First Nations National Building Officers Association (FNNBOA))

Canadian Home Builders' Association (CHBA)



(Canadian Home Builders' Association (CHBA))

Alberta Building Officials Association (ABOA)



(Alberta Building Officials Associations (ABOA))

Saskatchewan Building Officials Association (SBOA)



(Saskatchewan Building Officials Association (SBOA))

Manitoba Building Officials Association (MBOA)



(Manitoba Building Officials Association (MBOA))

Ontario Building Officials Association (OBOA)



(Ontario Building Officials Association (OBOA))

New Brunswick Building Officials Association (NBBOA)



(New Brunswick Building Officials Association (NBBOA))

Nova Scotia Building Officials Association (NSBOA)



(Nova Scotia Building Officials Association (NSBOA))

The CCMC provides code compliance assessments to Canadian code requirements, consulting nationwide with construction regulators to elicit regional variations in code requirements as well as provincial and local interpretations. Users are advised to review the technical information presented in CCMC assessments when making approval decisions. [Learn more about how the CCMC provides a unique service for Canada.](#)

For more information, contact the CCMC by phone at (613) 993-6189 or by email at ccmc@nrc-cnrc.gc.ca

For the latest version of this evaluation consult the [CCMC Registry of Product Assessments](#)