

INSULTHANE® OCX PLUS+



**Sucrose-Free
Appendix X
Performance**

INSULTHANE®
OCX
PLUS+

**We found
the cure for
OCX foams.**

Insulthane® OCX Plus is sucrose-free by design, eliminating equipment clogging and processing headaches. Because your OCX shouldn't fight you.

Upgrade your OCX →

Sucrose wasn't the answer, so we made a foam without one.

Appendix X AC377 compliance that performs on the jobsite, not just in the lab.

No Ignition Barrier

Clog-Free Spraying

Less Time Heating

Cleaner Equipment



INSULTHANE®
OCX
PLUS+

See and feel the difference.



● STONE GRAY

Featured in a unique light gray (Stone Gray) color, Insulthane® OCX Plus offers instant visual identification on site, so Appendix X compliance is clear at a glance.

Properties

Attribute	Results	Test
Thermal Resistance	4.0 @ 1"	ASTM C518
Density (Nominal)	0.5 lb/ft ³	ASTM D1622
Open-Cell Content (Procedure 2)	97%	ASTM D6226
Burn Characteristics	Class A	ASTM E84
Ignition Barrier	Pass (No Coating)	AC337 Appendix X NFPA 286
Material Listing	CCRR-0396	Intertek

X-Pass™

X-Pass™ Technology delivers advanced, non-halogen fire performance without harsh chemistry, helping reduce VOCs while maintaining exceptional fire results.

OCX, without the headaches.

Insulthane® OCX Plus open-cell spray foam delivers cleaner equipment and predictable results from first pass to last cavity.

Sucrose-Free by Design

Eliminates crystallization that clogs proportioners, hoses, and guns.

Reduced Heating

Crews spend less time warming drums and more time pulling the trigger.

Increased Uptime

Stable viscosity and predictable processing across real-world temperature swings.

Smooth on the Gun

Creamy, controllable rise with excellent adhesion and clean trim.

**Discover a
better OCX**

elastochem.com/ocx





Sucrose in spray foam? Hard pass.

elastochem.com/ocx



Get in touch

1-877-787-2436

info@elastochem.com

 [in f /elastochem](https://www.instagram.com/elastochem)

