

FRC

Non-Flammable Flux Remover

FRC is a non-flammable fast-drying solvent cleaner specially formulated for the quick and efficient removal of flux residues after soldering. It exhibits rapid cleaning and fast evaporation rates.

- Very fast evaporation time; efficient removal of 'no clean' and standard flux residues
- Non-flammable; eliminates hazards associated with standard solvent based cleaners
- Dries without leaving any residue; leaves a clean, dry surface in one cleaning step
- Harmless to most plastics, rubbers and elastomers; suitable for use with many different materials

Approvals	RoHS Compliant (2015/863/EU):	Yes
------------------	--------------------------------------	------------

Typical Properties	Boiling Point (°C)	36
	Flash Point (°C)	None
	Density @ 20°C (g/ml)	1.33
	Vapour Pressure (mmHg)	497

<u>Description</u>	<u>Packaging</u>	<u>Order Code</u>	<u>Shelf Life</u>
<u>FRC Aerosol</u>	200ml Aerosol with Brush	FRC200DB	24 Months

Directions for Use

Suitable for the removal of a wide range of flux residues during the manufacture of PCBs. Product does not contain flammable solvents so can be sprayed onto live electrical equipment or other sources of ignition. Spray onto surface to excess and allow to evaporate. A brush is attached for removing stubborn deposits and heavier soiling.

Revision 2: Oct 2019

Copyright Electrolube 2013

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification.

Electrolube cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.

Ashby Park, Coalfield Way,
Ashby de la Zouch,
Leicestershire LE65 1JR

T +44 (0)1530 419 600

F +44 (0)1530 416 640

BS EN ISO 9001:2008
Certificate No. FM 32082