





VOLA 5400DV
 VOLA 5100, 5100X, 5200, 5200V, 5300, 5600, 5600V, 5400, 5400V
 VOLA 5400N, 5400NV, 5400T, 5400TV, 5400F, 5400FV, 5400R, 5400RV

Fitting instruction
 Montageanleitung
 Monteringsvejledning

Monteringsvægledning
 Montage hanleiding
 Manuel de montage



	VR5250:	VR5400:	VR2019:
Tiles:	3 - 15 mm Standard	Standard	Standard
Fliesen:	15 - 25 mm VR5250+10	VR5400+10	VR2019+10
Fliser:	25 - 35 mm VR5250+20	VR5400+20	VR2019+20
Tegels:	35 - 45 mm VR5250+30	VR5400+30	VR2019+30
Carreaux:	45 - 55 mm VR5250+40	VR5400+40	VR2019+40
	55 - 65 mm VR5250+50	VR5400+50	VR2019+50





	VR5250:	VR5400:	VR2019:
	37 - 49 mm Standard	Standard	Standard
	27 - 37 mm VR5250+10	VR5400+10	VR2019+10
	17 - 27 mm VR5250+20	VR5400+20	VR2019+20
	7 - 17 mm VR5250+30	VR5400+30	VR2019+30
	-3 - 7 mm VR5250+40	VR5400+40	VR2019+40
	-13 - -3 mm VR5250+50	VR5400+50	VR2019+50

VA 1.43/18670, VA 1.43/18671, VA 1.43/18672

www.vola.com


vola

Fitting of extension
 Montage von verlängerung
 Monterings af forlængerdele
 Monterings av förlängning
 Montage van de verlengstukken
 Montage des rallonges




5200: 5200V + 200M 5400N: 5400NV + 200M
 5400: 5400V + 200M 5400T: 5400TV + 200M
 5600: 5600V + 200M 5400F: 5400FV + 200M
 5400R: 5400RV + 200M



	L	L1	L2	L3	L4	L5	H	H1	H2
(B)	395 mm 15 1/2"	260 mm 10"	234 mm 9 1/4"	-	-	-	95 mm 3 3/4"	130 mm 5"	-
(C)	490 mm 19 1/2"	355 mm 14"							
(D)	570 mm 23"	435 mm 17"	133 mm 5 1/4"	54 mm 2 1/2"	78 mm 3 1/16"	78 mm 3 1/16"			167 mm 6 5/8"
(E)	645 mm 25 1/2"	510 mm 20"				156 mm 6 1/8"			



















C: 5100, 5100X, 5200V, 5300, 5400V, 5600V



D: 5400NV, 5400TV
 E: 5400FV, 5400RV




mnt_5000_V1_40999767



VOLA 070, 070R, 070-HT2

Fitting instruction
 Montageanleitung
 Monteringsvejledning
 Monteringsvægledning
 Montage hanleiding
 Manuel de montage

Data	Bar:	1	2	3	4	5
	(l/min)	9	9	9	9	9
	(Gal/min)	2.5	2.5	2.5	2.5	2.5
	Max. 65°C. 150°F					




VR161:


VR161K: 7 l/min - 1.85 Gal/min (Cal Green)





070



070R




070-HT2




VA 1.55/18318


1



2




3




Extension
Verlängerung

Forlængerdele
Förlängning

Verlængstukken
Modification



		VR2019: 
Tiles:	3 - 15 mm	Standard
Fliesen:	15 - 25 mm	VR2019+10
Fliser:	25 - 35 mm	VR2019+20
Tegels:	35 - 45 mm	VR2019+30
Carreaux:	45 - 55 mm	VR2019+40
	55 - 65 mm	VR2019+50

VR2019+

