

Pressalit Sign Art 474
Toilet seat with combi hinge for top and bottom mounting, quick-release and soft close

Features

Quick-release, Soft close

Item number

474000-BY1000
NRF:6190221
RSK:7904447
EAN:5708590287874






Pressalit Sign Art is of Nordic design. The toilet seat is functional, but far from cold. Sign Art is a little piece of everyday art that encourages you to live life. With quick-release and soft close. The design combines three shapes in an obvious synergy. The curved cover, the cylindrical hinge and the handles' water-resistant surfaces. Specially designed for Ifö Sign Art. This seat is also available in Colour Blend – Designed by the Dutch designers Scholten & Baijing.

Colour

White

Description

PRESSALIT toiletseat with cover, model "Sign Art", art. no. 474 of colour ingrained duroplast with BY1 duroplast cylinder shaped hinge
- incl. quick-release and soft close function
- removable seat/cover facilitates cleaning
- load - ring seat 240 kg
- 10 year guarantee



Design type

Sandwich

Designer

Knud Holscher

Design year

2005

Pressalit Sign Art 474
Toilet seat with combi hinge for top and bottom mounting, quick-release and soft close

Materials	<p>TOILET SEAT: The material is colour ingrained duroplast (UF A 10 = urea formaldehyde) that contains no environmentally hazardous substances. UF plastic comprises 67% urea formaldehyde resin, 28% cellulose, as well as 5% minerals, pigments, lubricants and moisture content. The raw material from the supplier contains up to 0.03% free formaldehyde and even less following curing.</p> <p>BUFFERS: EVA (copolymer made of ethylene and vinyl acetate).</p> <p>HINGE LINKS: Threaded part and rosette in stainless steel model W. nr. 1.4301 DIN 17441/85.</p> <p>QUICK-RELEASE COMPONENTS: Mechanical parts made in thermoplastic</p>
Maximum load	Load - ring seat 240 kg
Weight (kg)	3,215
Carton size	496x391x85 mm
Gross weight (kg)	3,68
Colli size	505x400x425 mm
Colli weight (kg)	18,4
Qty per colli	5
Colli per pallet	12
Qty per pallet	60
Cleaning	Use a mild soap solution to clean the seat. Please take care that the seat and hinges are not left damp. Dry off any residual water or cleaning agent with a soft cloth. Avoid contact of the seat and hinges with abrasive, corrosive or chlorine-based cleaners, as these may cause damage or lead to flash rust. Therefore, when cleaning the bowl, make sure that the seat and cover are kept in an upright position until all cleaning agent has been flushed away.
Warranty	Pressalit provides a 10-year product warranty on your toilet seat. Pressalit will repair or exchange the toilet seat for the same or another useable model, at Pressalit's discretion, in the event of a material or manufacturing defect in your toilet seat appearing within 10 years of the date of purchase with normal use. This product warranty is conditional upon proof of purchase of the toilet seat.

Pressalit Sign Art 474

Toilet seat with combi hinge for top and bottom mounting, quick-release and soft close

Subject to changes in the product range, technical changes and printing errors.



www.pressalit.com
