


SLV AVO spot for 240V 1-phase track
QPAR51, silver, max. 50W



Article number	144204
Product family	AVO
Feed-in capability	No
Lamp	QPAR51
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Tilt range	90 Degree
Rotation range	350 Degree
Length	13.5 cm
Height	8 cm
Diameter	6 cm
Net weight	0.156 kg
Gross weight	0.226 kg
Voltage	230V ~50/60Hz
Max. wattage	50 Watt
Protection class	II
Material	steel
Colour	Silver-grey
Energy efficiency class	A++
Light distribution type 1	direct
Form	conical

Articles of this series

144200	AVO spot for 240V 1-phase track, QPAR51, black, max. 50W
144201	AVO spot for 240V 1-phase track, QPAR51, white, max. 50W
152640	AVO, spot for 240V 3-phase track, QPAR51, black, max. 50W, incl. 3-phase adapter
152641	AVO, spot for 240V 3-phase track, QPAR51, white, max. 50W, incl. 3-phase adapter
152644	AVO, spot for 240V 3-phase track, QPAR51, silver, max. 50W, incl. 3-phase adapter
1000886	AVO CW Single, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000887	AVO CW Single, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000888	AVO CW Single, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1000889	AVO CW Double, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000890	AVO CW Double, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000891	AVO CW Double, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1000892	AVO CW Triple, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000893	AVO CW Triple, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000894	AVO CW Triple, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1000895	AVO CW Quad, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000896	AVO CW Quad, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000897	AVO CW Quad, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W

Adjustable high-voltage spot AVO with suitable adapter for the 240V 1-phase track system. The luminaire is made of aluminium and, thanks to the GU10 socket, is suitable for both halogen and LED lamps. A deco ring is included to place on the lamp for halogen lamps with 5 cm diameter.

Notes
