



BIMA 2

spot for 240V 1-phase track, double-headed, QPAR51, matt black, max. 50W, incl. 1-phase adapter

Article number 143430

Product family BIMA

Feed-in capability No

Lampholder / Socket GU10

Number of light sources 2

Lamp included No

Tilt range 200 Degree

Rotation range 350 Degree

Length 8 cm

Height 14 cm

Diameter 6 cm

Net weight 0.392 kg

Gross weight 0.512 kg

Voltage 220-240V ~50/60Hz

Max. wattage 50 Watt

Protection class II

Energy efficiency class A++


Lamp QPAR51


Colour matt black

Form cylindric

Light distribution type 1 direct

Material Aluminium





Articles of this series

143431	BIMA 2, spot for 240V 1-phase track, double-headed, QPAR51, matt white, max. 50W, incl. 1-phase adapter
143432	BIMA 2, spot for 240V 1-phase track, double-headed, QPAR51, silver-grey, max. 50W, incl. 1-phase adapter
143440	BIMA 1, spot for 240V 1-phase track, single-headed, QPAR51, matt black, max. 50W, incl. 1-phase adapter
143441	BIMA 1, spot for 240V 1-phase track, single-headed, QPAR51, matt white, max. 50W, incl. 1-phase adapter
143442	BIMA 1, spot for 240V 1-phase track, single-headed, QPAR51, silver-grey, max. 50W, incl. 1-phase adapter
146492	BIMA, display fitting, QPAR51, chrome, max. 35W
152230	BIMA 2, spot for 240V 3-phase track, double-headed, QPAR51, round, matt black, max. 100W, incl. 3-phase adapter
152231	BIMA 2, spot for 240V 3-phase track, double-headed, QPAR51, round, matt white, max. 100W, incl. 3-phase adapter
152232	BIMA 2, spot for 240V 3-phase track, double-headed, QPAR51, round, silver-grey max. 100W, incl. 3-phase adapter
152240	BIMA 1, spot for 240V 3-phase track, single-headed, QPAR51, round, matt black, max. 50W, incl. 3-phase adapter
152241	BIMA 1, spot for 240V 3-phase track, single-headed, QPAR51, round, matt white, max. 50W, incl. 3-phase adapter
152242	BIMA 1, spot for 240V 3-phase track, single-headed, QPAR51, round, silver-grey max. 50W, incl. 3-phase adapter
184442	BIMA, spot for 240V track EASYTEC II, QPAR51, double-headed, silver-grey, max. 100W
184452	BIMA 1, spot for 240V track EASYTEC II, QPAR51, single-headed, silver-grey, max. 50W
185440	BIMA 2, spot for 240V track EASYTEC II, double-headed, QPAR51, chrome/black, max. 100W
185450	BIMA 1, spot for 240V track EASYTEC II, single-headed, QPAR51, chrome/black, max. 50W
184440	BIMA 2, spot for 240V track EASYTEC II, QPAR51, double-headed, black, 2x50W max.
184441	BIMA 2, spot for 240V track EASYTEC II, QPAR51, double-headed, white, 2x50W max.
184450	BIMA 1, spot for 240V track EASYTEC II, QPAR51, single-headed, black, max. 50W

184451 BIMA 1, spot for 240V track EASYTEC II, QPAR51, single-headed, white, max. 50W

Double-headed adjustable high-voltage spot BIMA 2 with suitable adapter for the 240V 1-phase track system. The luminaire is made of aluminium and has a GU10 socket installed which makes it suitable for both halogen and LED lamps. Both lamp heads are separately adjustable. This luminaire is suitable for lamps of energy classes: E - A++ / E - A++

Notes
