



ENOLA_B TRACK SPOT

QPAR51 white, 50W, incl. 1-circuit adapter



Article number	1002111
Product family	ENOLA B
Feed-in capability	No
Lamp	QPAR51
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Tilt range	90 Degree
Rotation range	350 Degree
Length	11.3 cm
Height	12 cm
Diameter	6.7 cm
Net weight	0.367 kg
Gross weight	0.468 kg
Voltage	230V ~50/60Hz
Max. wattage	50 Watt
Protection class	I
IP-rating	IP 20
Material	Aluminium
Colour	brushed aluminium
Energy efficiency class	A++
Light distribution type 1	direct
Form	cylindric

Articles of this series

143960	ENOLA_B spot for 240V 1-phase track, QPAR51, black, max. 50W, incl. 1-phase adapter
143961	ENOLA_B pendant for 240V 1-phase track, QPAR51, white, max. 50W, incl. 1-phase adapter, white
143963	ENOLA_B pendant for 240V 1-phase track, QPAR51, brass, max. 50W, incl. 1-phase adapter, black
143964	ENOLA_B pendant for 240V 1-phase track, QPAR51, silver-grey / black, max. 50W, incl. 1-phase adapter, silver-grey
149381	ENOLA, pendant, A60, round, white, max. 60W, incl. white canopy
149385	ENOLA, pendant, A60, round, brushed aluminium, max. 60W, incl. canopy brushed aluminium
149387	ENOLA pendant, TC-(D,H,T,Q)SE, round, gold, max. 60W, incl. gold canopy
149388	ENOLA pendant, A60, round, matt black, E27, max. 60W, incl. black canopy
151800	ENOLA_B, wall light, QPAR51, round, up/down, black, max. 50W, incl. deco ring black
151801	ENOLA_B, wall light, QPAR51, round, up/down, white, max. 50 W, incl. white deco ring
151803	ENOLA_B, wall light, QPAR51, round, up/down, brass, max. 50 W, incl. brass deco ring
151804	ENOLA_B, wall light, QPAR51, round, up/down, silver-grey/black, max. 50 W, incl. silver-grey/black deco ring
151810	ENOLA_B CL-1, ceiling light, QPAR51, round, black, max. 35 W
151811	ENOLA_B CL-1, ceiling light, QPAR51, round, white, max. 35 W
151813	ENOLA_B CL-1, ceiling light, QPAR51, round, brass, max. 35 W
151814	ENOLA_B CL-1, ceiling light, QPAR51, round, silver-grey / black, max. 35 W
151820	ENOLA_B, wall and ceiling light, single-headed, QPAR51, black, max. 50 W
151821	ENOLA_B, wall and ceiling light, single-headed, QPAR51, white, max. 50W

151823	ENOLA_B, wall and ceiling light, single-headed, QPAR51, brass, max. 50W
151824	ENOLA_B, wall and ceiling light, single-headed, QPAR51, silver-grey/black, max. 50W
151830	ENOLA_B, wall and ceiling light, double-headed, QPAR51, black, max. 100 W
151831	ENOLA_B, wall and ceiling light, double-headed, QPAR51, white, max. 100 W
151833	ENOLA_B, wall and ceiling light, double-headed, QPAR51, brass, max. 100 W
151834	ENOLA_B, wall and ceiling light, double-headed, QPAR51, silver-grey/black, max. 100 W
151850	ENOLA_B PD-1, pendant, QPAR51, black, max. 50W
151851	ENOLA_B PD-1, pendant, QPAR51, white, max. 50W
151853	ENOLA_B PD-1, pendant, QPAR51, brass, max. 50W
151854	ENOLA_B PD-1, pendant, QPAR51, silver-grey / black, max. 50W
152000	ENOLA_B, wall light, QPAR51, Torch, black, max. 50W
152001	ENOLA_B, wall light, QPAR51, Torch, white, max. 50W
152003	ENOLA_B, wall light, QPAR51, Torch, brass, max. 50W
152004	ENOLA_B, wall light, QPAR51, Torch, silver-grey/black, max. 50W
152010	ENOLA_B, wall and ceiling light, spot, single-headed, QPAR51, black, max. 50W
152011	ENOLA_B, wall and ceiling light, spot, single-headed, QPAR51, white, max. 50W
152013	ENOLA_B, wall and ceiling light, spot, single-headed, QPAR51, brass, max. 50W
152014	ENOLA_B, wall and ceiling light, spot, single-headed, QPAR51, silver-grey/black, max. 50W
152020	ENOLA_B, wall and ceiling light, spot, double-headed, QPAR51, black, max. 100W
152021	ENOLA_B, wall and ceiling light, spot, double-headed, QPAR51, white, max. 100W
152023	ENOLA_B, wall and ceiling light, spot, double-headed, QPAR51, brass, max. 100W

152024	ENOLA_B, wall and ceiling light, spot, double-headed, QPAR51, silver-grey/black, max. 100W
1000729	ENOLA_B, wall light, QPAR51, with switch, black, max. 50W
1000730	ENOLA_B, wall light, QPAR51, with switch, white, max. 50W
1000731	ENOLA_B, wall light, QPAR51, with switch, brass, max. 50W
1000732	ENOLA_B, wall light, QPAR51, with switch, silver-grey/black, max. 50W
1002110	ENOLA_B TRACK SPOT, QPAR51 black, 50W, incl. 1-circuit adapter
1002113	ENOLA_B TRACK SPOT, QPAR51 silver-grey 50W, incl. 1-circuit adapter

The puristic ENOLA B track-mounted spotlight consists of an aluminium and steel structure and is optionally available with a white, black, or silver grey housing. The lamp head can be rotated and swivelled. Because of the built-in GU10 240V socket, the ENOLA_B is ready for direct connection to the 1-circuit 240V track system. This luminaire is compatible with bulbs in energy classes: E - A++

Notes
