

## PURI TRACK SPOT

QPAR51 glass, white 50W, incl. 1-circuit adapter



Article number	1001869
Product family	PURI
Feed-in capability	No
Lamp	QPAR51
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Tilt range	85 Degree
Rotation range	340 Degree
Length	15 cm
Height	10 cm
Diameter	6.4 cm
Net weight	0.259 kg
Gross weight	0.427 kg
Voltage	220-240V ~50/60Hz
Max. wattage	50 Watt
Protection class	II
Material	Aluminium/plastic
Colour	brushed aluminium
Energy efficiency class	A++
Light distribution type 1	direct
Form	cylindric

Articles of this series

143190	1-PHASE HIGH-VOLTAGE SET, triple-headed, LED GU10 51 mm, black, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp
143191	1-PHASE HIGH-VOLTAGE SET, triple-headed, white, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp
143194	1-PHASE HIGH-VOLTAGE SET, triple-headed, silver-grey, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp
143390	PURI, spot for 240V 1-phase track, QPAR51, matt black, max. 50W, incl. 1-phase adapter
143391	PURI spot for 240V 1-phase track, QPAR51, white, max. 50W, incl. 1-phase adapter
143392	PURI spot for 240V 1-phase track, QPAR51, silver-grey, max. 50W, incl. 1-phase adapter
143411	PURI SPOT-SET, LED GU10 51mm, 3000K, white, 36° LM, incl. Philips 4.5W LED, 1-phase adapter
143412	PURI SPOT-SET, LED GU10 51mm, 3000K, silver-grey, 36° LM, incl. Philips 4.5W LED, 1-phase adapter
143450	PURI spot for 240V 1-phase track, QPAR51, matt black, frosted black glass, max. 50W, incl. 1-phase adapter
143451	PURI spot for 240V 1-phase track, QPAR51, white, frosted glass, max. 50W, incl. 1-phase adapter
143454	PURI spot for 240V 1-phase track, QPAR51, silver-grey, frosted glass, max. 50W, incl. 1-phase adapter
147360	PURI 1 wall and ceiling light, single-headed, QPAR51, matt black, max. 50W, with deco ring
147361	PURI 1 wall and ceiling light, single-headed, QPAR51, matt white, max. 50W, with deco ring
147364	PURI 1 wall and ceiling light, single-headed, QPAR51, silver-grey, max. 50W, with deco ring
147366	PURI 1 wall and ceiling light, single-headed, QPAR51, wine red, max. 50W, with deco ring
147370	PURI 2 wall and ceiling light, double-headed, QPAR51, matt black, max. 100 W, with deco ring
147371	PURI 2 wall and ceiling light, double-headed, QPAR51, matt white, max. 100 W, with deco ring

147374	PURI 2 wall and ceiling light, double-headed, QPAR51, silver-grey, max. 100 W, with deco ring
147376	PURI 2 wall and ceiling light, double-headed, QPAR51, wine red, max. 100 W, with deco ring
147380	PURI 3 wall and ceiling light, triple-headed, QPAR51, matt black, max. 150 W, with deco ring
147381	PURI 3 wall and ceiling light, triple-headed, QPAR51, matt white, max. 150 W, with deco ring
147384	PURI 3 wall and ceiling light, triple-headed, QPAR51, silver-grey, max. 150 W, with deco ring
147386	PURI 3 wall and ceiling light, triple-headed, QPAR51, wine red, max. 150 W, with deco ring
153560	PURI, spot for 240V 3-phase track, QPAR51, matt black, max. 50W, incl. 3-phase adapter
153561	PURI spot for 240V 3-phase track, QPAR51, white, max. 50W, incl. 3-phase adapter
153564	PURI spot for 240V 3-phase track, QPAR51, silver-grey, max. 50W, incl. 3-phase adapter
153570	PURI SPOT-SET, LED GU10 51 mm, black, incl. Philips 5,3W, 3000K, 36° LM and 3-phase adapter
153571	PURI SPOT-SET, LED GU10 51 mm, white, incl. Philips 5,3W, 3000K, 36° LM and 3-phase adapter
153574	PURI SPOT-SET, LED GU10 51 mm, silver-grey, incl. Philips 5,3W, 3000K, 36° LM and 3-phase adapter
1001871	PURI TRACK QPAR51 glass, black 50W, incl. 3-circuit adapter
1001872	PURI TRACK QPAR51 glass, white 50W, incl. 3-circuit adapter
1001873	PURI TRACK QPAR51 glass, silver 50W, incl. 3-circuit adapter
1001868	PURI TRACK SPOT, QPAR51 glass, black 50W, incl. 1-circuit adapter
1001870	PURI TRACK SPOT, QPAR51 glass, silver 50W, incl. 1-circuit adapter
1002029	PURI CW, Indoor surface-mounted wall and ceiling light, quad, QPAR51, black, 4x50W
1002030	PURI CW, Indoor surface-mounted wall and ceiling light, quad, QPAR51, white, 4x50W

Adjustable 240V spot PURI TRACK with suitable adapter for the high voltage 1-circuit track system. The luminaire is made of aluminium and, thanks to the GU10 socket, is suitable for both halogen and LED lamps. This luminaire is compatible with bulbs in energy classes: E - A++

#### Notes

---

---

---