





## PURI spot for 240V 1-phase track

QPAR51, white, frosted glass, max. 50W, incl. 1-phase adapter



Article number	143451
Product family	PURI
Feed-in capability	No
Lamp	QPAR51
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Tilt range	85 Degree
Rotation range	340 Degree
Length	12.5 cm
Height	10.9 cm
Diameter	6.4 cm
Net weight	0.172 kg
Gross weight	0.248 kg
Voltage	220-240V ~50/60Hz
Max. wattage	50 Watt
Protection class	II
Material	Aluminium/plastic
Colour	brushed aluminium
Energy efficiency class	A++
Light distribution type 1	direct
Form	round

Articles of this series

143190	1-PHASE HIGH-VOLTAGE SET, triple-headed, LED GU10 51 mm, black, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp
143191	1-PHASE HIGH-VOLTAGE SET, triple-headed, white, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp
143194	1-PHASE HIGH-VOLTAGE SET, triple-headed, silver-grey, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp
143390	PURI, spot for 240V 1-phase track, QPAR51, matt black, max. 50W, incl. 1-phase adapter
143391	PURI spot for 240V 1-phase track, QPAR51, white, max. 50W, incl. 1-phase adapter
143392	PURI spot for 240V 1-phase track, QPAR51, silver-grey, max. 50W, incl. 1-phase adapter
143411	PURI SPOT-SET, LED GU10 51mm, 3000K, white, 36° LM, incl. Philips 4.5W LED, 1-phase adapter
143412	PURI SPOT-SET, LED GU10 51mm, 3000K, silver-grey, 36° LM, incl. Philips 4.5W LED, 1-phase adapter
143450	PURI spot for 240V 1-phase track, QPAR51, matt black, frosted black glass, max. 50W, incl. 1-phase adapter
143454	PURI spot for 240V 1-phase track, QPAR51, silver-grey, frosted glass, max. 50W, incl. 1-phase adapter
147360	PURI 1 wall and ceiling light, single-headed, QPAR51, matt black, max. 50W, with deco ring
147361	PURI 1 wall and ceiling light, single-headed, QPAR51, matt white, max. 50W, with deco ring
147364	PURI 1 wall and ceiling light, single-headed, QPAR51, silver-grey, max. 50W, with deco ring
147366	PURI 1 wall and ceiling light, single-headed, QPAR51, wine red, max. 50W, with deco ring
147370	PURI 2 wall and ceiling light, double-headed, QPAR51, matt black, max. 100 W, with deco ring
147371	PURI 2 wall and ceiling light, double-headed, QPAR51, matt white, max. 100 W, with deco ring
147374	PURI 2 wall and ceiling light, double-headed, QPAR51, silver-grey, max. 100 W, with deco ring

147376	PURI 2 wall and ceiling light, double-headed, QPAR51, wine red, max. 100 W, with deco ring
147380	PURI 3 wall and ceiling light, triple-headed, QPAR51, matt black, max. 150 W, with deco ring
147381	PURI 3 wall and ceiling light, triple-headed, QPAR51, matt white, max. 150 W, with deco ring
147384	PURI 3 wall and ceiling light, triple-headed, QPAR51, silver-grey, max. 150 W, with deco ring
147386	PURI 3 wall and ceiling light, triple-headed, QPAR51, wine red, max. 150 W, with deco ring
153560	PURI, spot for 240V 3-phase track, QPAR51, matt black, max. 50W, incl. 3-phase adapter
153561	PURI spot for 240V 3-phase track, QPAR51, white, max. 50W, incl. 3-phase adapter
153564	PURI spot for 240V 3-phase track, QPAR51, silver-grey, max. 50W, incl. 3-phase adapter
153570	PURI SPOT-SET, LED GU10 51 mm, black, incl. Philips 5,3W, 3000K, 36° LM and 3-phase adapter
153571	PURI SPOT-SET, LED GU10 51 mm, white, incl. Philips 5,3W, 3000K, 36° LM and 3-phase adapter
153574	PURI SPOT-SET, LED GU10 51 mm, silver-grey, incl. Philips 5,3W, 3000K, 36° LM and 3-phase adapter
1001869	PURI TRACK SPOT, QPAR51 glass, white 50W, incl. 1-circuit adapter
1001871	PURI TRACK QPAR51 glass, black 50W, incl. 3-circuit adapter
1001872	PURI TRACK QPAR51 glass, white 50W, incl. 3-circuit adapter
1001873	PURI TRACK QPAR51 glass, silver 50W, incl. 3-circuit adapter
1001868	PURI TRACK SPOT, QPAR51 glass, black 50W, incl. 1-circuit adapter
1001870	PURI TRACK SPOT, QPAR51 glass, silver 50W, incl. 1-circuit adapter
1002029	PURI CW, Indoor surface-mounted wall and ceiling light, quad, QPAR51, black, 4x50W
1002030	PURI CW, Indoor surface-mounted wall and ceiling light, quad, QPAR51, white, 4x50W

Adjustable high-voltage spot PURIA with suitable adapter for the 240V 1-phase track system. The luminaire is made of aluminium and frosted glass and, thanks to the built-in GU10 socket, is suitable for both halogen and LED lamps. This luminaire is suitable for lamps of energy classes: E - A++

#### Notes

---

---

---