# CAVIUS

























## **PRODUCT DATA:**

#### TYPE:

Hub with wireless interlink

#### **USAGE:**

Designed for installation in private homes together with the CAVIUS Wireless Family range.

#### INSTALLATION:

The hub has a N45 magnet mounted inside, which snaps the hub onto a metal bracket. The metal bracket can be mounted on the wall by double sided tape or a screw and plug.

#### POWER SUPPLY:

110 / 240V AC to USB 5V DC (Supplied)

#### INTERNET CONNECTION:

The hub is connected to the router through a RJ45 Ethernet cable (Supplied)

#### INTERLINK FREQUENCY:

868 MHz

#### **VISIBLE INDICATORS:**

CAVIUS logo lights up green when the power is on. It will start flashing when the hub is powered up. If something is wrong with internet or power connection, it will continue to flash.

#### **CONNECTION TO DEVICES:**

CAVIUS hub will enroll and communicate with CAVIUS Wireless Family devices through the CAVIUS App.

#### **FUNCTIONS:**

**PRODUCT TYPE: HUB 6001** 

- Choose a name of the hub (e.g. your house name, adress etc.)
- Name your devices (such as living room smoke alarm, entry door or kitchen heat alarm etc.)
- Alarm signal notification through the CAVIUS App
- Test all the connected devices from the App and push message when a device is tested
- · Battery fault notification from CAVIUS devices
- Pass on the alarm to your neighbour or relative

#### WARRANTY:

10 years

## **OPERATING TEMPERATURE:**

+4°C to +38°C (tested from 0 degrees to 55 degrees)

#### **OPERATING HUMIDITY:**

Up to 90% RH non-condensing

#### APPROVALS:

**RED Directive** EN60065 ROHS **REACH** 

### **CE TESTING INSTITUTE:**

SGS

#### ASSOCIATIONS:

Works with Google Assistant



works with the Google Assistant

#### STORAGE TEMPERATURE:

-20°C to +60°C

#### STORAGE HUMIDITY:

Up to 93% RH non-condensing

## **QUALITY ASSURANCE:**

#### POWER CONSUMPTION:

100% tested

#### WIRELESS CONNECTION:

100% tested

#### VISUAL APPEARANCE:

100% tested

#### PACKING CONTENT:

100% tested

# CONTACT

www.cavius.com

## MANUFACTURER

Manufacturer: CAVIUS Aps, DK-8600



