

# **PRODUCT DATASHEET**ENDURA STYLE Mini Spot II 13 W DG

**ENDURA STYLE MINI SPOT | Wall luminaires with rotatable head** 



# AREAS OF APPLICATION

- Outdoor use (IP44)
- Building facades
- Entrance lighting
- Patios, balconies

# **PRODUCT BENEFITS**

- Easy and quick installation
- Energy-efficient thanks to LED technology

#### **PRODUCT FEATURES**

- Bright and functional outdoor LED luminaires
- Die-cast aluminum housing
- Available in two housing colors
- Adjustable modules: rotation angle 340°



# **TECHNICAL DATA**


# Electrical data

Nominal wattage	13.00 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Mains frequency	50/60 Hz

# Photometrical data

Color temperature	3000 K	
Color rendering index Ra	>80	
Light color (designation)	Warm White	
Luminous flux	630 lm	
Luminous efficacy	48 lm/W	

# Dimensions & weight



Length	100.0 mm
Width	230.0 mm
Height	54.0 mm
Product weight	750.00 g

# Colors & materials

Body material	Aluminum		
Product color	Dark gray		
Housing color	Dark gray		
Cover material	Polymethylmethacrylate (PMMA)		

# Temperatures & operating conditions

Ambient temperature range	-20+40 °C

# Lifespan

Number of switching cycles	15000
Lifespan	30000 h

# Additional product data

Mounting type	Surface
Mounting location	Wall

### Capabilities

Dimmable	No	
Type of connection	Screw terminal	
LED module replaceable	Not replaceable	

#### Certificates & standards

Protection class	I	
Type of protection	IP44	
Standards	CE/EAC/REACH/RoHS	

### **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

# **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075205178	Folding carton box 1	115 mm x 302 mm x 148 mm	930.00 g	5.14 dm³
4058075205185	Shipping carton box 6	320 mm x 310 mm x 365 mm	5924.00 g	36.21 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.