

# ENSTO

**PRODUCT SPECIFICATION**

7/29/2021



6410041171388

Sauna luminaire

AVH11

Code	AVH11
GTIN	6410041171388
Name	Sauna luminaire Ensto 1x60W A60/E27 IP44, ta125 °C
Description	AVH11 luminaires are designed especially for private saunas. It can also be used in locations where a durable basic luminaire is required.
Vendor	Ensto Building Systems Finland Oy



## Technical specification

### Colors

Color: White

### Others

Address of the manufacturer: Ensto Building Systems Finland Oy, P.O. Box 77, FI-06101 Porvoo, Finland

ETIM Class: EC002892

Energy label: KUTENERGIA6

### Ratings

Degree of protection: IP44

Protection class: II

### Technical information

Control: -

Lamp base: E27

Glow wire rating: 650 °C

Light source qty and power (W): 1x60

Light source (ILCOS): IA

Light source: 1xA60 60W/E27

Optics: Ribbed diffuser, clear

IN-OUT- looping: Ending

Electrical connection, cable size: 2x1,5

Electrical connection, connector type:	Screw terminal
Certificates:	FI

## Dimensions

Length:	194 mm
Width:	205 mm
Height:	105 mm
Weight:	1.19 kg

## ETIM Technical specification

---

### etim

Beam angle:	Open beam/diffuse
Colour housing:	White
Covering of the luminaire with thermally insulating material possible:	Yes
Degree of protection (IP):	IP44
Dimming 0-10 V:	No
Dimming 1-10 V:	No
Dimming DALI:	No
Dimming depending on control gear:	No
Dimming DMX:	No
Dimming DSI:	No
Dimming GPRS:	No
Dimming LineSwitch:	No
Dimming mains voltage modulation:	No
Dimming manufacturer's proprietary system:	No
Dimming phase cut-off:	No
Dimming phase cut-on:	No
Dimming potentiometer (integrated):	No
Dimming programmable:	No
Dimming RF:	No
Dimming Sine Wave Reduction:	No
Dimming Touch and Dim:	No
Dimming with push-button:	No
Dimming Zigbee:	No
Material housing:	Plastic
Height/depth:	105 mm
Lamp holder:	E27,EV000098
Length:	194 mm
Light outlet:	Direct
Light sharing:	Symmetric
Luminaire with limited surface temperature sign D":	No
Material cover:	Glass transparent
No dim function:	Yes

Protection class:	II
Suitable for built-in mounting:	No
Suitable for ceiling mounting:	No
Suitable for emergency lighting:	No
Suitable for light line configuration:	No
Suitable for number of lamps:	1
Suitable for surface mounting:	Yes
Suitable for suspended mounting:	No
Suitable for wall mounting:	Yes
Fit for monitor workplace acc. EN 12464-1:	No
Type of control gear:	Not required
Type of grid:	None
Voltage type:	AC
Width:	205 mm
With air slots:	No
Control gear included:	Yes
With light sensor:	No
With light source:	No
With movement sensor:	No

## Packaging

---

### Pallet package

Unit:	PCE
Package size:	160
Depth:	1200 mm
Width:	800 mm

### Default package

Unit:	PCE
Package size:	1
Depth:	195 mm
Width:	195 mm
Height:	106 mm
Weight:	1.19 kg
Volume:	4.03065 l