## WiZ.

## WiZ Bulb A67 E27

Brand: WiZ Product code: 8718699786199

Product name: Bulb A67 E27

- Easy plug and play
- Tunable warm to cool white and preset modes
- Control from anywhere
- Automate your light with schedules
- Millions of colours and dynamic light modes
- Customised Scenes
- Preset well-being features
- Voice control

13 W, E27, 2200 - 6500 K, A+

## WiZ Bulb A67 E27:

The WiZ LED A67 full color bulb brings smart lighting for your daily living. Retrofit into any lamp shade to create the ambience of your choice with 16 million colors as well as warm to cool white light. You can set schedule to turn lights on and off according to daily or weekly routines, control with your smartphone or your voice and have remote access to your lights even when you're away. WiZ lights connect to your existing Wi-Fi, no additional hardware is needed.







Features		Features	
Type *	Smart bulb	Instant full light	✓
Fitting/cap type	E27	Product title	Wi-Fi BLE 100W A67 E27 922-65
Light colour	Multi		RGB 1PF/6
Colour temperature (min)	2200 K	Power	
Colour temperature (max)	6500 K	Energy efficiency class	Е
Luminous flux	1521 lm	AC input voltage	220 - 240 V
Beam angle	200°	AC input frequency	50/60 Hz
Bulb power	13 W	Rated power	13 W
Equivalent bulb power	100 W	Weight & dimensions	
Bulb lifetime	15000 h	9	
Rated lifetime	15000 h	Width	77 mm
Product colour *	White	Depth	142 mm
nterface *	Wi-Fi	Height	142 mm
Dimmable	✓	Length	14.2 cm
Replacement bulb power (max)	13 W	Weight	108 g
Bulb size	A67	Packaging data	
Color Rendering Index (CRI)	90	Package width	85 mm
Warm-up time to 60% light	Миттєве досягнення максимальної яскравості 50000 0.5 s Matt	Package depth Package height	85 mm 185 mm
Number of switch cycles		Package neight	108 q
Start-up time		Package gross weight	140 g
Glass type			140 g
Lumen maintenance factor	70%	Packaging content	
Bulb lifetime (@ 2.7 hrs/day)	15 year(s)	Quantity per pack *	1 pc(s)
Colour consistency (SDCM)	6	Technical details	
Eye comfort	<b>×</b> 0.55	Placement supported	Indoor
Power factor		EAN/UPC/GTIN (packaging)	8718699786199
Rated luminous flux	1521 lm	., 5 5.	
nacca iaiiiiioas iiax		EOC code	871869978619900

Features		Technical details	
Luminous efficacy	117 lm/W	SAP length per piece	8.500 cm
		SAP height per piece	18.500 cm
		Input voltage	220-240 V
		Logistics data	
		12NC Logistic code(s)	929002449702



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.