


---

**ENDURA® CLASSIC**


---



	EAN	W	⊖ (°C)	V~	Hz
ENDURA CLASSIC CASCADE WALL E27 AMB	4058075554276	max. 25	-20...+40	220-240	50/60
ENDURA CLASSIC CASCADE 50CM E27 AMB	4058075554290	max. 25	-20...+40	220-240	50/60
ENDURA CLASSIC CASCADE 80CM E27 AMB	4058075554313	max. 25	-20...+40	220-240	50/60
ENDURA CLASSIC CASCADE WALL E27	4058075554337	max. 25	-20...+40	220-240	50/60
ENDURA CLASSIC CASCADE 50CM E27	4058075554351	max. 25	-20...+40	220-240	50/60
ENDURA CLASSIC CASCADE 80CM E27	4058075554375	max. 25	-20...+40	220-240	50/60

**1x**

**1055 g**  
4058075554276

**1055 g**  
4058075554337

**1780 g**  
4058075554313

**1780 g**  
4058075554375

**1540 g**  
4058075554290


**1540 g**  
4058075554351

**3x**


**3x**

**4x**





**4x**









mm



	L	W	H
CASCADE WALL AMB	160	120	180
CASCADE 50CM POST AMB	200	160	500
CASCADE 80CM POST AMB	200	160	800
CASCADE WALL	160	120	180
CASCADE 50CM POST	200	160	500
CASCADE 80CM POST	200	160	800







11



↑ ON  
↓ OFF



12



IP44

C10449057  
G11107818  
08.01.2021



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)