

19 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed Die cast

68022/G/W



1,4W LED wall recessed light, IP54, ideal for both indoor and outdoor installation.

AC LED.

Supplied with box for concrete installation.

Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

19 Wall Recessed & Inground

Family

Outdoor Dark Light Wall Recessed Die cast

Order Code

68022/G/W

Colour

Grey

Material

Die Cast

Shape

Circular

Diameter



125mm

Cutout Hole Diameter	105mm
Recessed wall	Yes
Depth Required	70mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,4W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Illumination Data

Colour Temperature	3000K
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	13cm
Box Width	7,5cm
Box Height	13cm

Pcs/Carton

24


Barcode

5291889008811

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

