



# MASTER Glass LED bulbs

## MAS LEDBulbDT3.4 -40W E27 927 A60 FR G

Featuring a classic heritage design, these filament MASTER glass bulbs combine the familiar shapes of incandescent glass LED bulbs with the benefits of long-lasting LED technology. Ideal for creating a cozy atmosphere for customers, these glass LED bulbs provide excellent quality of light. MASTER glass bulbs can be dimmed for different lumen levels and color temperatures (dimmable glass led bulbs). They also deliver significant energy savings, using 30% less energy compared to normal LED bulbs. By offering a lifetime of 25,000 hours, these dimmable glass LED bulbs also reduce maintenance costs.

### Product data

| General information                |                               | LLMF At End Of Nominal Lifetime (Nom) 70 % |             |
|------------------------------------|-------------------------------|--|-------------|
| Cap-Base                           | E27 [ E27]                    |  |             |
| CE mark                            | Yes                           |  |             |
| EU RoHS compliant                  | Yes                           |  |             |
| Nominal Lifetime (Nom)             | 25000 h                       |  |             |
| Switching Cycle                    | 20000                         |  |             |
| Flux measurement reference         | Sphere                        |  |             |
| Tier                               | MASTER                        |  |             |
| Light technical                    |                               | Operating and electrical                   |             |
| Color Code                         | 922-927 [ CCT of 2200K-2700K] | Input Frequency                            | 50 to 60 Hz |
| Luminous Flux (Nom)                | 470 lm                        | Power (Nom)                                | 3.4 W       |
| Color Designation                  | Warm Glow(WG)                 | Lamp Current (Nom)                         | 24 mA       |
| Correlated Color Temperature (Nom) | 2200 2700 K                   | Wattage Equivalent                         | 40 W        |
| Luminous Efficacy (rated) (Nom)    | 138.00 lm/W                   | Starting Time (Nom)                        | 0.5 s       |
| Color Consistency                  | <6                            | Warm Up Time to 60% Light (Nom)            | 0.5 s       |
| Color Rendering Index (Nom)        | 90                            | Power Factor (Nom)                         | 0.6         |
|                                    |                               | Voltage (Nom)                              | 220-240 V   |
|                                    |                               | Temperature                                |             |
|                                    |                               | T-Case Maximum (Nom)                       | 70 °C       |

# MASTER Glass LED bulbs

## Controls and dimming

|          |                            |
|----------|----------------------------|
| Dimmable | Only with specific dimmers |
|----------|----------------------------|

## Mechanical and housing

|             |               |
|-------------|---------------|
| Bulb Finish | Frosted       |
| Bulb Shape  | A60 [ A 60mm] |


## Approval and application

|                               |        |
|-------------------------------|--------|
| Energy Efficiency Class       | D      |
| Energy Consumption kWh/1000 h | 4 kWh  |
| EPREL Registration Number     | 453243 |

## Product data

|                                 |  |
|---------------------------------|--|
| Full product code               | 871951432467100                        |
| Order product name              | MAS LEDBulbDT3.4 -40W E27 927 A60 FR G |
| EAN/UPC - Product               | 8719514324671                          |
| Order code                      | 929003010002                           |
| Numerator - Quantity Per Pack   | 1                                      |
| Numerator - Packs per outer box | 10                                     |
| Material Nr. (12NC)             | 929003010002                           |
| Net Weight (Piece)              | 0.030 kg                               |


## Dimensional drawing




MAS LEDBulbDT3.4 -40W E27 927 A60 FR G

| Product                                | D     | C      |
|--|-------|--------|
| MAS LEDBulbDT3.4 -40W E27 927 A60 FR G | 60 mm | 104 mm |

## Photometric data




LEDbulb MAS SLR A60 3,4W E27 927 FR-LDD



Spectral Power Distribution Colour

# MASTER Glass LED bulbs

## Photometric data




© Philips Lighting B.V. 2022. Philips Lighting B.V. Page 11

### LEDbulb MAS SLR 3,4W A60 E27 927 FR-GUL

## Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

