



CorePro LEDcapsule MV

CorePro LEDcapsule ND 4.8-60W G9 827

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General information	
Cap-Base	G9 [G9]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000
Flux measurement reference	Sphere
Tier	CorePro

Light technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	570 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	118.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4.8 W
Lamp Current (Nom)	44 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V


Temperature	
T-Case Maximum (Nom)	99 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Shape	Capsule

CorePro LEDcapsule MV

Photometric data



LEDcapsule ND 4.8-60W G9

Lifetime



LEDcapsule ND 4.8-60W G9



LEDcapsule ND 4.8-60W G9

