



CorePro Glass LED bulbs

CorePro LEDBulbND 4.3-40W E27 A60827 CLG

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General information	
Cap-Base	E27 [E27]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000
Flux measurement reference	Sphere
Tier	CorePro
Light technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	470 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	109.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80

LLMF At End Of Nominal Lifetime (Nom) 70 %	
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4.3 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.41
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	45 °C
Controls and dimming	
Dimmable	No

CorePro Glass LED bulbs

Mechanical and housing

Bulb Finish	Clear
Bulb Shape	A60 [A 60mm]

Approval and application


Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	387405

Product data

Full product code	871951434716800
-------------------	-----------------

Order product name	CorePro LEDBulbND 4.3-40W E27 A60827 CLG
EAN/UPC - Product	8719514347168
Order code	929001890092
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001890092
Net Weight (Piece)	0.028 kg


Dimensional drawing




CorePro LEDBulbND 4.3-40W E27 A60827 CLG

Product	D	C
CorePro LEDBulbND 4.3-40W E27 A60827 CLG	60 mm	104 mm

Photometric data




General uniform lighting



Spectral Power Distribution Colour

CorePro Glass LED bulbs

Photometric data




Light Distribution Diagram

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

