



CorePro Glass LED bulbs

CorePro LEDBulbND 4.5-40W E27 A60830 FRG

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General information	
Cap-Base	E27 [E27]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000
Flux measurement reference	Sphere
Tier	CorePro

Light technical	
Color Code	830 [CCT of 3000K]
Luminous Flux (Nom)	470 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	104.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80

LLMF At End Of Nominal Lifetime (Nom) 70 %	
--	--

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4.5 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.41
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	50 °C

Controls and dimming	
Dimmable	No

CorePro Glass LED bulbs

Mechanical and housing

Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]

Approval and application


Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	374881

Product data

Full product code	871951434702100
-------------------	-----------------

Order product name	CorePro LEDBulbND 4.5-40W E27 A60830 FRG
EAN/UPC - Product	8719514347021
Order code	929002424992
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002424992
Net Weight (Piece)	0.030 kg


Dimensional drawing




CorePro LEDBulbND 4.5-40W E27 A60830 FRG

Product	D	C
CorePro LEDBulbND 4.5-40W E27 A60830 FRG	60 mm	106 mm

Photometric data




LEDbulb_A60_E27_470lm_FR



LEDbulb_4,5W_A60_E27_830_FR_1

CorePro Glass LED bulbs

Photometric data



LEDbulb_4,5W_A60_E27_830_FR_1

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

