

CorePro GLASS LED candles and lusters

CorePro LEDLusterND2-25W P45 E27 827 CLG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General information	
Cap-Base	E27 [E27]
CE mark	Yes
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000
Flux measurement reference	Sphere
Tier	CorePro

Light technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	250 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80

LLMF At End Of Nominal Lifetime (Nom) 70 %	
--	--

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2 W
Lamp Current (Nom)	20 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	30 °C

Controls and dimming	
Dimmable	No

CorePro GLASS LED candles and lusters

Mechanical and housing

Bulb Finish	Clear
Bulb Shape	P45 [P 45mm]

Approval and application


Energy Efficiency Class	E
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	387364

Product data

Full product code	871951434776200
-------------------	-----------------

Order product name	CorePro LEDLusterND2-25W P45 E27 827 CLG
EAN/UPC - Product	8719514347762
Order code	929001238792
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001238792
Net Weight (Piece)	0.012 kg


Dimensional drawing




CorePro LEDLusterND2-25W P45 E27 827 CLG

Product	D	C
CorePro LEDLusterND2-25W P45 E27 827 CLG	45 mm	78 mm

Photometric data



Spectral Power Distribution Colour



Light Distribution Diagram

CorePro GLASS LED candles and lusters

Photometric data




General uniform lighting

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

