

PRODUCT-DETAILS

AP9V AP9V Junction box



General Information	
Extended Product Type	AP9V
Product ID	2TKA00001564
EAN	6438199003177
Catalog Description	AP9V Junction box
	The square junction box AP9V (2,5 mm², 500 V) is equipped with 12 membrane cable entries (Ø 17 mm) in the sides, and two in the bottom. Cables are easy to connect by simply inserting the stripped and through the inlets. The box locks by spanning and can be approad.

Long Description

entries (Ø 17 mm) in the sides, and two in the bottom. Cables are easy to connect by simply inserting the stripped ends through the inlets. The box locks by snapping and can be opened by inserting a screwdriver (for example) into the opening slots - no screws are needed. The box can be furnished with strain-reliefs AS9, AS9.1 and AS9.3. Fits up to Ø 17 mm cable.

VDE-approved. Mounting temperature -25...+60 °C. Made of halogen free material (IEC/61249-2-21).

Eco Transparency	
Environmental Product	9AKK108467A4495
Declaration - EPD	

Technical	
Rated Insulation Voltage (U _i)	500 V
Number of Conduit Inlets	14
Cover Mounting Type	Snap On
Entrance Type	Type of housing feed-through: Seal membrane
Mounting Type	Universal
Shape	Square
Surface Finishing	Untreated

Includes	None
Cover Style	Blind Cove
Environmental	
	IDE
Degree of Protection	IP6
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendmen
Dimensions	
Product Net Width	86 mr
Product Net Height	0.039 r
Product Net Depth / Length	86 mr
Product Net Weight	0.066 k
Product Net Length	86 mn
Container Information	
Package Level 1 Units	box 5 piece
Package Level 1 Width	0.09 n
Package Level 1 Height	0.291 n
Package Level 1 Depth / Length	0.09 n
Package Level 1 Gross Weight	0.33 kg
Package Level 1 EAN	643819900317
Package Level 2 Units	crate 50 piece
Package Level 2 Width	0.215 r
Package Level 2 Height	0.4 r
Package Level 2 Depth / Length	0.275 r
Package Level 2 Gross Weight	3.3 k
Package Level 3 Units	pallet (lift) 1800 piec
Package Level 3 Width	1.2 r
Package Level 3 Height	1.1 n
Package Level 3 Depth / Length	0.8 n
Package Level 3 Gross Weight	118.8 k
vveight	
Ordering	
Minimum Order Quantity	5 piec
Customs Tariff Number	3925908
E-Number (Finland)	161250
E-Number (Sweden)	143843
Country of Origin	Finland (F
Certificates and Declarations (Doc	
Declaration of Conformity - CE	9AKK106713A462
Environmental Product Declaration - EPD	9AKK108467A449
Instructions and Manuals	9AKK107045A755
RoHS Information	9AKK106713A463

AP9V 3

Popular Downloads	
Data Sheet, Technical Information	9AKK10103A2549
Instructions and Manuals	9AKK107045A7551

Classifications	
ETIM 7	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Surface\ Mounted\ Boxes \rightarrow Outdoors\ or\ Applications\ in\ Wet\ Spaces$

