SIEMENS

Data sheet 5SG5702

> NEOZED, fuse base, D02, 3-pole, 63 A, Un AC: 400 V, Un DC: 250 V without LED signal detector with frame terminal



Model		
product brand name	NEOZED	
product designation	Fuse base	
design of the product	NEOZED fuse base installation	
General technical data		
number of poles	3	
size of fuse system according to EN 60269-1	D02	
Supply voltage		
operating voltage rated value	400 V	
Dissipation		
power loss [W] for rated value of the current at AC in hot operating state per pole	3 W	
Main circuit		
operational current rated value	63 A	
Product details		
product component cover	Yes	
Mechanical Design		
height	67 mm	
width	81 mm	
depth	55 mm	
fastening method	DIN rail	
net weight	207 g	
material of D fuse base	plastic	
General Product Approval	Declaration of Conformity	other

Confirmation





Confirmation

other Environment

Miscellaneous

Environmental Con-firmations

Further information

Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG5702

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5SG5702

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG5702


CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications





last modified:

5SG5702

Page 2/3

12/19/2020