

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** ESYLUX

**Supplier's address:** Team Series Production, An der Strusbek 40, 22926 Ahrensburg

**Model identifier:** YG01692400

## Type of light source:

|                                                     |          |                                 |      |
|-----------------------------------------------------|----------|---------------------------------|------|
| Lighting technology used:                           | LED      | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | sonstige |                                 |      |
| Mains or non-mains:                                 | NMLS     | Connected light source (CLS):   | No   |
| Colour-tuneable light source:                       | No       | Envelope:                       | -    |
| High luminance light source:                        | No       |                                 |      |
| Anti-glare shield:                                  | No       | Dimmable:                       | Yes  |


## Product parameters

| Parameter                                                                                                                                             | Value                  | Parameter                                                                                                                                                  | Value                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>General product parameters:</b>                                                                                                                    |                        |                                                                                                                                                            |                        |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer                                                                         | 16                     | Energy efficiency class                                                                                                                                    | F                      |
| Useful luminous flux ( $\phi_{\text{use}}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 1 750 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000                  |
| On-mode power ( $P_{\text{on}}$ ), expressed in W                                                                                                     | 16,0                   | Standby power ( $P_{\text{sb}}$ ), expressed in W and rounded to the second decimal                                                                        | -                      |
| Networked standby power ( $P_{\text{net}}$ ) for CLS, expressed in W and rounded to the second decimal                                                | -                      | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set                                                         | 80                     |
| Outer dimensions without separate control gear, lighting control                                                                                      | Height                 | Spectral power distribution in the range 250 nm to 800 nm, at full-load                                                                                    | See image in last page |
|                                                                                                                                                       | Width                  |                                                                                                                                                            |                        |
|                                                                                                                                                       | Depth                  |                                                                                                                                                            |                        |


|                                                           |    |                                    |                |  |
|-----------------------------------------------------------|----|------------------------------------|----------------|--|
| parts and non-lighting control parts, if any (millimetre) |    |                                    |                |  |
| Claim of equivalent power <sup>(a)</sup>                  | -  | If yes, equivalent power (W)       | -              |  |
|                                                           |    | Chromaticity coordinates (x and y) | 0,437<br>0,404 |  |
| <b>Parameters for LED and OLED light sources:</b>         |    |                                    |                |  |
| R9 colour rendering index value                           | -1 | Survival factor                    | -              |  |
| the lumen maintenance factor                              | -  |                                    |                |  |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 03/02/2020



**EPREL registration number:** 1257068

<https://eprel.ec.europa.eu/qr/1257068>

**Supplier:** ESYLUX GmbH (Manufacturer)

**Website:** [esylux.com](https://esylux.com)

**Customer care service:**

**Name:** Team Series Production

**Website:** <https://www.esylux.com>

**Email:** [eprel@esylux.com](mailto:eprel@esylux.com)

**Phone:** +49 4102 88880 0

**Address:**

An der Strusbek 40, 22926 Ahrensburg