Product fiche

Delegated Regulation (EU) 1254/2014

| Supplier name or trademark | GENVEX |
|--|--|
| Model identifier | ECO 400XL.270.PL.FV |
| Specific energy consumption (cold zone) | - kWh/(m² x a) |
| Specific energy consumption class (average zone) | A |
| Specific energy consumption (average zone) | 35,6 kWh/(m² x a) |
| Specific energy consumption (warm zone) | - kWh/(m² x a) |
| Typology | Bidirectional Ventilation Unit (BVU) |
| Type of drive | Variable speed drive |
| Type of heat recovery system | Recuperative |
| Thermal efficiency of heat recovery | 79,0 % |
| Maximum flow rate | 655 m³/h |
| Electric power input of the fan drive | 340,0 W |
| Sound power level | 55 dB |
| Reference flow rate | 0,127 m³/s |
| Reference pressure difference | 50 Pa |
| Specific Power Input | 0,32 W/(m³/h) |
| Control factor | 0,85 |
| Control typology | Central demand control - 0,85 |
| Maximum internal leakage rates | 2,7 % |
| Maximum external leakage rates | 1,8 % |
| Position of visual filter warning | DISPLAY |
| Description of visual filter warning | AFTER A SPECIFIC TIME THE DISPLAY WIL |
| | L TELL THAT IT IS TIME TO CLEAN THE FILT |
| | ERS OR REPLACE THEM WITH NEW ONES. |
| Pre-/dis-assembly instructions URL | http://www.genvex.com |
| Annual Electricity Consumption | 337,0 kWh electricity/annum |
| Annual Heating Saved at cold climate | 8 474,0 kWh primary energy/annum |
| Annual Heating Saved at average climate | 4 332,0 kWh primary energy/annum |
| Annual Heating Saved at warm climate | 1 959,0 kWh primary energy/annum |