

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Schneider Electric

Supplier's address: Support, www.se.com/ww/en/work/support/country-selector/contact-us.jsp
SCHNEIDER ELECTRIC INDUSTRIES SAS, 35 rue Joseph Monier, 92500 Rueil Malmaison, France

Model identifier: IMT47276

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	Connecting lead		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------


General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer		31	Energy efficiency class	D
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		5 200 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power (P_{on}), expressed in W		31,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	-
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, light-	Height	8	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image in last page
	Width	252		
	Depth	220		

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordinates (x and y)	0,382 0,380	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	0	Survival factor	0,90	
the lumen maintenance factor	0,96			


(a) '-': not applicable;

(b) '-': not applicable;



Internal

Model placed on the Union market from 01/12/2022



EPREL registration number: 1261474

<https://eprel.ec.europa.eu/qr/1261474>

Supplier: SCHNEIDER ELECTRIC INDUSTRIES SAS (Manufacturer)

Website: www.se.com

Customer care service:

Name: Support

Website: www.se.com

Email: e-label@se.com

Phone: Support number

Address:

www.se.com/ww/en/work/support/country-selector/contact-us.jsp

SCHNEIDER ELECTRIC INDUSTRIES SAS, 35 rue Joseph Monier, 92500 Rueil Malmaison, France