

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Nordtronic A/S

**Supplier's address:** Nordtronic A/S, Flade Engvej 4, 9900 Frederikshavn, DK

**Model identifier:** 98121554

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	Low voltage plug		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

## Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------


### General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	3	Energy efficiency class	F
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	287 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power ( $P_{on}$ ), expressed in W	3,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions without separate control gear, lighting control	Height	42	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	42	
	Depth	30	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,381 0,377
<b>Parameters for directional light sources:</b>			
Peak luminous intensity (cd)	732	Beam angle in degrees, or the range of beam angles that can be set	33
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	82	Survival factor	0,96
the lumen maintenance factor	0,90		

(a): not applicable;

(b): not applicable;



Model placed on the Union market from 01/12/2023.



**EPREL registration number:** 2623747

<https://eprel.ec.europa.eu/qr/2623747>

**Voluntary parameters:**

**GTIN identifier:** 5704629004023

**Supplier:** Nordtronic A/S (Manufacturer)

**Website:** [www.Nordtronic.dk](http://www.Nordtronic.dk)

**Customer care service:**

**Name:** Nordtronic A/S

**Website:** <https://nordtronic.com>

**Email:** [KMM@nordtronic.dk](mailto:KMM@nordtronic.dk)

**Phone:** 004553884531

**Address:**

Flade Engvej 4  
9900 Frederikshavn  
Denmark