
Pure Freude an Wasser


24 358 AL0 **ATRIO THERMOSTATIC SHOWER MIXER FOR 2 OUTLETS WITH INTEGRATED SHUT OFF/DIVERTER VALVE**






PRODUCT DESCRIPTION

- Colour: brushed hard graphite
- trim set for GROHE Rapido SmartBox (35 600/35 604)
- GROHE TurboStat - compact cartridge with wax thermoelement
- GROHE LongLife finish
- wall escutcheon with GROHE FastFixation(covered escutcheon- and shaft sealing, covered fixing)
- metal escutcheon, retroactively 6° adjustable
- printed head and hand shower symbol
- GROHE SafeStop - safety button at 38°C
- GROHE SafeStop Plus - optional temperature limiter at 43°C or 46°C included
- GROHE AquaDimmer, integrated shut off/diverter valve
- metal handles
- without roughing-in set 35 600/35 604 (please order separately)
- flow performance: outlet B = 27 l/min outlet C = 30 l/min



bar	1	2	3	4	5	6
—	15.6	22.0	27.0	31.2	34.9	38.2
— l/min	15.6	22.0	27.0	31.2	34.9	38.2

24 358 AL0 **ATRIO THERMOSTATIC SHOWER MIXER FOR 2 OUTLETS WITH INTEGRATED SHUT OFF/DIVERTER VALVE**



SPARE PARTS, October 2021 – now

1: Mounting plate (Spare part-nr. 49080000)

2: Temperature control handle (Spare part-nr. 49089AL0)

3: Escutcheon (Spare part-nr. 49246AL0)

4: Shut-off handle Aquadimmer (Spare part-nr. 49090AL0)

5: Aquadimmer (Spare part-nr. 49084000)

6: Thermostatic compact cartridge 3/4" (Spare part-nr. 49028000)

7: Non-return valve (Spare part-nr. 49085000)

8: Sealing washer (Spare part-nr. 48360000)

9: GROHE TurboStat cartridge 3/4" (Spare part-nr. 49003000)*

10: Service stops (Spare part-nr. 1405300M)*

11: Socket Spanner (Spare part-nr. 49059000)*


12: Backflow protection combination (DIN-EN1717) (Spare part-nr. 14055000)*

13: Universal extension set 2-handle thermostats, 25 mm (Spare part-nr. 14058 000)*

* Optional accessories


26 558 AL0 **RAINSHOWER MONO 310 HEAD SHOWER SET 422 MM, 1 SPRAY**






PRODUCT DESCRIPTION

- Colour: brushed hard graphite
- Consisting of:
- head shower Rainshower 310
- spray pattern: GROHE PureRain
- maximum flow rate (at 3 bar): 7.5 l/min
- shower arm 422 mm
- GROHE EcoJoy - less water, perfect flow
- GROHE DreamSpray - perfect spray pattern
- GROHE LongLife finish
- GROHE SpeedClean - effortless limescale removal
- Inner WaterGuide - inner insulation for surface protection
- suitable for instantaneous heater



26 558 AL0 **RAINSHOWER MONO 310 HEAD SHOWER SET 422 MM, 1 SPRAY**



SPARE PARTS, September 2018 – now

1: Fibre seal dia. Ø 18,5 x Ø 12 x 2 (Spare part-nr. 0138900M)

2: Strainer (Spare part-nr. 48007000)

Pure Freude an Wasser


GROHE

26 658 AL0 **RAINSHOWER SHOWER OUTLET ELBOW 1/2" WITH HOLDER**



PRODUCT DESCRIPTION

- Colour: brushed hard graphite
- with round escutcheon
- Ø 48 mm
- male connection thread 1/2"
- metal body
- protected against backflow
- GROHE LongLife finish



26 658 AL0 **RAINSHOWER SHOWER OUTLET ELBOW 1/2" WITH HOLDER**

SPARE PARTS, November 2022 – now


1: Non-return valve (Spare part-nr. 08565000)



Pure Freude an Wasser

27 400 AL0 **EUPHORIA COSMOPOLITAN STICK HAND SHOWER 1 SPRAY**





PRODUCT DESCRIPTION

- Colour: brushed hard graphite
- spray pattern: Standard spray
- maximum flow rate (at 3 bar): 7.9 l/min
- GROHE EcoJoy - less water, perfect flow
- GROHE LongLife finish
- GROHE SpeedClean - effortless limescale removal
- Inner WaterGuide - inner insulation for surface protection
- Universal Mounting System - connects to all standard threads for easy fitting
- suitable for instantaneous heater
- min. recommended pressure 1.0 bar

27 400 AL0 **EUPHORIA COSMOPOLITAN STICK HAND SHOWER 1 SPRAY**

SPARE PARTS, July 2016 – now

1: Strainer (Spare part-nr. 0700200M)




Pure Freude an Wasser

GROHE

28 388 A01 **SILVERFLEX SHOWER HOSE**





PRODUCT DESCRIPTION

- Colour: hard graphite
- 1750 mm
- smooth surface for easy cleaning
- Rotation cone for TwistStop function
- pressure resistance up to 5 bar
- tensile strength 500 N
- heat resistance 70°C
- AntiFold bendproof
- universal connection G 1/2" x 1/2"
- GROHE ProGrip - with knurl structure
- GROHE LongLife finish

Pure Freude an Wasser

47 790 000 **RAPIDO CONNECTION SET**



PRODUCT DESCRIPTION


- fits to Rapido T (35 500) and Rapido SmartBox (35 600/35 604)
- VA approved
- 2 pcs./unit

Pure Freude an Wasser

GROHE

10 399 399 90 **RAPIDO SHOWER FRAME ELEMENT FOR MONO CONCEALED SHOWER INSTALLATION**





PRODUCT DESCRIPTION

- for shower installations with one hand shower and a Mono head shower
- pre-mounted rough-in set GROHE Rapido SmartBox (35 604)
- pre-mounted wall outlets for hand and head shower
- pre-mounted and insulated mixed water pipes
- for on-the-wall installations or dry-cladding
- powder coated steel frame, self-supporting
- completely pre-assembled
- depth adjustable
- 2 inlets below, 1/2"
- min. installation depth (from rough wall to end finish) 77-107 mm
- min. installation depth (from rough wall to frame front) 67 mm
- head shower outlet height adjustable by 180 mm
- sealing fleeces
- leak test done ex factory
- suitable for concealed 2-function trim sets in combination with GROHE Rapido SmartBox
- suitable for GROHE shower outlet elbows with male connection threads, 1/2"
- suitable for GROHE shower arms with male connection threads, 1/2"
- perfect fit with Grohtherm concealed shower systems 103 995 0000 and 103 996 0000
- for on-the-wall installation please order wall brackets 103 999 9990 (sold separately)
- professional edition

10 399 399 90 **RAPIDO SHOWER FRAME ELEMENT FOR MONO CONCEALED SHOWER INSTALLATION**

No exploded view is available for this spare part list.

SPARE PARTS, August 2023 – now

1: Replacement kit for seal (Spare part-nr. 48263000)

2: Wall brackets for shelf (Spare part-nr. 1039999990)*

* Optional accessories

Pure Freude an Wasser

GROHE

10 399 999 90 **WALL BRACKETS FOR SHELF**



PRODUCT DESCRIPTION

- for against-the-wall installations
- for fixing the elements at the brick-wall or in front of the studded wall
- adjustment 85 - 145 mm
- installation depth (from rough wall to frame front) 112 - 172 mm
- 4 pieces
- for use with Rapido shower frames 103 994 9990 and 103 993 9990 (please order separately)
- professional edition