

AVK REPAIR CLAMP, SINGLE, 1" BSP

729/2
10510


Repair clamp type FSA, for water to max. 110° C, designed according to DIN/EN.

For cost effective permanent repairs of punctures, longitudinal and circumferential cracks in steel, cast iron, ductile iron, brass, asbestos cement and PVC pipes. Primarily for pipes where small tolerances are required.

Clamp of stainless steel AISI 304 with gasket of NBR rubber (optionally of SBR or EPDM rubber). Bolts of teflon coated stainless steel A2, nuts and washers of stainless steel A4. Sealing range 48-360 mm. Available lengths 100-600 mm. With support plate.



For further details see section "Technical Information".
The designs, materials, and specifications shown are subject to change without notice due to the continuous development of our product programme.



Component list

- | |
|-------------------|
| 1. Protection cap |
| 2. Bolt |
| 3. Nut |
| 4. Washer |
| 5. Gasket |
| 6. Clamp |

Reference nos. and dimensions

AVK ref. nos.	L mm	T mm
729-2052-100510	100	48-52
729-2052-110510	150	48-52
729-2052-120510	200	48-52
729-2052-130510	250	48-52
729-2052-140510	300	48-52
729-2052-150510	400	48-52
729-2058-100510	100	54-58
729-2058-110510	150	54-58
729-2058-120510	200	54-58
729-2058-130510	250	54-58
729-2058-140510	300	54-58
729-2058-150510	400	54-58
729-2067-100510	100	60-67
729-2067-110510	150	60-67
729-2067-120510	200	60-67
729-2067-140510	300	60-67
729-2067-150510	400	60-67
729-2067-160510	500	60-67
729-2074-100510	100	67-74
729-2074-110510	150	67-74
729-2074-120510	200	67-74
729-2074-130510	250	67-74
729-2074-140510	300	67-74
729-2074-150510	400	67-74
729-2074-160510	500	67-74
729-2077-100510	100	70-77
729-2077-110510	150	70-77
729-2077-120510	200	70-77
729-2077-130510	250	70-77
729-2077-140510	300	70-77
729-2077-150510	400	70-77
729-2077-160510	500	70-77
729-2080-100510	100	73-80
729-2080-110510	150	73-80
729-2080-120510	200	73-80
729-2080-130510	250	73-80
729-2080-140510	300	73-80
729-2080-150510	400	73-80
729-2080-160510	500	73-80
729-2083-100510	100	76-83
729-2083-110510	150	76-83
729-2083-120510	200	76-83
729-2083-130510	250	76-83
729-2083-140510	300	76-83
729-2083-150510	400	76-83
729-2083-160510	500	76-83
729-2089-100510	100	82-89
729-2089-110510	150	82-89
729-2089-120510	200	82-89
729-2089-130510	250	82-89
729-2089-140510	300	82-89
729-2089-150510	400	82-89
729-2089-160510	500	82-89
729-2094-100510	100	87-94
729-2094-110510	150	87-94
729-2094-120510	200	87-94
729-2094-130510	250	87-94
729-2094-140510	300	87-94
729-2094-150510	400	87-94
729-2094-160510	500	87-94
729-2098-100510	100	91-98
729-2098-110510	150	91-98
729-2098-120510	200	91-98
729-2098-130510	250	91-98
729-2098-140510	300	91-98
729-2098-150510	400	91-98
729-2098-160510	500	91-98
729-2102-100510	100	95-102
729-2102-110510	150	95-102
729-2102-120510	200	95-102
729-2102-130510	250	95-102
729-2102-140510	300	95-102
729-2102-150510	400	95-102
729-2102-160510	500	95-102
729-2108-100510	100	98-108
729-2108-110510	150	98-108
729-2108-120510	200	98-108
729-2108-130510	250	98-108
729-2108-140510	300	98-108
729-2108-150510	400	98-108
729-2108-160510	500	98-108
729-2112-100510	100	102-112
729-2112-110510	150	102-112
729-2112-120510	200	102-112

Reference nos. and dimensions

AVK ref. nos.	L mm	T mm
729-2112-130510	250	102-112
729-2112-140510	300	102-112
729-2112-150510	400	102-112
729-2112-160510	500	102-112
729-2116-100510	100	106-116
729-2116-110510	150	106-116
729-2116-120510	200	106-116
729-2116-130510	250	106-116
729-2116-140510	300	106-116
729-2116-150510	400	106-116
729-2116-160510	500	106-116
729-2118-100510	100	108-118
729-2118-110510	150	108-118
729-2118-120510	200	108-118
729-2118-130510	250	108-118
729-2118-140510	300	108-118
729-2118-150510	400	108-118
729-2118-160510	500	108-118
729-2123-100510	100	113-123
729-2123-110510	150	113-123
729-2123-120510	200	113-123
729-2123-130510	250	113-123
729-2123-140510	300	113-123
729-2123-150510	400	113-123
729-2123-160510	500	113-123
729-2128-100510	100	118-128
729-2128-110510	150	118-128
729-2128-120510	200	118-128
729-2128-130510	250	118-128
729-2128-140510	300	118-128
729-2128-150510	400	118-128
729-2128-160510	500	118-128
729-2131-100510	100	120-131
729-2131-110510	150	120-131
729-2131-120510	200	120-131
729-2131-130510	250	120-131
729-2131-140510	400	120-131
729-2131-150510	400	120-131
729-2131-160510	500	120-131
729-2135-100510	100	125-135
729-2135-110510	150	125-135
729-2135-120510	200	125-135
729-2135-130510	250	125-135
729-2135-140510	300	125-135
729-2135-150510	400	125-135
729-2135-160510	500	125-135
729-2142-100510	100	132-142
729-2142-110510	150	132-142
729-2142-120510	200	132-142
729-2142-130510	250	132-142
729-2142-140510	300	132-142
729-2142-150510	400	132-142
729-2142-160510	500	132-142
729-2145-100510	100	135-145
729-2145-110510	150	135-145
729-2145-120510	200	135-145
729-2145-130510	250	135-145
729-2145-140510	300	135-145
729-2145-150510	400	135-145
729-2145-160510	500	135-145
729-2155-100510	100	145-155
729-2155-110510	150	145-155
729-2155-120510	200	145-155
729-2155-130510	250	145-155
729-2155-140510	300	145-155
729-2155-150510	400	145-155
729-2155-160510	500	145-155
729-2161-100510	100	151-161
729-2161-110510	150	151-161
729-2161-120510	200	151-161
729-2161-130510	250	151-161
729-2161-140510	300	151-161
729-2161-150510	400	151-161
729-2161-160510	500	151-161
729-2161-170510	600	151-161
729-2170-100510	100	159-170
729-2170-110510	150	159-170
729-2170-120510	200	159-170
729-2170-130510	250	159-170
729-2170-140510	300	159-170
729-2170-150510	400	159-170
729-2170-160510	500	159-170
729-2170-170510	600	159-170
729-2175-100510	100	165-175

Reference nos. and dimensions

AVK ref. nos.	L mm	T mm
729-2175-110510	150	165-175
729-2175-120510	200	165-175
729-2175-130510	250	165-175
729-2175-140510	300	165-175
729-2175-150510	400	165-175
729-2175-160510	500	165-175
729-2175-170510	600	165-175
729-2177-100510	100	167-177
729-2177-110510	150	167-177
729-2177-120510	200	167-177
729-2177-130510	250	167-177
729-2177-140510	300	167-177
729-2177-150510	400	167-177
729-2177-160510	500	167-177
729-2177-170510	600	167-177
729-2180-100510	100	170-180
729-2180-110510	150	170-180
729-2180-120510	200	170-180
729-2180-130510	250	170-180
729-2180-140510	300	170-180
729-2180-150510	400	170-180
729-2180-160510	500	170-180
729-2180-170510	600	170-180
729-2184-100510	100	174-184
729-2184-110510	150	174-184
729-2184-120510	200	174-184
729-2184-130510	250	174-184
729-2184-140510	300	174-184
729-2184-150510	400	174-184
729-2184-160510	500	174-184
729-2184-170510	600	174-184
729-2186-100510	100	176-186
729-2186-110510	150	176-186
729-2186-120510	200	176-186
729-2186-130510	250	176-186
729-2186-140510	300	176-186
729-2186-150510	400	176-186
729-2186-160510	500	176-186
729-2186-170510	600	176-186
729-2190-100510	100	180-190
729-2190-110510	150	180-190
729-2190-120510	200	180-190
729-2190-130510	250	180-190
729-2190-140510	300	180-190
729-2190-150510	400	180-190
729-2190-160510	500	180-190
729-2190-170510	600	180-190
729-2196-100510	100	186-196
729-2196-110510	150	186-196
729-2196-120510	200	186-196
729-2196-130510	250	186-196
729-2196-140510	300	186-196
729-2196-150510	400	186-196
729-2196-160510	500	186-196
729-2196-170510	600	186-196
729-2203-100510	100	193-203
729-2203-110510	150	193-203
729-2203-120510	200	193-203
729-2203-130510	250	193-203
729-2203-140510	300	193-203
729-2203-150510	400	193-203
729-2203-160510	500	193-203
729-2203-170510	600	193-203
729-2210-100510	100	200-210
729-2210-110510	150	200-210
729-2210-120510	200	200-210
729-2210-130510	250	200-210
729-2210-140510	300	200-210
729-2210-150510	400	200-210
729-2210-160510	500	200-210
729-2210-170510	600	200-210
729-2220-100510	100	209-220
729-2220-110510	150	209-220
729-2220-120510	200	209-220
729-2220-130510	250	209-220
729-2220-140510	300	209-220
729-2220-150510	400	209-220
729-2220-160510	500	209-220
729-2220-170510	600	209-220
729-2225-100510	100	215-225
729-2225-110510	150	215-225
729-2225-120510	200	215-225
729-2225-130510	250	215-225
729-2225-140510	300	215-225

Reference nos. and dimensions

AVK ref. nos.	L mm	T mm
729-2225-150510	400	215-225
729-2225-160510	500	215-225
729-2225-170510	600	215-225
729-2229-100510	100	219-229
729-2229-110510	150	219-229
729-2229-120510	200	219-229
729-2229-130510	250	219-229
729-2229-140510	300	219-229
729-2229-150510	400	219-229
729-2229-160510	500	219-229
729-2229-170510	600	219-229
729-2233-100510	100	222-233
729-2233-110510	150	222-233
729-2233-120510	200	222-233
729-2233-130510	250	222-233
729-2233-140510	300	222-233
729-2233-150510	400	222-233
729-2233-160510	500	222-233
729-2233-170510	600	222-233
729-2239-100510	100	228-239
729-2239-110510	150	228-239
729-2239-120510	200	228-239
729-2239-130510	250	228-239
729-2239-140510	300	228-239
729-2239-150510	400	228-239
729-2239-160510	500	228-239
729-2239-170510	600	228-239
729-2240-100510	100	230-240
729-2240-110510	150	230-240
729-2240-120510	200	230-240
729-2240-130510	250	230-240
729-2240-140510	300	230-240
729-2240-150510	400	230-240
729-2240-160510	500	230-240
729-2240-170510	600	230-240
729-2247-100510	100	237-247
729-2247-110510	150	237-247
729-2247-120510	200	237-247
729-2247-130510	250	237-247
729-2247-140510	300	237-247
729-2247-150510	400	237-247
729-2247-160510	500	237-247
729-2247-170510	600	237-247
729-2249-100510	100	239-249
729-2249-110510	150	239-249
729-2249-120510	200	239-249
729-2249-130510	250	239-249
729-2249-140510	300	239-249
729-2249-150510	400	239-249
729-2249-160510	500	239-249
729-2249-170510	600	239-249
729-2254-100510	100	243-254
729-2254-110510	150	243-254
729-2254-120510	200	243-254
729-2254-130510	250	243-254
729-2254-140510	300	243-254
729-2254-150510	400	243-254
729-2254-160510	500	243-254
729-2254-170510	600	243-253
729-2260-100510	100	250-260
729-2260-110510	150	250-260
729-2260-120510	200	250-260
729-2260-130510	250	250-260
729-2260-140510	300	250-260
729-2260-150510	400	250-260
729-2260-160510	500	250-260
729-2260-170510	600	250-260
729-2263-100510	100	252-263
729-2263-110510	150	252-263
729-2263-120510	200	252-263
729-2263-130510	250	252-263
729-2263-140510	300	252-263
729-2263-150510	400	252-263
729-2263-160510	500	252-263
729-2263-170510	600	252-263
729-2271-100510	100	261-271
729-2271-110510	150	261-271
729-2271-120510	200	261-271
729-2271-130510	250	261-271
729-2271-140510	300	261-271
729-2271-150510	400	261-271
729-2271-160510	500	261-271
729-2271-170510	600	261-271
729-2276-100510	100	266-276

Reference nos. and dimensions

AVK ref. nos.	L mm	T mm
729-2276-110510	150	266-276
729-2276-120510	200	266-276
729-2276-130510	250	266-276
729-2276-140510	300	266-276
729-2276-150510	400	266-276
729-2276-160510	500	266-276
729-2276-170510	600	266-276
729-2280-100510	100	270-280
729-2280-110510	150	270-280
729-2280-120510	200	270-280
729-2280-130510	250	270-280
729-2280-140510	300	270-280
729-2280-150510	400	270-280
729-2280-160510	500	270-280
729-2280-170510	600	270-280
729-2283-100510	100	273-283
729-2283-110510	150	273-283
729-2283-120510	200	273-283
729-2283-130510	250	273-283
729-2283-140510	300	273-283
729-2283-150510	400	273-283
729-2283-160510	500	273-283
729-2283-170510	600	273-283
729-2291-100510	100	280-291
729-2291-110510	150	280-291
729-2291-120510	200	280-291
729-2291-130510	250	280-291
729-2291-140510	300	280-291
729-2291-150510	400	280-291
729-2291-160510	500	280-291
729-2291-170510	600	280-291
729-2300-100510	100	290-300
729-2300-110510	150	290-300
729-2300-120510	200	290-300
729-2300-130510	250	290-300
729-2300-140510	300	290-300
729-2300-150510	400	290-300
729-2300-160510	500	290-300
729-2300-170510	600	290-300
729-2310-110510	150	300-310
729-2310-120510	200	300-310
729-2310-130510	250	300-310
729-2310-140510	300	300-310
729-2310-150510	400	300-310
729-2310-160510	500	300-310
729-2310-170510	600	300-310
729-2320-110510	150	310-320
729-2320-120510	200	310-320
729-2320-130510	250	310-320
729-2320-140510	300	310-320
729-2320-150510	400	310-320
729-2320-160510	500	310-320
729-2320-170510	600	310-320
729-2325-110510	150	315-325
729-2325-120510	200	315-325
729-2325-130510	250	315-325
729-2325-140510	300	315-325
729-2325-150510	400	315-325
729-2325-160510	500	315-325
729-2325-170510	600	315-325
729-2330-110510	150	320-330
729-2330-120510	200	320-330
729-2330-130510	250	320-330
729-2330-140510	300	320-330
729-2330-150510	400	320-330
729-2330-160510	500	320-330
729-2330-170510	600	320-330
729-2335-120510	200	325-335
729-2335-130510	250	325-335
729-2335-140510	300	325-335
729-2335-150510	400	325-335
729-2335-160510	500	325-335
729-2335-170510	600	325-335
729-2344-120510	200	334-344
729-2344-130510	250	334-344
729-2344-140510	300	334-344
729-2344-150510	400	334-344
729-2344-160510	500	334-344
729-2344-170510	600	334-344
729-2350-120510	200	340-350
729-2350-130510	250	340-350
729-2350-140510	300	340-350
729-2350-150510	400	340-350
729-2350-160510	500	340-350

AVK REPAIR CLAMP, SINGLE, 1" BSP

729/2
10510

Reference nos. and dimensions

AVK ref. nos.	L mm	T mm
729-2350-170510	600	340-350
729-2360-120510	200	350-360
729-2360-130510	250	350-360
729-2360-140510	300	350-360
729-2360-150510	400	350-360
729-2360-160510	500	350-360
729-2360-170510	600	350-360