

Rustfri gevind fittings – 316

Bøjninger n/n

INT. 3.

Med udvendigt gevind.



VVS nr.	Rørgevind
03 1503 001	1/8"
03 1503 002	1/4"
03 1503 003	3/8"
03 1503 004	1/2"
03 1503 006	3/4"
03 1503 008	1"
03 1503 010	1 1/4"
03 1503 011	1 1/2"
03 1503 012	2"

Vinkel 90° m/m

INT. 90.

Med indvendigt gevind.



VVS nr.	Rørgevind
03 1590 001	1/8"
03 1590 002	1/4"
03 1590 003	3/8"
03 1590 004	1/2"
03 1590 006	3/4"
03 1590 008	1"
03 1590 010	1 1/4"
03 1590 011	1 1/2"
03 1590 012	2"
03 1590 013	2 1/2"
03 1590 014	3"
03 1590 016	4"

Reduceret vinkel 90° m/m

INT. 90.

Indvendigt gevind.



VVS nr.	Rørgvind
03 1590 126	1/2 x 3/8"
03 1590 132	3/4 x 3/8"
03 1590 133	3/4 x 1/2"
03 1590 142	1 x 1/2"
03 1590 143	1 x 3/4"

Vinkel m/n

INT. 92.

Indvendigt & udvendigt gevind.



VVS nr.	Rørgvind
03 1592 001	1/8"
03 1592 002	1/4"
03 1592 003	3/8"
03 1592 004	1/2"
03 1592 006	3/4"
03 1592 008	1"
03 1592 010	1 1/4"
03 1592 011	1 1/2"
03 1592 012	2"
03 1592 013	2 1/2"
03 1592 014	3"
03 1592 016	4"

Vinkelunioner m/m

INT. 96.

Indvendigt gevind.




VVS nr.	Rørgvind
03 1596 004	1/2"
03 1596 006	3/4"
03 1596 008	1"

Vinkelunioner m/n

INT. 98.

Indvendigt & udvendigt gevind.



VWS nr.	Rørgevind
03 1598 004	1/2"
03 1598 006	3/4"
03 1598 008	1"

Vinkel 45° m/m

INT. 120.

Indvendigt gevind.



VWS nr.	Rørgevind
03 1620 001	1/8"
03 1620 002	1/4"
03 1620 003	3/8"
03 1620 004	1/2"
03 1620 006	3/4"
03 1620 008	1"
03 1620 010	1 1/4"
03 1620 011	1 1/2"
03 1620 012	2"
03 1620 013	2 1/2"
03 1620 014	3"
03 1620 016	4"

Vinkel 45° m/n

INT. 121.

Indvendigt & udvendigt gevind.



VWS nr.	Rørgevind
03 1621 002	1/4"
03 1621 003	3/8"
03 1621 004	1/2"
03 1621 006	3/4"
03 1621 008	1"
03 1621 010	1 1/4"
03 1621 011	1 1/2"
03 1621 012	2"

Teer

INT. 130.

Indvendigt gevind.



VVS nr.	Rørgevind
03 1630 001	1/8"
03 1630 002	1/4"
03 1630 003	3/8"
03 1630 004	1/2"
03 1630 006	3/4"
03 1630 008	1"
03 1630 010	1 1/4"
03 1630 011	1 1/2"
03 1630 012	2"
03 1630 013	2 1/2"
03 1630 014	3"
03 1630 016	4"

Reduceret teer

INT. 130.

Indvendigt gevind.



VVS nr.	Rørgevind
03 1630 126	1/2 x 3/8"
03 1630 132	3/4 x 3/8"
03 1630 133	3/4 x 1/2"
03 1630 142	1 x 1/2"
03 1630 143	1 x 3/4"

Kryds

INT. 180.

Med indvendigt gevind.



VVS nr.	Rørgevind
03 1680 001	1/8"
03 1680 002	1/4"
03 1680 003	3/8"
03 1680 004	1/2"
03 1680 006	3/4"
03 1680 008	1"
03 1680 010	1 1/4"
03 1680 011	1 1/2"
03 1680 012	2"

Formindskende muffer / Form. muffer

INT. 240.

Med indvendigt gevind.



VVS nr.	Rørgevind
03 1740 120	1/4 x 1/8"
03 1740 122	3/8 x 1/4"
03 1740 125	1/2 x 1/4"
03 1740 126	1/2 x 3/8"
03 1740 131	3/4 x 1/4"
03 1740 132	3/4 x 3/8"
03 1740 133	3/4 x 1/2"
03 1740 141	1 x 3/8"
03 1740 142	1 x 1/2"
03 1740 143	1 x 3/4"
03 1740 149	1 1/4 x 1/2"
03 1740 150	1 1/4 x 3/4"
03 1740 151	1 1/4 x 1"
03 1740 156	1 1/2 x 1/2"
03 1740 157	1 1/2 x 3/4"
03 1740 158	1 1/2 x 1"
03 1740 159	1 1/2 x 1 1/4"
03 1740 165	2 x 1"
03 1740 166	2 x 1 1/4"
03 1740 167	2 x 1 1/2"
03 1740 174	2 1/2 x 2"
03 1740 180	3 x 2"
03 1740 181	3 x 2 1/2"
03 1740 191	4 x 2"
03 1740 192	4 x 2 1/2"
03 1740 193	4 x 3"

Nippelmuffer

INT. 241.

Med indvendigt og udvendigt gevind.



VVS nr.	Rørgevind
03 1741 120	1/4 x 1/8"
03 1741 121	3/8 x 1/8"
03 1741 122	3/8 x 1/4"
03 1741 124	1/2 x 1/8"
03 1741 125	1/2 x 1/4"
03 1741 126	1/2 x 3/8"
03 1741 131	3/4 x 1/4"
03 1741 132	3/4 x 3/8"
03 1741 133	3/4 x 1/2"
03 1741 140	1 x 1/4"
03 1741 141	1 x 3/8"
03 1741 142	1 x 1/2"
03 1741 143	1 x 3/4"
03 1741 149	1 1/4 x 1/2"
03 1741 150	1 1/4 x 3/4"
03 1741 151	1 1/4 x 1"
03 1741 156	1 1/2 x 1/2"
03 1741 157	1 1/2 x 3/4"
03 1741 158	1 1/2 x 1"



VVS nr.	Rørgvind
03 1741 159	1 1/2 x 1 1/4"
03 1741 163	2 x 1/2"
03 1741 164	2 x 3/4"
03 1741 165	2 x 1"
03 1741 166	2 x 1 1/4"
03 1741 167	2 x 1 1/2"
03 1741 172	2 1/2 x 1 1/4"
03 1741 173	2 1/2 x 1 1/2"
03 1741 174	2 1/2 x 2"
03 1741 179	3 x 1 1/2"
03 1741 180	3 x 2"
03 1741 181	3 x 2 1/2"
03 1741 191	4 x 2"
03 1741 192	4 x 2 1/2"
03 1741 193	4 x 3"

Form. brystnipler

INT. 245.

Med udvendigt gevind.



VVS nr.	Rørgvind
03 1745 120	1/4 x 1/8"
03 1745 121	3/8 x 1/8"
03 1745 122	3/8 x 1/4"
03 1745 124	1/2 x 1/8"
03 1745 125	1/2 x 1/4"
03 1745 126	1/2 x 3/8"
03 1745 131	3/4 x 1/4"
03 1745 132	3/4 x 3/8"
03 1745 133	3/4 x 1/2"
03 1745 140	1 x 1/4"
03 1745 141	1 x 3/8"
03 1745 142	1 x 1/2"
03 1745 143	1 x 3/4"
03 1745 149	1 1/4 x 1/2"
03 1745 150	1 1/4 x 3/4"
03 1745 151	1 1/4 x 1"
03 1745 156	1 1/2 x 1/2"
03 1745 157	1 1/2 x 3/4"
03 1745 158	1 1/2 x 1"
03 1745 159	1 1/2 x 1 1/4"
03 1745 165	2 x 1"
03 1745 166	2 x 1 1/4"
03 1745 167	2 x 1 1/2"
03 1745 174	2 1/2 x 2"
03 1745 179	3 x 1 1/2"
03 1745 180	3 x 2"
03 1745 181	3 x 2 1/2"
03 1745 191	4 x 2"
03 1745 192	4 x 2 1/2"
03 1745 193	4 x 3"

Formindskende muffer / Spidsmuffer

INT. 246.

Med indvendigt og udvendigt gevind.



VWS nr.	Rørgevind
03 1746 125	1/2 x 1/4"
03 1746 126	1/2 x 3/8"
03 1746 132	3/4 x 3/8"
03 1746 133	3/4 x 1/2"
03 1746 142	1 x 1/2"
03 1746 143	1 x 3/4"
03 1746 150	1 1/4 x 3/4"
03 1746 151	1 1/4 x 1"
03 1746 158	1 1/2 x 1"
03 1746 159	1 1/2 x 1 1/4"
03 1746 166	2 x 1 1/4"
03 1746 167	2 x 1 1/2"

Muffer

Med indvendigt gevind.



VWS nr.	Rørgevind
03 1770 001	1/8"
03 1770 002	1/4"
03 1770 003	3/8"
03 1770 004	1/2"
03 1770 006	3/4"
03 1770 008	1"
03 1770 010	1 1/4"
03 1770 011	1 1/2"
03 1770 012	2"
03 1770 013	2 1/2"
03 1770 014	3"
03 1770 016	4"

Muffer – NPT

Med indvendigt gevind.



VWS nr.	Rørgevind
03 1771 002	1/4"
03 1771 003	3/8"
03 1771 004	1/2"
03 1771 006	3/4"
03 1771 008	1"
03 1771 010	1 1/4"
03 1771 011	1 1/2"
03 1771 012	2"

Muffer i halv længde

Med indvendigt gevind.



VVS nr.	Rørgvind
03 1778 001	1/8"
03 1778 002	1/4"
03 1778 003	3/8"
03 1778 004	1/2"
03 1778 006	3/4"
03 1778 008	1"
03 1778 010	1 1/4"
03 1778 011	1 1/2"
03 1778 012	2"
03 1778 013	2 1/2"
03 1778 014	3"
03 1778 016	4"

Brystnipler

INT. 280.

Med udvendigt gevind.



VVS nr.	Rørgvind
03 1780 001	1/8"
03 1780 002	1/4"
03 1780 003	3/8"
03 1780 004	1/2"
03 1780 006	3/4"
03 1780 008	1"
03 1780 010	1 1/4"
03 1780 011	1 1/2"
03 1780 012	2"
03 1780 013	2 1/2"
03 1780 014	3"
03 1780 016	4"

Propper

INT. 291.

Med konisk udvendigt gevind og 4-kt hoved.



VWS nr.	Rørgvind
03 1791 001	1/8"
03 1791 002	1/4"
03 1791 003	3/8"
03 1791 004	1/2"
03 1791 006	3/4"
03 1791 008	1"
03 1791 010	1 1/4"
03 1791 011	1 1/2"
03 1791 012	2"
03 1791 013	2 1/2"
03 1791 014	3"
03 1791 016	4"

Propper

INT. 296.

Med konisk udvendigt gevind og 6-kt hoved.



VWS nr.	Rørgvind
03 1796 001	1/8"
03 1796 002	1/4"
03 1796 003	3/8"
03 1796 004	1/2"
03 1796 006	3/4"
03 1796 008	1"
03 1796 010	1 1/4"
03 1796 011	1 1/2"
03 1796 012	2"
03 1796 013	2 1/2"
03 1796 014	3"
03 1796 016	4"

Propper

Cylindrisk.

Med udvendigt gevind og pakflade.




VVS nr.	Rørgvind
03 1797 001	1/8"
03 1797 002	1/4"
03 1797 003	3/8"
03 1797 004	1/2"
03 1797 006	3/4"
03 1797 008	1"
03 1797 010	1 1/4"
03 1797 011	1 1/2"
03 1797 012	2"

Slutmuffer

INT. 300.

Med indvendigt gevind.



VVS nr.	Rørgvind
03 1800 001	1/8"
03 1800 002	1/4"
03 1800 003	3/8"
03 1800 004	1/2"
03 1800 006	3/4"
03 1800 008	1"
03 1800 010	1 1/4"
03 1800 011	1 1/2"
03 1800 012	2"
03 1800 013	2 1/2"
03 1800 014	3"
03 1800 016	4"

Kontramøtrik

INT. 310.

Med indvendigt gevind.



VWS nr.	Rørgvind
03 1810 001	1/8"
03 1810 002	1/4"
03 1810 003	3/8"
03 1810 004	1/2"
03 1810 006	3/4"
03 1810 008	1"
03 1810 010	1 1/4"
03 1810 011	1 1/2"
03 1810 012	2"
03 1810 013	2 1/2"
03 1810 014	3"
03 1810 016	4"

Unioner m/m

INT. 330.

Med indvendigt gevind og plan tætning.

Pakning af teflon.




VWS nr.	Rørgvind
03 1830 002	1/4"
03 1830 003	3/8"
03 1830 004	1/2"
03 1830 006	3/4"
03 1830 008	1"
03 1830 010	1 1/4"
03 1830 011	1 1/2"
03 1830 012	2"
03 1830 013	2 1/2"
03 1830 014	3"
03 1830 016	4"

Unioner m/m

INT. 340.

Med indvendigt gevind og konisk tætning.




VVS nr.	Rørgvind
03 1840 001	1/8"
03 1840 002	1/4"
03 1840 003	3/8"
03 1840 004	1/2"
03 1840 006	3/4"
03 1840 008	1"
03 1840 010	1 1/4"
03 1840 011	1 1/2"
03 1840 012	2"
03 1840 013	2 1/2"
03 1840 014	3"
03 1840 016	4"

Unioner m/n

INT. 341.


Med indvendigt og udvendigt gevind og konisk tætning.



VVS nr.	Rørgvind
03 1841 001	1/8"
03 1841 002	1/4"
03 1841 003	3/8"
03 1841 004	1/2"
03 1841 006	3/4"
03 1841 008	1"
03 1841 010	1 1/4"
03 1841 011	1 1/2"
03 1841 012	2"
03 1841 013	2 1/2"
03 1841 014	3"
03 1841 016	4"

Svejseunioner

Med svejseender for påsvejsning.



VVS nr.	Rørgvind
03 1845 004	1/2"
03 1845 006	3/4"
03 1845 008	1"
03 1845 010	1 1/4"
03 1845 011	1 1/2"
03 1845 012	2"

Glat nippel

Med udvendigt cylindrisk gevind.



VVS nr.	Rørgvind	Længde
03 1788 001	1/8"	15 mm
03 1788 002	1/4"	18 mm
03 1788 003	3/8"	22 mm
03 1788 004	1/2"	25 mm
03 1788 006	3/4"	30 mm
03 1788 008	1"	35 mm
03 1788 010	1 1/4"	38 mm
03 1788 011	1 1/2"	38 mm
03 1788 012	2"	45 mm
03 1788 013	2 1/2"	55 mm
03 1788 014	3"	60 mm
03 1788 016	4"	70 mm

Svejsenippel

Med udvendigt gevind.



VVS nr.	Rørgvind	Total længde
03 1785 001	1/8"	30 mm
03 1785 002	1/4"	30 mm
03 1785 003	3/8"	30 mm
03 1785 004	1/2"	35 mm
03 1785 006	3/4"	40 mm
03 1785 008	1"	40 mm
03 1785 010	1 1/4"	50 mm
03 1785 011	1 1/2"	50 mm
03 1785 012	2"	50 mm
03 1785 013	2 1/2"	60 mm
03 1785 014	3"	70 mm
03 1785 016	4"	80 mm
03 1785 017	5"	150 mm
03 1785 018	6"	150 mm

Svejsenippel

Med udvendigt gevind.



VVS nr.	Rørgvind	Total længde
03 1786 004	1/2"	100 mm
03 1786 006	3/4"	100 mm
03 1786 008	1"	100 mm
03 1786 010	1 1/4"	100 mm
03 1786 011	1 1/2"	100 mm
03 1786 012	2"	100 mm
03 1786 013	2 1/2"	100 mm

Nippelrør – sammenskåret

Med udvendigt gevind.



VVS nr.	Rørgvind	Total længde
03 2002 001	1/8"	25 mm
03 2002 002	1/4"	25 mm
03 2002 003	3/8"	25 mm
03 2002 004	1/2"	30 mm
03 2002 006	3/4"	30 mm
03 2002 008	1"	30 mm
03 2002 010	1 1/4"	40 mm
03 2002 011	1 1/2"	40 mm
03 2002 012	2"	40 mm
03 2002 013	2 1/2"	50 mm
03 2002 014	3"	60 mm
03 2002 016	4"	70 mm

Nippelrørstykke

Med udvendigt gevind.



VVS nr.	Rørgvind	Total længde
03 2003 001	1/8"	30 mm
03 2004 001		40 mm
03 2006 001		60 mm
03 2008 001		80 mm
03 2003 002	1/4"	30 mm
03 2004 002		40 mm
03 2005 002		50 mm
03 2006 002		60 mm
03 2008 002		80 mm
03 2009 002		90 mm
03 2010 002		100 mm
03 2012 002		120 mm
03 2015 002		150 mm
03 2020 002		200 mm
03 2003 003	3/8"	30 mm
03 2004 003		40 mm
03 2005 003		50 mm
03 2006 003		60 mm
03 2008 003		80 mm
03 2010 003		100 mm
03 2012 003		120 mm
03 2015 003		150 mm
03 2018 003		180 mm
03 2020 003		200 mm
03 2025 003		250 mm
03 2004 004	1/2"	40 mm
03 2005 004		50 mm
03 2006 004		60 mm
03 2007 004		70 mm
03 2007 005		75 mm
03 2008 004		80 mm
03 2009 004		90 mm
03 2010 004		100 mm
03 2012 004		120 mm
03 2015 004		150 mm



VVS nr.	Rørgevind	Total længde
03 2020 004		200 mm
03 2004 006		40 mm
03 2005 006	3/4"	50 mm
03 2006 006		60 mm
03 2007 006		70 mm
03 2008 006		80 mm
03 2009 006		90 mm
03 2010 006		100 mm
03 2012 006		120 mm
03 2015 006		150 mm
03 2020 006		200 mm
03 2004 008	1"	40 mm
03 2005 008		50 mm
03 2006 008		60 mm
03 2007 008		70 mm
03 2008 008		80 mm
03 2010 008		100 mm
03 2012 008		120 mm
03 2015 008		150 mm
03 2020 008		200 mm
03 2005 010	1 1/4"	50 mm
03 2006 010		60 mm
03 2008 010		80 mm
03 2010 010		100 mm
03 2012 010		120 mm
03 2015 010		150 mm
03 2020 010		200 mm
03 2005 011	1 1/2"	50 mm
03 2006 011		60 mm
03 2008 011		80 mm
03 2010 011		100 mm
03 2012 011		120 mm
03 2015 011		150 mm
03 2020 011		200 mm
03 2006 012	2"	60 mm
03 2008 012		80 mm
03 2010 012		100 mm
03 2012 012		120 mm
03 2015 012		150 mm
03 2020 012		200 mm
03 2010 013	2 1/2"	100 mm
03 2012 013		120 mm
03 2015 013		150 mm
03 2020 013		200 mm
03 2025 013		250 mm
03 2010 014	3"	100 mm
03 2012 014		120 mm
03 2015 014		150 mm
03 2020 014		200 mm
03 2030 014		300 mm
03 2012 016	4"	120 mm
03 2015 016		150 mm
03 2020 016		200 mm
03 2030 016		300 mm
03 2020 017	5"	200 mm
03 2020 018	6"	200 mm

Slangenipler glat


Med udvendigt gevind.



VVS nr.	Rørgvind	Ø
74 4740 002	1/4"	13 mm
74 4740 003	3/8"	17 mm
74 4740 004	1/2"	21 mm
74 4740 006	3/4"	26 mm
74 4740 008	1"	33 mm
74 4740 010	1 1/4"	42 mm
74 4740 011	1 1/2"	48 mm
74 4740 012	2"	60 mm

Slangenipler 6-kt.

Med udvendigt gevind.




VVS nr.	Rørgvind	Ø
03 0065 001	1/8"	6,5 mm
03 0065 002	1/4"	6,5 mm
03 0110 002	1/4"	9,0 mm
03 0110 003	3/8"	11,0 mm
03 0140 004	1/2"	14,0 mm
03 0170 004	1/2"	17,0 mm
03 0200 006	3/4"	20,0 mm
03 0260 008	1"	27,0 mm
03 0330 010	1 1/4"	33,0 mm
03 0390 011	1 1/2"	40,0 mm
03 0510 012	2"	51,0 mm
03 0630 013	2 1/2"	63,0 mm
03 0760 014	3"	76,0 mm

Slangeforskruning

Med omløber og teflonpakning.

Med indvendigt gevind.



VVS nr.	Rørgvind	Ø
03 4700 004	1/2"	12 mm
03 4700 006	3/4"	20 mm
03 4700 008	1"	26 mm

Kuglehaner m/m

Med fuldt gennemløb.
PN63, 2-delt.
Med indvendigt gevind.



WVS nr.	Rørgvind
41 8515 001	1/8"
41 8515 002	1/4"
41 8515 003	3/8"
41 8515 004	1/2"
41 8515 006	3/4"
41 8515 008	1"
41 8515 010	1 1/4"
41 8515 011	1 1/2"
41 8515 012	2"
41 8515 013	2 1/2"
41 8515 014	3"
41 8515 016	4"

Kontraventil

Med fjeder PN40.
Med indvendigt gevind.



WVS nr.	Rørgvind
43 0337 003	3/8"
43 0337 004	1/2"
43 0337 006	3/4"
43 0337 008	1"
43 0337 010	1 1/4"
43 0337 011	1 1/2"
43 0337 012	2"

Snavssamler

PN40.
Med indvendigt gevind.



WVS nr.	Rørgvind
44 9612 003	3/8"
44 9612 004	1/2"
44 9612 006	3/4"
44 9612 008	1"
44 9612 010	1 1/4"
44 9612 011	1 1/2"
44 9612 012	2"