

Tec7

LIMER, FUGER OG FORSEGLER



- ✓ Super stærk
- ✓ Limer under vand
- ✓ Mug og bakterieresistent



Produkt

Egenskaber

- Superstærk efter hærkning, permanent elastisk.
- Fri for ftalater, opløsningsmidler og isocyanater.
- Sikker til brug på spejle og natursten.
- Næsten lugtfri.
- Også til brug på fugtige, ikke-porøse overflader.
- Mug- og bakterieresistent.
- Vand- og lufttæt.
- Til brug på og i kombination med de fleste byggematerialer.
- Arbejdstemperatur +5 °C til +40 °C
- Hærkning 6 mm/24 t
- Trækstyrke 25,5 kg/cm²
- 100 % vand- og lufttæt
- Elasticitet 350 %
- SELV under vand
- Vejrbestandig

Brugsanvisning

Anvendes på rene, støv- og fedtfrie overflader.
Alkydharpiksmaling vil hærde langsommere.

*Test klæbeevnen på plast, pulverlakeringer, eksotisk træ og bituminøse materialer.

Brug Tec7 Cleaner til sikker rengøring og affedtning af overflader, til opnåelse af en perfekt finish og til fjernelse af ikke-hærdede Tec7-produkter. Brug HP Clean til afslutning af porøse materialer.



Teknisk info

Flow: 5 bar/ 3 mm/23°C 140g/min

Skin formation: 23°C 50% R.V. 8 minutes

Tack-free: 23°C 50% R.V. 25 minutes

Full hardening: 23°C 50% R.V.:

- 24h - 6 mm
- 48h - 7 mm
- 72h - 8 mm

E-modulus 100%: 172N/cm² /1.72 Mpa

Electric resistance: 2,6 x 10//BS10//ES Ω/cm

Volume shrinkage after curing: Hardness - DIN 53505: 60 Shore A

Tensile strength: 26,5 kg/cm²

Tear strength - DIN 53504: 140N/cm² /1.40 Mpa

The ambient temperature for application: between +5°C and +40°C

Thermal stability: -40°C to +90°C /peak: 155°C max. 30 minutes

Elongation at break - Din 53504: > 350%

Air permeability (according to report 3P02093 of the SP TRI in Sweden: >0,2m³/m²

Non-toxic

Water vapour transmission (DIN EN ISO 12572): 1,6

Pressure resistance (ISO 11432): 1,19 N/mm²

Chemical resistance:

- good: water, seawater, aliphatic solvents, oils, greases, diluted organic acids, lyes
- moderate: esters, ketones, aromatics.
- poor: concentrated acids, chlorinated solvents, chlorine of swimming pools

Shelf life: 18 months

Emballage

		Articlenumber
Tec7 black - cartridge 310ml	cartridge 310ml	535106000
Tec7 white - cartridge 310ml		535206000
Tec7 brown - cartridge 310ml		535406000
Tec7 green - cartridge 310ml		535606000
Tec7 terracotta - cartridge 310ml		535706000
Tec7 oak - cartridge 310ml		535806000
Tec7 beige - cartridge 310ml		535906000
Tec7 grey - cartridge 310ml		535306000
Tec7 grey - sausage 600ml		535308000
Tec7 white - sausage 600ml		535208000
Tec7 black - sausage 600ml		535108000
Tec7 white - tube 50ml blister		535203000
Tec7 white - tube 100ml		535205000

