FAX-**2820** Mono Laser Fax



High quality results from this laser fax machine make it the ideal solution for all your business communication needs.





- 14,400 bps Fax modem
- 20 one-touch dial locations
- Up to 20 sheet automatic document feeder
- Up to 250 sheet paper capacity
- 200 Speed dial locations
- Up to 400 Pages transmit/ receive memory

FAX-2820



This high quality, professional laser fax machine brings style and efficiency to your office. Its compact design and front loading paper cassette means that it's not only easy to use but also saves valuable space. The FAX-2820 benefits from 20 one-touch dial locations for your most regularly used numbers. It also has a 250 sheet paper capacity. However, should paper ever run out, the FAX-2820 will store up to 400 pages of faxes received or transmitted into memory.

Not only is this a fully featured laser fax machine but it also offers convenient monochrome copying. Enlarge or reduce your original documents from 50% to 200% in 1% increments, and stack or sort your copies as desired.

Brother continues to save you money and help the environment. As with all laser machines from Brother, the FAX-2820 operates using a separate toner and drum, which means you only replace the toner or drum when necessary.







FAX-2820 Technical Specifications

General	
Engine	Monochrome laser
LCD Display	1 line x 16 characters
Back-up Clock	Keeps time and date backed up to 2 hours
Memory Capacity	8MB standard
Automatic Document Feeder	Up to 20 sheets
Paper Handling Size	Up to A4
Paper Capacity	Standard paper tray. Up to 250 sheets
	Output paper capacity. Up to 100 sheets
Simultaneous Operation	Receive a fax whilst copying a document
Fax	
Modem	14,400Kbps
	Approx 6 seconds transmission
Data Compression	Mono: MH / MR / MMR
Automatic Redial	Automatic redial if the recipient fax is busy
One-touch Dials	20
Speed Dials	200
Group Dials	Up to 8 groups
Fax / Tel Switch	Automatic recognition of fax and telephone reception
Distinctive Ring Detection	Yes
Super Fine	Enables quality transmission and reception of very small print or line drawings
Grey Scale	64 levels
Delayed Timer	Yes - up to 50
Transmit/Receive Memory	Up to 400 pages*
Broadcasting Locations	Send the same fax message to up to 270 locations
Batch Transmission	Stores documents for the same location in the memory for transmission in a single call
Auto Reduction	Automatically reduces a received fax to fit on to a single sheet of A4
Error Correction Mode	Where machines share the ECM feature, errors during transmission are corrected automatically ensuring received documents are error free

Fax Forwarding	Sends a fax received in memory to another pre-programmed fax number
Remote Access	Allows the user to remotely access their machine by using another touch tone phone
Fax Retrieval	Allows the user to retrieve fax messages using another touch tone machine
Dual Access	Scan a fax for transmission whilst receiving a fax
Copier	
Speed	Up to 11cpm monochrome
Reduction / Enlargement Ratio	50% - 200% in 1% increments
Resolution	Up to 200 x 300dpi
Multi Copy	Produces up to 99 copies of each original
Stack & Sort	Stacks or sorts output copies as desired
N in 1	Compress 2 or 4 pages on to a single
	sheet of A4
Interface(s)	
External TAD Interface	Interface for connecting external telephone answering device
Weights & Dimensions	
Dimensions / Weight	With Carton 452 (w) x 496 (d) x 430 (h) mm / 11.4kg
	Without Carton 374 (w) x 374 (d) x 262 (h) mm / 7.25kg $$
Supplies	
Toner	TN2000 Up to 2,500 A4 pages @ 5% coverage
Drum	DR2000 Approx 12,000 A4 pages (1 page per job)
Other Information	
Power Consumption	Sleep - Less than 10W
	Standby - Less than 80W
	Peak - Less than 1032W

*ITU-T Test Chart, Standard Resolution, JBIG

Contact:

At your side. broth



Brother UK Ltd

Audenshaw, Manchester M34 5JD Tel:0870 830 4000 (National Rate Call) Fax:0870 830 4031

Web-site: www.brother.co.uk

Your calls to us may be monitored or recorded for training purposes. Specification correct at time of going to print. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.









