

C-USB/AB

USB 2.0 A (M) to B (M) Cable



Kramer's C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable used to connect computers and peripheral devices such as, printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 480Mbps

FEATURES

USB Type-A Male to Type-B Male Transfer Rates up to 480Mbps Foil & Overall Braid Provide Maximum Protection Against EMI/RFI Molded Strain Relief Compatible with USB Specifications 1.0 and 1.1 RoHS Compliant Varied Selection of Lengths - Available in versions of 3 to 15ft (0.9 to 4.6m)



TECHNICAL SPECIFICATIONS

OVERALL	
MAX. DATA RATE:	480Mbps
PHYSICAL	
CONNECTOR B:	USB type-B male
CONNECTOR PLATING:	Nickel
CONDUCTORS:	3-6ft: 28AWG; 10-15ft: 28/24AWG
OVERALL SHEATH DIAMETER:	3-6ft: 3.5mm, 10-15ft: 4.5mm
OUTER SHEATH COLOR:	Gray
REGULATORY	



CONFIGURATIONS

C-USB/AB-3	USB 2.0 A (M) to B (M) Cable
C-USB/AB-6	USB 2.0 A (M) to B (M) Cable
C-USB/AB-10	USB 2.0 A (M) to B (M) Cable
C-USB/AB-15	USB 2.0 A (M) to B (M) Cable