









## Lista prodotti / Product list

- 1) Filo metallico lucido pulito / Bright clean wire
- 2) Filo metallico lucido saponato / soaped wire
- 3) Filo metallico cotto nero /black annealed wire
- 4) Filo metallico cotto bianco/white annealed wire
- 5) Filo metallico zincato classe D e classe A/ galvanized wire from class D to class A
- 6) Filo metallico zinco alu 5% classe B e Classe A / 5% zinc-alu galvanized wire from class B to class A
  - 7) Filo metallico zincato ritrafilato (skimpassato) /redraw galvanized wire
    - 8) Filo metallico rivestito PVC /PVC coated wire
      - 9) filo metallico in barre / wire in bars
        - 10) filo spinato Barbed wire
    - II) filo metallico per gabbiette enologiche / Muselet wire







## Garanzia di qualità /QUALITY WIRE

Located in Gambara, in the province of Brescia, FILOMATIC srl is a young and dynamic company specialized in the production of low and medium carbon content wire. The company can count on consolidated Know-how, gained in over 25 years of experience in galvanizing and drawing sector.

In particular, **FILOMATIC** offers its customers wire from diameter 0,60 to 10,00 mm in a wide selection of steels (SAE1005 1006 1008 1010 to 1022)

The finishes and surface treatments in the catalog are numerous: Bright clean – bright soaped – white annealed – black annealed galvanized from class D to Class A – 5% zinc Alu class B and class A – PVC coated

Last but not least , the packaging. **FILOMATIC** offers its customers a wide variety of options, including wooden spools from 180 to 950 Kg – iron spools from 180 to 1.800 Kg – coils from 150 to 1.200 kg – bundles from 25 to 50 kg -iron spider from 500 to 1.200 kg



Each production batch is controlled from the raw material (wire rod) to the finished product (wire) by monitoring the production processes and verifying the tensile strengh values with the internal use of tensile test machine







Via Volongo n.7 25020 Gambara (BS) Italia info@filomatic.it - andrea.zacco@filomatic.it +39 030 6490098 - +39 339 6973162





