



# FRATOM

Your reliable partner





## About Us

FRATOM FASTECH established in 2015, located in Kaohsiung, Taiwan. With a production team of over 20 years in manufacturing experience and a highly trained dynamic team, we are uniquely equipped to satisfy your performance requirements. We are always at your disposal to answer any technical questions you may have, and to work with you providing the best option. Let us become your lifetime partner for reliable and economical tooling solutions.

Besides our core business of customized tooling manufacturing, FRATOM is also expanding our production and supply range in the manufacturing of customized gauges, precision instruments for the inspection of finished products. We are always open for the development of customized inspection instruments upon customer request, helping you increase inspection efficiency and saving cost.



- New Patented Product Penetration Gauge
- Replaceable head to indicator mode (Cost saving)
- 19 Replaceable Head (ISO10664 / DIN912)
- Precision concentricity with 0.01mm
- Customized Head Design available upon request



- Made according to customer demand and specifications
- HEX / Square / 6 Lobe / Round / Customized



Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
FT-A	$\varnothing 1 \sim \varnothing 30$	0.002	260x98x110	2.50

- Blank's / Screw concentricity measuring instruments
- Single Dial Indicator (Analog)








Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
2FT-A	$\varnothing 1 \sim \varnothing 35$	0.002	260x170x150	4.20

- Two way axes with two dial indicator.
- Front and side way measuring at the same time





Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
FT-AL	$\varnothing 1 \sim \varnothing 40$	0.002	390x98x110	4.50

- Flexible testing position based on moveable magnetic arm
- Multiple testing position at the same time (extra magnetic arm required)





Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
FT-B1	$\varnothing 1 \sim \varnothing 35$	0.002	390x98x110	5.20

- Combination of FT-A & FT-AL
- Fast measuring and testing at the same time








Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
FT-B3	$\varnothing 1 \sim \varnothing 35$	0.002	500x98x120	6.50

- Prolonged version of the FT-B1
- Measure and testing blank's front and back side at the same time





Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
FT-S	$\varnothing 3 \sim \varnothing 16$	$\pm 0.01$	120x120x350	3.00

- Fast and efficient head thickness or depth checking
- Flange measurement available by turning the disk plate



Model	Clip Outer Dia.	Precision (mm)	Size (mm)	Weight (kg)
FT-2in1	$\varnothing 3 \sim \varnothing 27$	$\pm 0.01$	300x180x430	13.50

- Fast and efficient head thickness or depth checking
- Choice of Digital / Analog Indicator (Mitutoyo)
- Blank's / Screw concentricity measuring instruments
- Flange measurement available by turning the disk plate.



# FRATOM

FRATOM FASTECH CO., LTD.

NO.310, GUIHUA ST., XIAOGANG DIST., KAOHSIUNG CITY 81275, TAIWAN

PHONE +886 7 787 3425 FAX +886 7 787 1843

MAIL [INFO@FRATOM-FASTECH.COM](mailto:INFO@FRATOM-FASTECH.COM) WEB [WWW.FRATOM-FASTECH.COM](http://WWW.FRATOM-FASTECH.COM)

