

PUT DOWN THE JAVASCRIPT

Level Up with the Fundamentals of
Web Development

PUSH START

@colbyfayock

Colby Fayock

Lead UX & Front End Engineer

Element	84
---------	----

@colbyfayock





Mark



Luke



Mark

Bootcamp A

4 week crash course

Become a Javascript ninja

Hot and popular libraries and frameworks like React & Redux



Luke



Bootcamp B

8 week intensive course

Build a website from scratch
with HTML and CSS

Learn about how Javascript
works and using it to make your
website dynamic

1up, Inc




Jr Front End Dev

Work with the engineering team to create and maintain websites

Technologies: HTML, CSS, JS, React, Redux, CSS-in-JS

Experience: 1+ years



1up, Inc

About Services



We 1up the competition

We at 1up, Inc care deeply about our customer's needs. We guarantee satisfaction with all of our ups.

Mark

Solution A

Bootstrap a new app

Use React as the framework

CSS-in-JS for styling



Luke



Solution B

Create an HTML file

Put together the page with HTML

Style everything with CSS

Solution A

Mark



Solution B

Luke



1up, Inc



1up, Inc

[About](#) [Services](#)



We 1up the competition

We at 1up, Inc care deeply about our customer's needs. We guarantee satisfaction with all of our ups.

```
→ my-test-app npm install react
npm WARN saveError ENOENT: no such file or directory, open '/Users/colby/package.json'
npm WARN enoent ENOENT: no such file or directory, open '/Users/colby/package.json'
```

→ my-test-app npm install react

npm WARN saveError ENOENT: no such file or directory, open '/Users/colby/package.json'

```
10 <div id="root"></div>
11
12 <script src="https://unpkg.com/react@16/umd/react.development.js" crossorigin></script>
13 <script src="https://unpkg.com/react-dom@16/umd/react-dom.development.js" crossorigin></script>
14 <script>
15   const MyApp = () => {
16     return (
17       <div>
18         Hello world!
19       </div>
20     );
21   }
22   const domContainer = document.querySelector('#root');
23   ReactDOM.render(MyApp, domContainer);
24 </script>
```

→ my-test-app npm install react

npm WARN saveError ENOENT: no such file or directory, open '/Users/colby/package.json'

```
10 <div id="root"></div>
11
12 <script src="https://unpkg.com/react@16/umd/react.development.js" crossorigin></script>
13 <script src="https://unpkg.com/react-dom@16/umd/react-dom.development.js" crossorigin></script>
14 <script>
15   const MyApp = () => {
16     return (
17       <div>
18         Hello world!
19       </div>
20     );
21   }
22   const domContainer = document.querySelector('#root');
23   ReactDOM.render(MyApp, domContainer);
24 </script>
```

✖ Uncaught SyntaxError: Unexpected token '<'

index.html:17

```
→ my-test-app npm install react
```

```
npm ERR! saveError ENOENT: no such file or directory, open '/Users/colby/package.json'
```

```
10 <div id="root"></div>
```

```
11
```

```
14 <script src="https://unpkg.com/babel-standalone@6/babel.min.js"></script>
```

```
15 <script type="text/babel">
```

```
16 const MyApp = () => {
```

```
17   return (  
18     <div>
```

```
19     Hello world!
```

```
20     </div>
```

```
21   );
```

```
22 }
```

```
23 const domContainer = document.querySelector('#root');
```

```
24 ReactDOM.render(MyApp, domContainer);
```

```
→ my-test-app npm install react
```

```
npm ERR! saveError ENOENT: no such file or directory, open '/Users/colby/package.json'
```

```
10 <div id="root"></div>
```

```
11
```

```
14 <script src="https://unpkg.com/babel-standalone@6/babel.min.js"></script>
```

```
15 <script type="text/babel">
```

```
16 const MyApp = () => {
```

```
17   return (  
18     <div>
```

```
19     Hello world!
```

```
20     </div>
```

```
21   );
```

```
22 };
```

```
23 }
```

```
23 const domContainer = document.querySelector('#root');
```

```
24 ReactDOM.render(MyApp, domContainer);
```

precompile your scripts for production - <https://babeljs.io/docs/setup/>

⊗ ▶ Warning: Functions are not valid as a React child. [react-dom.development.js:82](#)
This may happen if you return a Component instead of `<Component />` from render.
Or maybe you meant to call this function rather than return it.

```
→ my-test-app npm install react
```

```
npm WARN saveError ENOENT: no such file or directory, open '/Users/colby/package.json'
```

```
10   <div id="root"></div>
```

```
11
```

```
14   <script src="https://unpkg.com/babel-standalone@6/babel.min.js"></script>
```

```
15   <script type="text/babel">
```

```
15   <script type="text/babel">
```

```
16   const MyApp = () => {
```

```
17     return (
```

```
18       <div>
```

```
19         Hello world!
```

```
20       </div>
```

```
21     );
```

```
22   }
```

```
23   const domContainer = document.querySelector('#root');
```

```
24   ReactDOM.render(React.createElement(MyApp), domContainer);
```

```
25 </script>
```

← → ↻ ⓘ File | /Users/colby/Code/my-test-app/index.html

Hello world!

```
→ my-test-app npm install react
npm ERR! saveError ENOENT: no such file or directory, open '/Users/colby/package.json'
10 <div id="root"></div>
11
14 <script src="https://unpkg.com/babel-standalone@6/babel.min.js"></script>
15 <script type="text/babel">
16 <script type="text/babel">
17 const MyApp = () => {
18   return (
19     <div>
20       <div className="nav">
21         <h1>1up, Inc</h1>
22       </div>
23     </div>
24   );
25 }
```

← → ↻ ⓘ File | /Users/colby/Code/my-test-app/index.html

1up, Inc

Oh, no!

```
→ my-test-app npm install react
npm ERR! saveError ENOENT: no such file or directory, open '/Users/colby/package.json'
10 <div id="root"></div>
11
14 <script src="https://unpkg.com/babel-standalone@6/babel.min.js"></script>
15 <script type="text/babel">
16 <script type="text/babel">
17 const MyApp = () => {
18   return (
19     <div>
20       <div className="nav">
21         <h1>lup, Inc</h1>
22       </div>
23     </div>
24   );
25 }
```



<> <!DOCTYPE html> Untitled-1 ●

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Document</title>
7  </head>
8  <body>
9    |
10 </body>
11 </html>
```

<> <!DOCTYPE html> Untitled-1 ●

1 <!DOCTYPE html>

<> <!DOCTYPE html> Untitled-1 ●

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9
10 <header>
11   <p>
12     
13     lup, Inc
14   </p>
15   <nav>
16     <ul>
17       <li>
18         <a href="/about">About</a>
19       </li>
20       <li>
21         <a href="/services">Services</a>
22       </li>
23     </ul>
24   </nav>
25 </header>
```

```
<> <!DOCTYPE html> Untitled-1 ●
```

```
1 <!DOCTYPE html>
```

```
<> <!DOCTYPE html> Untitled-1 ●
```

```
1 <!DOCTYPE html>
```

```
2 <html lang="en">
```

```
<main>
```

```

```

```
<section>
```

```
<h1>We lup the competition</h1>
```

```
<p>
```

```
We at lup, Inc care deeply about our customer's needs. We guarantee satisfaction with all of our ups.
```

```
</p>
```

```
</section>
```

```
</main>
```

<!DOCTYPE html> Untitled-1

1 <!DOCTYPE html>

<!DOCTYPE html> Untitled-1

1 <!DOCTYPE html>

2 <html lang="en">

26

27 <main>

28

29 </main>

```
11 header {
12   display: flex;
13   align-items: center;
14   justify-content: space-between;
15 }
16 header p {
17   display: flex;
18   align-items: center;
19 }
20 header img {
21   display: block;
22   width: 5em;
23 }
24 header ul {
25   display: flex;
26   align-items: center;
27   list-style: none;
28   padding: 0;
29   margin: 0;
30 }
```

Solution A

Mark



Solution B

Luke



1up, Inc



1up, Inc

[About](#) [Services](#)

@colbyfayock

We 1up the competition

Solution B

Luke



1up, Inc

About Services




We 1up the competition

We at 1up, Inc care deeply about our customer's needs. We guarantee satisfaction with all of our ups.



What can we learn from this?



Starting with the basics

HTML

Hypertext Markup Language

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7    </head>
8    <body>
9      <h1>Hello, world. It's a me!</h1>
10   </body>
11 </html>
```

React / JSX

```
1  import React from 'react';
2
3  const MyPage = () => {
4    return (
5      <h1>Hello, world. It'sa me!</h1>
6    )
7  }
8
9  export default MyPage;
```

```
1  import React from 'react';
2
3  const MyPage = () => {
4    return (
5      <main>
6        <h1>Hello, world. It'sa me!</h1>
7        <h2>My Wishlist</h2>
8        <p>Things I want to find:</p>
9        <ul>
10         <li>Coins</li>
11         <li>Stars</li>
12         <li>Mushrooms</li>
13       </ul>
14     </main>
15   )
16 }
17
18 export default MyPage;
```

Compiled HTML

```
gtag('js', new Date());</script><style>.async-hide { opacity: 0 !important }</style><script>(fun
{s.className+=' '+y;h.start=1*new Date;
h.end=function(){s.className=s.className.replace(RegExp(' ?'+y),'')};
(a[n]=a[n]||[]).hide=h;setTimeout(function(){i();h.end=null,c);h.timeout=c;
})(window,document.documentElement,'async-hide','dataLayer',500,{ 'GTM-NJ75NM':true});</script><s
28076707-1', {'optimize_id':'GTM-MF4ZKBR'});</script><script>(function(w,d,s,l,i){w[l]=w[l]||[];
new Date().getTime(),event:'gtm.js'});var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
https://www.googletagmanager.com/gtm.js?id='+i+dl+'&gtm_cookies_win=x';f.parentNode.insertBefore
})(window,document,'script','dataLayer','GTM-NJ75NM');</script><link as="script" rel="preload"
b319c86f02de5ec43924.js"/><link as="script" rel="preload" href="/framework-8e210829bcc33c32949c.
rel="preload" href="/532a2f07-05d0124221769214927b.js"/><link as="script" rel="preload" href="/a
<link as="script" rel="preload" href="/styles-dae9ed5f9ccc5d832e2f.js"/><link as="script" rel="p
723ebac6e6cf64f05011.js"/><link as="script" rel="preload" href="/5e2a4920-9137fe65eee67519368e.j
rel="preload" href="/37272d1faf3f5a324dd7a8eed57e2d6b70c2dab2-763d03f360d41cd8a342.js"/><link as
href="/component---src-pages-index-js-ccb8ffb8baa20a7c0764.js"/><link as="fetch" rel="preload" h
data.json" crossorigin="anonymous"/><link as="fetch" rel="preload" href="/page-data/app-data.js
</head><body class="home"><noscript><iframe
src="https://www.googletagmanager.com/ns.html?id=GTM-NJ75NM&gtm_cookies_win=x"
height="0"
width="0"
style="display: none; visibility: hidden"
></iframe><noscript><div id="__gatsby"><div style="outline:none" tabindex="-1" id="gatsby-focu
class="header container" role="navigation"><div class="content"><div class="row"><div class="hea
current="page" class="" href="/">Colby Fayock</a><span class="tagline">A UX Designer & Front
</div><div class="header-social"><ul class="social-icons"><div><li class="social-icons-twitter">
href="http://twitter.com/colbyfayock" rel="me"><svg stroke="currentColor" fill="currentColor" st
512" height="1em" width="1em" xmlns="http://www.w3.org/2000/svg"><path d="M459.37 151.716c.325 4
138.72-105.583 298.558-298.558 298.558-59.452 0-114.68-17.219-161.137-47.106 8.447 9.74 16.568 1.
16.568 130.274-44.832-46.132-97.5-84.792-31.188-98.112-72.772 6.498 974 12.995 1.624 19.818 1.62
3.573-48.081-9.747-84.143-51.98-84.143-102.985v-1.299c13.969 7.797 30.214 12.67 47.431 13.319-28
87.391 0-19.492 5.197-37.36 14.294-52.954 51.655 63.675 129.3 105.258 216.365 109.807-1.624-7.79
57.828 46.782-104.934 104.934-104.934 30.213 0 57.502 12.67 76.67 33.137 23.715-4.548 46.456-13.
24.366 44.833 46.132 57.827 21.117-2.273 41.584-8.122 60.426-16.243-14.292 20.791-32.161 39.308-
er</span></a></li><li class="social-icons-youtube"><a href="https://youtu
fill="currentColor" stroke-width="0" viewBox="0 0 576 512" height="1em" wi
```

```
<body class="home">
<noscript>
<iframe src="https://www.googletagmanager.com/ns.html?id=GTM-NJ75NM&gtm_cookies_win=x"
</noscript>
<div id="__gatsby">
<div style="outline:none" tabindex="-1" id="gatsby-focus-wrapper">
<div>
<nav class="header container" role="navigation">
<div class="content">
<div class="row">
<div class="header-logo">
<h1 class="h1">
<a aria-current="page" class="" href="/">Colby Fayock</a>
<span class="tagline">A UX Designer & Front End Engineer
</h1>
</div>
<div class="header-social">
<ul class="social-icons">
<div>
<li class="social-icons-twitter">
<a href="http://twitter.com/colbyfayock" rel="me">
<svg stroke="currentColor" fill="currentColor"
<path d="M459.37 151.716c.325 4.548.325 9.0
</svg>
<span class="ir">Twitter</span>
</a>
</li>
<li class="social-icons-youtube">
<a href="https://youtube.com/colbyfayock" rel="me">
<svg stroke="currentColor" fill="currentColor"
<path d="M549.655 124.083c-6.281-23.65-24.7
</svg>
<span class="ir">Youtube</span>
</a>
</li>
<li class="social-icons-eggheadio">
<a href="https://egghead.io/instructors/colbv-fayoc
```

CSS

Cascading Style Sheets

```
7  <style>
8    h1 {
9      color: red;
10     font-size: 30px;
11     text-transform: uppercase;
12   }
13 </style>
14 </head>
15 <body>
16   <h1>Hello, world. It'sa me!</h1>
```

React + CSS

```
import 'assets/stylesheets/application.scss';
```

```
const MyPage = () => {  
  return (  
    <>  
      <h1>Hello, world. It'sa me!</h1>  
    </>  
  )  
}
```

```
const useStyles = createUseStyles({  
  h1: {  
    color: 'red',  
    fontSize: 30,  
    textTransform: 'uppercase'  
  }  
})
```

```
<style jsx global>{`  
  h1 {  
    color: red;  
    font-size: 30px;  
    text-transform: uppercase;  
  }  
`}</style>  
<h1>Hello, world. It'sa me!</h1>
```

```
const Title = styled.h1`  
  color: red;  
  font-size: 30px;  
  text-transform: uppercase;  
`;  
  
const MyPage = () => {
```

Compiled CSS

```
.fa-thumbs-o-up,.article-list-more,.fa-hand-o-down{display:none}.article-excerpt-more a,.article-list-more a:hover,.fa-hand-o-down{display:none}.article-excerpt-more a:hover::sizing:border-box{body{color:#2b2e30;font-family:Source Sans Pro,Helvetica,Arial,sans-serif;color:#fff}@media (max-width:37.5em){.row(padding:1em)}.page-title{margin:0}.article-list-more-on-down{display:none}.article-excerpt{margin-bottom:4em}@media (max-width:37.5em){.article-exp{margin:0 0 .8em}.article-excerpt p:last-child{margin-bottom:0}.article-excerpt .article-mexcerpt-header-title{margin:0 0 .4em}.article-excerpt-more{font-size:1em;font-weight:600}.a0}.pagination ul{list-style:none;text-align:center;padding:0;margin:0}.pagination li{display:14em}.pagination a{text-decoration:none}.pagination a:hover{text-decoration:underline}.paginstyle:none;padding:0;margin:0}.social-icons li{display:inline-block;margin:0 .5em}.social-icicons li{margin:0}.social-icons a{display:block;width:2em;height:2em;line-height:2em;text-alpolygon{color:#007079}.social-icons a,.social-icons path,.social-icons polygon{color:#505458;eggheado{transform:translateY(1px)}.article-content iframe{display:block;margin:0 auto}.articcontent:center;list-style:none;padding:0;margin:0}.article-links li{margin:0 .8em}.article-litems:center;text-decoration:none}.article-links svg{font-size:.9em;margin-right:.5em}.articdirection:row;justify-content:center;align-items:center}.article-tweet a{font-size:1.4em;textheader{padding:3em 0 4em}@media (max-width:37.5em){.article-header{padding:0 0 4em}}.article.h{.article-header h1{font-size:3em}}.article-content-body{margin-bottom:2em}.article-content-lh4:first-child,.article-content-body h5:first-child,.article-content-body h6:first-child(marright:auto).article-meta{color:#747a80;list-style:none;text-align:center;padding:0;margin:2erchild{margin-left:0}.article-meta li:last-child{margin-right:0}.article-meta a{color:inheritdecoration:underline}.article-meta span{margin-right:2em}.article-meta span:after{content:"child:after{content:none}.article-meta .categories-list{color:#0070708;font-weight:600}.home(max-width:37.5em){.home .header{margin:4em auto}}.home .react-tabs__tab-list{display:flex;jstyle:none;padding:0;margin:0 0 4em}.home .react-tabs__tab{color:#747a80;padding:.4em;marginselected{color:#0070708;border-bottom:3px solid #007079}.page-about h3{margin-bottom:.8em}.paize:1em;margin-top:20}.header{text-align:center}.header .row{display:flex;width:100%;margin-l1a{font-weight:700}.home .header .h1{text-align:center}.home .header .h1 a{font-size:1.6em}@m.h1{font-size:1em}.header .tagline{display:block;color:#747a80;font-weight:400;font-size:1.5ergrow:1}body:not(.home) .header .header-logo{font-size:1.4em;text-align:left}body:not(.home)height:2em}body:not(.home) .header .header-logo a:hover{color:#007079}@media (max-width:37.5icons{display:flex;font-size:1.6em;flex-flow:wrap;justify-content:center;margin-top:3em}@me.row(padding:0;margin-bottom:0)}.footer .container{margin:8em auto}@media (max-width:37.5em){.ondary{color:#747a80;font-size:1em;text-align:center}@media (max-width:1.5em).footer-secondary .emoji{font-size:2.5em;margin-bottom:2em}.foot
```

```

}

@media (max-width: 37.5em) {
  .article-header {
    padding: 0 0 4em
  }
}

.article-header h1 {
  font-size: 4.08em;
  text-align: center;
  margin-bottom: 0
}

}

@media (max-width: 37.5em) {
  .article-header h1 {
    font-size: 3em
  }
}

}

.article-content-body {
  margin-bottom: 2em
}

}

.article-content-body h2:first-child, .article-content-body h3:first-child, .article-content-body h4:first-child {
  margin-top: 0
}

}

.article-content-body img {
  display: block;
  margin-left: auto;
  margin-right: auto
}

}

.article-meta {
  color: #747a80;
}

```

Understanding Your Tools

HTML in the Browser


My Cool Page

Some cool stuff

Is this still cool?

```
Elements Memory
<html>
  <head>
    <style>
      p {
        color: purple;
      }
    </style>
  </head>
  <body>
    <h1>My Cool Page</h1>
    ... <p>
      Some cool stuff
      </p> == $0
    <div>Is this still cool?</div>
    <p></p>
  </body>
</html>
```

```
1 <html>
2 <head>
3   <style>
4     p {
5       color: purple;
6     }
7   </style>
8 </head>
9 <body>
10  <h1>My Cool Page</h1>
11  <p>
12    Some cool stuff
13    <div>Is this still cool?</div>
14  </p>
15 </body>
16 </html>
17
```



Double-click to expand.

CSS Relativity



LEVEL UP

\$EO

Search Engine Optimization



colby fayock



All

Maps

Videos

Images

News

More

Settings

Tools

About 5,760 results (0.37 seconds)

www.colbyfayock.com ▾

Colby Fayock - A UX Designer & Front-end Developer Blog

Blog, notes, projects, and such.

https://twitter.com/colbyfayock

Colby Fayock (@colbyfayock) · Twitter

What is @gatsbyjs and why it's time to get on the #hype train on #javascript #webdev
www.freecodecamp.org/ne
...

i wonder if comb and hair brush sales are down 🙄

set up a custom hook template to easily put one together. basically clone, update all the names, do your thing, and publish. even has an example website ready to use
github.com/colbyfayock/...



Google Account

Where you'll find tools to secure and manage your Google Account and control your data



GO TO GOOGLE ACCOUNT



From Google Contacts

Only you can see this result

Colby Fayock


Update your profile

Sr UX & Front End Engineer at Element 84



@colbyfayock

Why is it important?



Primary Dimension: **Source / Medium** Source Medium Keyword Other ▾

Plot Rows

Secondary dimension ▾

Sort Type:

Default ▾



advanced



	Source / Medium ?	Acquisition			Behavior			Conversions		
		Users ? ↓	New Users ?	Sessions ?	Bounce Rate ?	Pages / Session ?	Avg. Session Duration ?	Goal Conversion Rate ?	Goal Completions ?	Goal Value ?
		7,176 % of Total: 100.00% (7,176)	7,159 % of Total: 100.03% (7,157)	9,237 % of Total: 100.00% (9,237)	81.84% Avg for View: 81.84% (0.00%)	1.32 Avg for View: 1.32 (0.00%)	00:01:04 Avg for View: 00:01:04 (0.00%)	0.00% Avg for View: 0.00% (0.00%)	0 % of Total: 0.00% (0)	\$0.00 % of Total: 0.00% (\$0.00)
☐	1. freecodecamp.org / referral	2,534 (34.48%)	2,496 (34.87%)	3,348 (36.25%)	78.76%	1.36	00:01:24	0.00%	0 (0.00%)	\$0.00 (0.00%)
☐	2. google / organic	1,643 (22.36%)	1,625 (22.70%)	1,836 (19.88%)	89.11%	1.14	00:00:41	0.00%	0 (0.00%)	\$0.00 (0.00%)
		1,302 (17.72%)	1,298 (18.13%)	1,625 (17.59%)	84.31%	1.29	00:00:41	0.00%	0 (0.00%)	\$0.00 (0.00%)

What can we do better?

HTML Page Outline

* Super Mario Bros. Switch Games

`<h1>Super Mario Bros. Switch Games</h1>`

* Mario

`<h2>Mario</h2>`

* Mario Karty 8 Deluxe

`<h3>Mario Karty 8 Deluxe</h3>`

* Super Mario Party

`<h3>Super Mario Party</h3>`

* Mario Tennis Aces

`<h3>Mario Tennis Aces</h3>`

* Luigi

`<h2>Luigi</h2>`

* Luigi's Mansion 3

`<h3>Luigi's Mansion 3</h3>`

Image Alt

```

```

```

```

Anchor Text

We at 1up, Inc care deeply about our customer's needs. We guarantee satisfaction with all of our ups.

[Read More](#)

We at 1up, Inc care deeply about our customer's needs. We [guarantee satisfaction with all of our ups](#).

```
<a href="/my-page">  
all of our ups  
</a>
```

<title>

<title>My Cool Webpage</title>



My Cool Webpage



www.colbyfayock.com › 2014/07 › interesting-blog

My Cool Web Page

Jul 8, 2014 - This is a blog post that's really interesting and has many interesting things.

<title>Interesting Blog Post – My Cool



Interesting Blog Post - My Cool



www.colbyfayock.com › 2014/07 › interesting-blog

Interesting Blog Post - My Cool W

Jul 8, 2014 - This is a blog post that's really interesting and has many interesting things.

ACCESSIBILITY

Accessibility

No Simulation

Yellow-Blue Color Blindness

Red-Green Color Blindness

Total Color Blindness



We 1up the competition

We at 1up, Inc care deeply about our customer's needs. We guarantee satisfaction with all of our ups.

Why is it important?

Image_01483108340813509450915409135
09135901309510935.jpg

We 1up the competition

What can we do better?

HTML Page Outline

* Super Mario Bros. Switch Games

<h1>Super Mario Bros. Switch Games</h1>

* Mario

<h2>Mario</h2>

* Mario Karty 8 Deluxe

<h3>Mario Karty 8 Deluxe</h3>

* Super Mario Party

<h3>Super Mario Party</h3>

* Mario Tennis Aces

<h3>Mario Tennis Aces</h3>

* Luigi

<h2>Luigi</h2>

* Luigi's Mansion 3

<h3>Luigi's Mansion 3</h3>

Image Alt

```

```

```

```


Buttons

```
<div class="action-throw-fireball">
```

```
  Throw Fireball
```

```
</div>
```

```
<button class="action-throw-fireball">
```

```
  Throw Fireball
```

```
</button>
```

Throw Fireball



Throw Fireball



SIMPLICITY

```

const MyComponent = () => {
  const defaultWidth = 800;
  const defaultHeight = 600;
  const ratio = defaultHeight / defaultWidth;

  const [dimensions, setDimensions] = useState({
    width: defaultWidth,
    height: defaultHeight
  });

  function handleOnWindowResize() {
    const width = window.innerWidth;
    const height = width * ratio;
    setDimensions({
      width,
      height
    });
  }

  useEffect(() => {
    window.addEventListener('resize', handleOnWindowResize);
    return () => {
      window.removeEventListener('resize', handleOnWindowResize);
    }
  }, []);

  const styles = {
    backgroundImage: url('/my-image.jpg'),
    ...dimensions
  }

```

Simplicity

```

const MyComponent = () => {
  const styles = {
    width: '100%',
    height: 0,
    backgroundImage: url('/my-image.jpg'),
    backgroundSize: 'cover',
    paddingTop: `${(800/600)*100}%`
  }

  return <div style={styles} />;
}

export default MyComponent;

```

@colbyfayock f={ref} style={styles} />;

Why is it important?



Mark Dalgleish
@markdalgleish



What can we do better?

Get Interactive with Native HTML

```
<label>My Favorite Color</label>  
<input type="text" name="color" list="colors" />  
<datalist id="colors">  
  <option value="Magenta" />  
  <option value="Purple" />
```



My Favorite Color



Loading Without the Load

```
.loading {  
  background: linear-gradient(90deg, ■ #eff1f1 30%,  
    background-size: 400%;  
  animation: loading 1.2s ease-in-out infinite;  
}
```

```
@keyframes loading {  
  0% {  
    background-position: 100% 50%;  
  }  
  100% {  
    background-position: 0 50%;  
  }  
}
```



Checkbox State

```
<style>
.is-checked {
  display: none;
}


#my-checkbox:checked + span .is-checked {
  display: inline;
}

#my-checkbox:checked + span .not-checked {
  display: none;
}
</style>

<label for="my-checkbox">
  <input id="my-checkbox" type="checkbox" />
  <span>
    <span class="not-checked">Not Checked</span>
    <span class="is-checked">Checked</span>
  </span>
</label>
```




Responsive Text



Hello, Egghead

**SOME
AWESOME**

Why is it important?



Clip Clop Clippity Clop [CSS ...

Steve Gardner **PRO**



Pure CSS (Sass) Carnival Ga...

Una Kravets **PRO**




CSS Eevee

David Khourshid **PRO**



macintosh.css


Sarah Fossheim



CSS Box Dog


agathaco

@colbyfayock




STAR WARS AT-AT Walker

r4ms3s



CSS only animated rocket

Eva Lettner **PRO**



Free Radicals

Noah Blon **PRO**

```
HTML (Haml)
7
8
9 %svg{:version => "1.1", :xmlns =>
10 "http://www.w3.org/2000/svg"}
11 %defs
12   %filter#filter
13
14   %feturbulence#turbulence{:basefrequ
15   ency => "0.05 0.0015", :numoctaves
16   }
17
18 CSS (SCSS)
19
20
21
22
23
24
25
26
27 &:before{
28   content:'';
29   position:absolute;
30   width:200px;
31   height:100%;
32   left:calc(50% - 100px);
33   backdrop-filter:url(#filter);
34   z-index:9;
35   transform:scaleX(0);
36
37 JS
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
```



@cobra_winfrey https://codepen.io/cobra_winfrey/pen/abdjReO

@colbyfayock

```

HTML
1 <div class="cabinet">
2   <div>
3     <div class="mirror"></div>
4     <div class="bottle-amber"></div>
5     <div class="skull"></div>
6   </div>
7   <div>
8     <div class="abacus"></div>
9     <div class="clock"></div>
10    <div class="rubiks-cube"></div>
11  </div>
12 </div>


CSS (Stylus)
1 white(alpha)
2   rgba(255,255,255,alpha)
3 black(alpha)
4   rgba(0,0,0,alpha)
5
6 $gold-l = #DBB25E
7 $gold-m = #907335
8 $gold-d = darken(#836930,8)
9
10 $wallpaper-pattern = repeating-linear-gradient(45deg, transparent, transparent 2px, $gold-l 2px, $gold-l 4px), repeating-linear-gradient(-45deg, transparent, transparent 2px, $gold-m 2px, $gold-m 4px), repeating-linear-gradient(45deg, transparent, transparent 2px, $gold-d 2px, $gold-d 4px)

JS
1 // @lynnandtonic
2 // a.singlediv.com
  
```



@lynnandtonic <https://codepen.io/lynnandtonic/pen/LYGjqOo>

@colbyfayock



HTML (Pug)

```
1 input(type="checkbox" id="toggleGame"
  class="logic-checkbox")
2 input(type="checkbox" id="HowToPlayPopup"
  class="logic-checkbox")
3 input(type="checkbox" id="whoAmIPopup"
  class="logic-checkbox")
4 input(type="checkbox" id="GraphicsLevel"
  class="logic-checkbox")
5 section(class="game-menu-frame")
```

CSS (SCSS)

```
1 /***** More of My Resets *****/
2 *,
3 *::before,
4 *::after{box-sizing:border-box;}
5 /** global variables **/
6 $amountOfVirus:100;
7 :root{
8   --common-color1:#c72113;
9   --common-color2:#2674c3;
```

JS

```
1 /* No JS!! 🙄 */
2
3 /*
4   I'm CSS Architect and code
   evangelist at AnimaApp.com
5
6   You can see more of my stuff on my
```

77

Score: 5/100



@eladsc <https://codepen.io/elad2412/pen/wvabjXy>



HTML (Haml)

```
1 .alien
2   .b
3   %img{:src =>
4     "http://fay.io/e/alien.jpg"}
5   .a
6   .aa
7   .aa
8   .aa
```

CSS (SCSS)

```
1 @import "compass/css3";
2
3 ~ body {
4   max-width: 100%;
5   overflow: hidden;
6   background-color: black;
7   padding-top: 50px;
8 }
```

JS

```
1 // https://css-tricks.com/restart-
  css-animation/
2 ~ var restart = function(el){
3   var that = $(el),
4   newel = that.clone(true);
5   that.before(newel);
6   $(". " + that.attr("class") +
  ":last").remove();
```

A L I E N

Replay

Me! @colbyfayock <https://codepen.io/colbyfayock/pen/aEqsL>

@colbyfayock



FURTHER LEARNING

INSTRUCTOR CREATED COLLECTION

Building Accessible Web Apps with React Workshop Prep

▶ WATCH COLLECTION

🕒 7m

🔖 Watch Later

📡 RSS

Welcome and thank you for joining this Building Accessible Web Apps with React! To be able to follow along with this workshop you'll need to have prepared the following:

1. Please walk step-by-step through the workshop.
2. In addition, I've added a few extra things you'll be planning to use throughout the workshop. Contrast Mode on Windows



The rest of the tools I'll demo for you in the workshop but make sure you have them installed (which is all listed in the [README](#)).

Thanks and I look forward to talking with you about React and Accessibility soon!



Enable High Contrast Mode on Windows



Erin Doyle LESSON

🕒 1m 29s

🏷️ microsoft

Basic HTML and HTML5: Say Hello to HTML Elements

Welcome to freeCodeCamp's HTML coding challenges. These will walk you through web development step-by-step.

First, you'll start by building a simple web page using HTML. You can edit code in your code editor, which is embedded into this web page.

Do you see the code in your code editor that says

```
<h1>Hello</h1>
```

 ? That's an HTML element.

Most HTML elements have an opening tag and a closing tag.

Opening tags look like this:

```
<h1>
```

Closing tags look like this:

```
</h1>
```

The only difference between opening and closing tags is the forward slash after the opening bracket of a closing tag.

Each challenge has tests you can run at any time by clicking the "Run tests" button. When you pass all tests, you'll be prompted to submit your solution and go to the next coding challenge.

```
1 <h1>Hello</h1>
2
```

Hello

freeCodeCamp (🔥)

```
/**
 * Your test output will go here.
 */
```



HTML Crash Course For Absolute Beginners

Traversy Media • 2.8M views • 2 years ago

In this crash course I will cram as much about HTML that I can. This is meant for absolute beginners. If you are interested in ...



HTML Full Course - Build a Website Tutorial

freeCodeCamp.org • 1.3M views • 1 year ago

Learn the basics of HTML5 and web development in this awesome course for beginners. ⭐ Contents

⭐ (0:00:00) Introduction ...



Learn HTML

freeCodeCamp

HTML and

that is used

CC



30 Days to Learn HTML & CSS (Full Course)

Envato Tuts+ •

Course Introduction (30 Days to Learn HTML and CSS) • 0:56

Day 1: Your First Webpage (30 Days to Learn HTML & CSS) • 9:51

VIEW FULL PLAYLIST

Learn HTML in 12 Minutes

Jake Wright • 3.7M views • 9 years ago




Past videos




Learn about CSS Animations with Michael Mullany from Sencha

marakana_techtv
20 views · 9 years ago



Let's Learn CSS Grid! (with Rachel Andrew) – Learn With Jason

jlengstorf
Science & Technology
185 views · 20 days ago
English AMA Edited



[testing setup] let's learn CSS Grid

MagusNerd
Apex Legends
0 views · 20 days ago
English Beginner Player



Highlight: Let's Learn Together: CSS

TornPixie
Creative
3 views · 2 years ago



Highlight: Adigi9 – Chat and Learn Stream CSS Basics Review from Learn.Co Flatiron School Web Dev Bootcamp

adigi9
Science & Technology
2 views · Last month
English



Pen	Green	These are green.
Grace	Purple / Green	These are purple and green.
Orange	Orange	These are orange.
Baranca	Yellow	These are yellow.
Kiel	Green	These are green.
Pump	Purple	These are Purple.
Watermelon	Red	These are red.
Tomato	Red	These are red.
Cherry	Red	These are red.

external image, CSS only

CSS SELECT arrow (classic)

CSS SELECT arrow (round)

CSS SELECT arrow (minimal)



CSS Only Fixed Table Headers

TJ VanToll



SELECT right-arrow with CSS

Veiko



CSS Only iPhone 6

Fabrizio Bianchi



CSS-Only Countdown Clock

Yogev Ahuvia



One Page Navigation CSS M...

Alberto Hartzet



CSS only scroll indicator

Mike PRO


Pure CSS Custom Checkboxes

Checkbox


CSS Only

A checked checkbox


Fourth option



Boxing icon has the will
for a couple more fights



Stranger Things: The sound of the Upside
Down



Scroll Indicator

I was interested to see if I could make a scroll indicator [like this](#) with just CSS.

You can't But maybe you shouldn't. This is an interesting comparison of a bunch of hacks held together with duct tape. It uses a crazy hack, gradient hacks and tricks with calc and viewport units.

Having said that, hacks are not always bad. I love hacks and many of us have made quite a good living selling floats and clearfixes.

The techniques used here are well supported, if not conventional. If you can read the CSS, understand how it works, and how to change it, and you think this works better for you than padding, feel free to implement it. Just be aware of the choice behaviour and possible conflict with other CSS using negative values.

Cras mattis consectetur purus sit amet fermentum. Donec id elit non mi porta gravida at eget metus. Donec id elit non mi porta gravida at eget metus. Donec id elit non mi porta gravida at eget metus. Aenean lacinia bibendum nulla sed consectetur.

Tristique Aenean Elam Cras

Donec id elit non mi porta gravida at eget metus. Donec ullamcorper nulla non metus auctor fringilla. Nulla vitae elit libero, a volutpat sed dapibus. Donec id elit non mi porta gravida at eget metus.







YOU WIN!

GAME OVER

Colby Fayock

Lead UX & Front End Engineer

Element

84

@colbyfayock

