Test Report

Report Number: 250251-23-NDT



INSTITUTE

Gregersensvej 1 DK-2630 Taastrup +45 72 20 20 00 info@teknologisk.dk www.teknologisk.dk

Page 1 of 3 Init.: JNAS/OJGC Order no.: 250251 Encl.: 2

Assignor: FREDERICIA FURNITURE A/S, Treldevej 183, DK-7000 Fredericia

Item: 6681 Plan Wood Table - The test also covers model 6680 . See enclosure B for detailed

sample description.

Sampling: The assignor confirms having selected the product. The product was forwarded by the

assignor and received at Danish Technological Institute on 10 July 2025.

Period: The test took place from 21 July 2025 to 11 August 2025.

Method: EN 15372:2023 - Furniture – Strength, durability and safety – Requirements for non-domestic

tables

Test severity L3: Severe use: E.g. in night-clubs, police stations, transport terminals, hospital

public areas, casinos, sports changing rooms, prisons, barracks.

Additional test methods that are referred to are listed in enclosure B.

Test results: Passed.

The detailed results are shown in enclosure A.

Terms: This test was conducted accredited in accordance with international requirements (ISO/IEC

17025:2017) and in accordance with the General Terms and Conditions of Danish

Technological Institute. The test results solely apply to the tested item. This test report may be quoted in extract only if Danish Technological Institute has granted its written consent.

Place: Danish Technological Institute, Taastrup, Building and Construction

Signature: This document is only valid with a digital signature from Danish Technological Institute. The

date of issue appears from the digital signature.

Jacob Næsby Consultant





Results

Test No.	Test	Test Method	Loading		Result
5.1	General requirements				Passed
5.2	Holes in tubular/rigid component				Passed
5.3.2	Shear and compression points when setting up and folding				N/A
5.3.3	Shear and compression points under influence of non-electrically powered mechanisms				N/A
5.3.4	Shear and compression points during use				Passed
5.4.1.2	Stability under vertical load test - height ≤ 950 mm	EN 1730, 7.2.2	Main surface Ancillary surface	400 200	Passed
5.4.1.3	Stability under vertical load test - height > 950 mm	EN 1730, 7.2.3	Main surface Ancillary surface		N/A
5.4.2	Stability for tables with extension elements	EN 1730, 7.3	Test force, N	200	N/A
5.5.1-1	Durability of height adjustment mechanisms	EN 1730, 8	Specified mass, kg Cycles	75 5000	N/A
5.5.1-2	Horizontal static load test	EN 1730, 6.2	Test force, N Specified mass, kg Cycles	600 50 10	Passed
5.5.1-3	Vertical static load on main surface	EN 1730, 6.3.1	Test force, N Cycles	1250 10	Passed
5.5.1-4	Additional vertical static load test where the main surface has a length >1600 mm	EN 1730, 6.3.2	Test force, N Cycles	1000 10	Passed
5.5.1-5	Vertical static load on ancillary surface	EN 1730, 6.3.3	Test force, N Cycles	300 10	N/A
5.5.1-6	Horizontal durability test	EN 1730, 6.4.1 and 6.4.2	Test force, N Specified mass, kg Cycles	300 50 20000	Passed
5.5.1-7	Vertical durability test for cantilever and tables with central column only	EN 1730, 6.5	Test force, N Cycles	300 20000	N/A
5.5.1-8	Vertical impact test for glass tabletops	EN 1730, 6.6.1 and 6.6.2	Drop height, mm Cycles	240 10	N/A
5.5.1-9	Vertical impact test for all other tabletops	EN 1730, 6.6.1 and 6.6.3	Drop height, mm Cycles	180 10	Passed
5.5.1-10	Drop test – This test is applicable for tables weighing more than 20 kg only	EN 1730, 6.9	Drop height, mm Cycles	95 6	Passed
6	Information for use				Passed
B.1.2.3	Deflection of table tops	EN 1730, 6.7	Distributed load, Kg	300	Passed
B.1.3.2	Durability of table with castors	EN 1730, 6.8	Specified load, Kg Cycles	20 2000	N/A

250251-23-NDT Enclosure A, Page 2 of 3



Methods

The following standard methods are used in this test report:

EN 15372:2023 - Furniture – Strength, durability and safety – Requirements for non-domestic tables

EN 1730:2012 - Furniture - Tables - Test methods for the determination of stability, strenght and durability

Measurement Decision rule according to EN ISO IEC 17025:2018 clause 3.7: No account is taken of

uncertainty: measurement uncertainty when reporting numerical results.

Sample

Description of the item tested:

Model: 6681 Plan Wood Table

Type: Table
Width: 1005 mm
Length: 2000 mm
Height: 735 mm
Weight: 44.8 kg
Materials: Oak

Photo of the sample as received:



250251-23-NDT Enclosure B, Page 3 of 3