



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BETEK HYGIENIC PAINT SEMI GLOSS
- · Article number: 6011-EN-00
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

110 juriner relevant information available.

- · Application of the substance / the mixture
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Betek Boya ve Kimya Sanayi A.Ş. Gebze Organize Sanayi Bölgesi

Tembelova Alanı 3200. Sokak No:3206

Tel: 0 (262) 678 30 00 Gulay.Artiran@betek.com.tr

- · Further information obtainable from: R&D department
- · 1.4 Emergency telephone number: 0090 262 678 30 00

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



Skin Sens. 1 H317

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07 GHS09

- · Signal word Warning
- · Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one 2-octyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one

(Contd. on page 2)

# according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

#### Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

(Contd. of page 1)

#### formaldehyde

#### · Hazard statements

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P103* Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

*P273* Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

*P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	2.5-10%	
		<i>≤</i> 2.5%	
CAS: 57-55-6	1,2-Propanediol		
EINECS: 200-338-0	♠ Acute Tox. 4, H302		
CAS: 1336-21-6	ammonia solution 25%		
EINECS: 215-647-6	Skin Corr. 1B, H314;  Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %		
CAS: 13463-41-7	pyrithione zinc		
EINECS: 236-671-3	Acute Tox. 3, H301; Acute Tox. 2, H330; & Repr. 1B, H360D; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
	ATE: LD50 oral: 221 mg/kg		
	LC50/4 h inhalative: 0.14 mg/l		
CAS: 55406-53-6	3-Iodo-2-propynylbutylcarbamate	<i>≤</i> 2.5%	
EINECS: 259-627-5	Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 ( $M=10$ ); Aquatic Chronic 1, H410 ( $M=1$ ); Acute Tox. 4, H302;		
	Skin Sens. 1, H317		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	0.030%	
EINECS: 220-120-9	Eye Dam. 1, H318;  Aquatic Acute 1, H400;  Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %		
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≤2.5%	
EINECS: 220-239-6	<ul> <li>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;</li> <li>Skin Corr. 1B, H314; Eye Dam. 1, H318;</li> <li>Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1);</li> <li>Skin Sens. 1A, H317, EUH071</li> <li>Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %</li> </ul>		

- IE

# according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

	(Conto	d. of page 2	
CAS: 50-00-0	formaldehyde	≤2.5%	
EINECS: 200-001-8	<ul> <li>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331;</li> <li>Muta. 2, H341; Carc. 1B, H350;</li> <li>Skin Corr. 1B, H314;</li> <li>Skin Sens. 1, H317</li> </ul>		
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %		
	Skin Irrit. 2; H315: 5 % ≤ C < 25 %		
	Eye Irrit. 2; H319: 5 % ≤ C < 25 %		
	Škin Sens. 1; H317: C ≥ 0.2 %		
	STOT SE 3; H335: C ≥ 5 %		
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	≤2.5%	
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg		
	Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %		

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# according to Regulation (EC) No 1907/2006, Article 31 Version number 1

Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

(Contd. of page 3)

Revision: 28.11.2024

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

Printing date: 28.11.2024

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 112-34-5 2-(2-butoxyethoxy)ethanol

OEL Short-term value: 101.2 mg/m³, 12 ppm Long-term value: 67.5 mg/m³, 10 ppm

IOELV

## 57-55-6 1,2-Propanediol

OEL Long-term value: 470\* 10\*\* mg/m³, 150\* ppm \*total vapour and particulates \*\*particulates

#### 50-00-0 formaldehyde

OEL Short-term value: 0.738 mg/m³, 0.6 ppm

Long-term value: 0.37 0.62\* mg/m<sup>3</sup>, 0.3 0.5\* ppm Carc1B, Sens, \*healthcare, funeral, embalm.: 11.07.24

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

#### according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

(Contd. of page 4)

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

• Colour: According to product specification

· Odour: Characteristic
· Boiling point or initial boiling point and boiling range Undetermined.
· Flash point: Not applicable.

· Solubility

• water: Fully miscible.

· Density and/or relative density

· **Density:** Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

· Information with regard to physical hazard classes

· Explosives void · Flammable gases void · Aerosols void · Oxidising gases void · Gases under pressure void · Flammable liquids void · Flammable solids void · Self-reactive substances and mixtures void · Pyrophoric liquids void · Pyrophoric solids void · Self-heating substances and mixtures void · Substances and mixtures, which emit flammable gases in contact with water void · Oxidising liquids void · Oxidising solids void Organic peroxides void Corrosive to metals void

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

ΙE

## according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

(Contd. of page 5)

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA

(Contd. on page 7)

## according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

		(Contd. of page 6)
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	-	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	-	
14.4 Packing group ADR, IMDG, IATA	-	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
UN "Model Regulation":	-	

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55, 72
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.

(Contd. on page 8)

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date: 28.11.2024 Version number 1 Revision: 28.11.2024

#### Trade name: BETEK HYGIENIC PAINT SEMI GLOSS

(Contd. of page 7) H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 Fatal if inhaled. H330Toxic if inhaled. H331 H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. May damage the unborn child. H360D Causes damage to organs through prolonged or repeated exposure. H372 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity - Category 1B Repr. 1B: Reproductive toxicity - Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

П